

Multiple Indicator Cluster Survey

(2016 - 17)

Survey Finding Report

Kano State

Report Date: October 2017

















Nigeria

Multiple Indicator Cluster Survey 2016-17

Survey Finding Report Kano State

October, 2017



The fifth round Multiple Indicator Cluster Survey (MICS5) was carried out in 2016/2017 by the National Bureau of Statistics (NBS) in collaboration with the National Primary Health Care Development Agency (NPHCDA) and National Agency for the Control of Aids (NACA), as part of the global MICS programme. Technical support was provided by the United Nations Children's Fund (UNICEF). World Health Organization (WHO), World Bank, Save One Million Live (SOML), Bill and Melinda Gates Foundation, United Nations Population Funds (UNFPA) and UNICEF provided financial support.

The global MICS programme was developed by UNICEF in the 1990s as an international household survey programme to support countries in the collection of internationally comparable data on a wide range of indicators on the situation of children and women. MICS surveys measure key indicators that allow countries to generate data for use in policies and programmes, and to monitor progress towards the Millennium Development Goals (MDGs) and other internationally agreed upon commitments. The Nigeria MICS5 provided opportunity for strengthening of national statistical capacity by providing technical guidance on data gathering, quality of survey information, statistical tracking and analysis. MICS5 will contributed to the improvement of data and monitoring systems in Nigeria and strengthened technical expertise in the design, implementation and analysis of such systems. In addition, MICS5 provided statistics to complement and assess the quality of data from recent national surveys such as Nigerian General Household Panel Survey (NGHPS) and National Demographic and Health Survey (NDHS) conducted by National Population Commission (NPopC).

As part of devolving the reporting domain to the lower level in Kano State, sample was taken at the Senatorial district level in order to disaggregate the data at both state and senatorial district. In the history of MICS Nigeria, this is the first time the reporting domain is taking to senatorial level.

Suggested citation:

National Bureau of Statistics (NBS), Kano State Bureau of Statistics and United Nations Children's Fund (UNICEF). 2017. *Multiple Indicator Cluster Survey 2016-17, Survey Findings Report*. Kano, Nigeria: National Bureau of Statistics and United Nations Children's Fund.

Summary Table of Survey Implementation and the Survey Population, Multiple Indicator Cluster Survey, Nigeria 2016-17, Kano State

Survey implementation Sample frame	2006 Population and	Questionnaires	Household
·	Housing Census	1	Vomen (age 15-49)
- Updated	November 2015		Men (age 15-49)
			Children under five
Interviewer training	August 2016	Fieldwork	September 2016-
			January 2017
Survey sample			
Households		Children under five	
- Sample	1,920	- Eligible	2,574
 Actual Coverage 	1,920	- Mothers/caretakers interviewed	2,559
- Occupied	1,876	 Response rate (Per cent) 	98.9
- Interviewed	1,867		
- Response rate (Per cent)	99.5		
Women		Men	
 Eligible for interviews 	2,576	 Eligible for interviews 	1,201
- Interviewed	2,500	- Interviewed	1,099
- Response rate (Per cent)	96.6	 Response rate (Per cent) 	91.1

Survey population			
Average household size	7.2	Percentage of population living in	
Percentage of population:		- Urban areas	26.8
- Under 5 years	19.1	- Rural areas	73.2
- Under 18 years	57.3		
Percentage of population by sex: - Male	49.1	Percentage of population by senatorial district	
- Female	50.9	- Kano Central	42.1
Percentage of women age 15-49 years		- Kano North	28.2
with at least one live birth in the last 2 years	43.5	- Kano South	29.7

Housing characteristics	
Percentage of households with	
- Electricity	46.8
- Finished floor	52.3
- Finished roofing	80.8
- Finished walls	61.3
Mean number of persons per room used for sleeping	3.0

Household or personal assets						
Percentage of households that own	Percentage of households that own					
- A television	25.6					
- A refrigerator	12.0					
- Agricultural land	65.3					
- Farm animals/livestock	57.1					
Percentage of households where at	Percentage of households where at					
least a member has or owns a						
- Mobile phone	55.6					
- Car or truck	8.2					

Summary Table of Findings¹

Multiple Indicator Cluster Surveys (MICS), Millennium Development Goals (MDG) Indicators, Nigeria 2016-17 Kano State

CHILD MORTALITY					
Earl	y childhood	l mortality			
MIC Indi	S cator	Indicator	Description	Value ^a	
1.1	SDG 3.2.2	Neonatal mortality rate	Probability of dying within the first month of life	69	
1.2	MDG 4.2	Infant mortality rate	Probability of dying between birth and the first birthday	112	
1.3		Post-neonatal mortality rate	Difference between infant and neonatal mortality rates	44	
1.4		Child mortality rate	Probability of dying between the first and the fifth birthdays	103	
1.5	SDG 3.2.1 /MDG 4.1	Under-five mortality rate	Probability of dying between birth and the fifth birthday	203	
^a Indio	ator values are	per 1,000 live births and refer to	the 5-year period preceding the survey.		

Νυτ	RITION			
Nutr	itional stat	us		
MICS Indic		Indicator	Description	Value
2.1a 2.1b	MDG 1.8	Underweight prevalence (a) Moderate and severe (b) Severe	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for age of the WHO standard	40.3 16.1
2.2a 2.2b	SDG 2.2.1	Stunting prevalence (a) Moderate and severe (b) Severe	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median height for age of the WHO standard	58.0 32.8
2.3a 2.3b	SDG 2.2.2	Wasting prevalence (a) Moderate and severe (b) Severe	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for height of the WHO standard	10.8 2.8
2.4	SDG 2.2.2	Overweight prevalence	Percentage of children under age 5 who are above two standard deviations of the median weight for height of the WHO standard	1.7
Brea	stfeeding a	and infant feeding		
2.5		Children ever breastfed	Percentage of women with a live birth in the last 2 years who breastfed their last live-born child at any time	90.2
2.6		Early initiation of breastfeeding	Percentage of women with a live birth in the last 2 years who put their last newborn to the breast within one hour of birth	30.8
2.7		Exclusive breastfeeding under 6 months	Percentage of infants under 6 months of age who are exclusively breastfed	18.6
2.8		Predominant breastfeeding under 6 months	Percentage of infants under 6 months of age who received breast milk as the predominant source of nourishment during the previous day	65.1
2.9		Continued breastfeeding at 1 year	Percentage of children age 12-15 months who received breast milk during the previous day	94.9
2.10		Continued breastfeeding at 2 years	Percentage of children age 20-23 months who received breast milk during the previous day	47.0
2.11		Median duration of breastfeeding	The age in months when 50 percent of children age 0-35 months did not receive breast milk during the previous day	21.1

¹ See Appendix E for a detailed description of MICS indicators

2.12	Age-appropriate	Percentage of children age 0-23 months appropriately fed	62.8
	breastfeeding	during the previous day	
2.13	Introduction of solid,	Percentage of infants age 6-8 months who received solid,	78.1
	semi-solid or soft foods	semi-solid or soft foods during the previous day	
2.14	Milk feeding frequency for	Percentage of non-breastfed children age 6-23 months who	34.2
	non-breastfed children	received at least 2 milk feedings during the previous day	
2.15	Minimum meal frequency	Percentage of children age 6-23 months who received solid,	40.5
	· ,	semi-solid and soft foods (plus milk feeds for non-breastfed	
		children) the minimum number of times or more during the	
		previous day	
2.16	Minimum dietary diversity	Percentage of children age 6–23 months who received foods	32.0
		from 4 or more food groups during the previous day	02.0
2.17a	Minimum acceptable diet	(a) Percentage of breastfed children age 6–23 months who	14.6
2.17b		had at least the minimum dietary diversity and the minimum	1.0
2.175		meal frequency during the previous day	
		(b) Percentage of non-breastfed children age 6–23 months	17.1
		who received at least 2 milk feedings and had at least the	17.1
		-	
		minimum dietary diversity not including milk feeds and the	
2.40		minimum meal frequency during the previous day	24.6
2.18	Bottle feeding	Percentage of children age 0-23 months who were fed with a	31.6
		bottle during the previous day	
Low-birthw	eight		
2.20	Low-birthweight infants	Percentage of most recent live births in the last 2 years	19.4
		weighing below 2,500 grams at birth	
2.21	Infants weighed at birth	Percentage of most recent live births in the last 2 years who	7.8
	-	were weighed at birth	

CHILD HEALTH

Vaccinations		
MICS Indicator	Indicator	Description
3.1	Tuberculosis immunization coverage	Percentage of children age 12-23 months who received BCG vaccine by their first birthday
3.2	Polio immunization coverage	Percentage of children age 12-23 months who received the third dose of OPV vaccine (OPV3) by their first birthday
3.3	Diphtheria, pertussis and tetanus (DPT) immunization coverage	Percentage of children age 12-23 months who received the third dose of DPT vaccine (DPT3) by their first birthday
3.4 MDG 4.3	Measles immunization coverage	Percentage of children age 12-23 months who received measles vaccine by their first birthday
3.7	Yellow fever immunization coverage	Percentage of children age 12-23 months who received yellow fever vaccine by their first birthday
3.8 SDG 3.b.1	Full immunization coverage	Percentage of children age 12-23 months who received all vaccinations recommended in the national immunization schedule by their first birthday (measles by second birthday)
Tetanus toxoid		
3.9	Neonatal tetanus protection	Percentage of women age 15-49 years with a live birth in the last 2 years who were given at least two doses of tetanus toxoid vaccine within the appropriate interval prior to the most recent birth
Diarrhoea		
-	Children with diarrhoea	Percentage of children under age 5 with diarrhoea in the last 2 weeks
3.10	Care-seeking for diarrhoea	Percentage of children under age 5 with diarrhoea in the last 2 weeks for whom advice or treatment was sought from a health facility or provider
3.11	Diarrhoea treatment with oral rehydration salts (ORS) and zinc	Percentage of children under age 5 with diarrhoea in the last 2 weeks who received ORS and zinc

2.42	Diambra a transfer ant with	Demonstrate of the latency of the standard set in the latency
3.12	Diarrhoea treatment with oral rehydration therapy (ORT) and continued	Percentage of children under age 5 with diarrhoea in the last 2 weeks who received ORT (ORS packet, pre-packaged ORS fluid, recommended homemade fluid or increased fluids)
	feeding	and continued feeding during the episode of diarrhoea
Acute Respiratory Infectio	n (ARI) symptoms	
-	Children with ARI symptoms	Percentage of children under age 5 with ARI symptoms in the last 2 weeks
3.13	Care-seeking for children with ARI symptoms	Percentage of children under age 5 with ARI symptoms in the last 2 weeks for whom advice or treatment was sought from a health facility or provider
3.14	Antibiotic treatment for children with ARI symptoms	Percentage of children under age 5 with ARI symptoms in the last 2 weeks who received antibiotics
Solid fuel use		
3.15 SDG 7.1.2	Use of solid fuels for cooking	Percentage of household members in households that use solid fuels as the primary source of domestic energy to cook
Malaria / Fever		
-	Children with fever	Percentage of children under age 5 with fever in the last 2 weeks
3.16a 3.16b	Household availability of insecticide-treated nets (ITNs)	Percentage of households with (a) at least one ITN (b) at least one ITN for every two people
3.18 MDG 6.7	Children under age 5 who slept under an ITN	Percentage of children under age 5 who slept under an ITN the previous night
3.19	Population that slept under an ITN	Percentage of household members who slept under an ITN the previous night
3.20	Care-seeking for fever	Percentage of children under age 5 with fever in the last 2 weeks for whom advice or treatment was sought from a health facility or provider
3.21	Malaria diagnostics usage	Percentage of children under age 5 with fever in the last 2 weeks who had a finger or heel stick for malaria testing
3.22 MDG 6.8	Anti-malarial treatment of children under age 5	Percentage of children under age 5 with fever in the last 2 weeks who received any antimalarial treatment
3.23	Treatment with Artemisinin-based Combination Therapy (ACT) among children who received anti-malarial treatment	Percentage of children under age 5 with fever in the last 2 weeks who received ACT (or other first-line treatment according to national policy) among children who received anti-malarial treatment
3.24	Pregnant women who slept under an ITN	Percentage of pregnant women who slept under an ITN the previous night
3.25	Intermittent preventive treatment for malaria during pregnancy	Percentage of women age 15-49 years who received three or more doses of SP/Fansidar, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth in the last 2 years

WA	WATER AND SANITATION				
MIC	-	Indicator	Description	Value	
4.1	SDG 6.1.1	Use of improved drinking water sources	Percentage of household members using improved sources of drinking water	57.9	
4.2		Water treatment	Percentage of household members in households using unimproved drinking water who use an appropriate treatment method	0.7	

WATER AND SANITATION

MICS Indic		Indicator	Description	Value
4.3	MDG 7.9 SDG 1.4.1	Use of improved sanitation	Percentage of household members using improved sanitation facilities which are not shared	55.1
4.4	SDG 6.2.1	Safe disposal of child's faeces	Percentage of children age 0-2 years whose last stools were disposed of safely	83.3
4.5	SDG 6.1.2	Place for handwashing	Percentage of households with a specific place for hand washing where water and soap or other cleansing agent are present	16.3
4.6		Availability of soap or other cleansing agent	Percentage of households with soap or other cleansing agent	45.3
4.S1		Quality of drinking water at the households	Percentage of household members drinking water contaminated by <i>E. Coli</i> in the drinking water of the household	97.0
4.S2		Quality at the source of household drinking water	Percentage of household members drinking water contaminated by <i>E. Coli</i> at the source of drinking water	88.0
4.S3	SDG 6.1.1	Use of safely managed drinking water sources	Percentage of household members with an improved drinking water source located on premises, free of E. coli and available when needed	0.2

REPRODUCTIVE HEALTH

Contraception and unmet need

MICS Indic		Indicator	Description	Value
-		Total fertility rate	Total fertility rate for women age 15-49 years	7.7
5.1	SDG 3.7.2	Adolescent birth rate	Age-specific fertility rate for women age 15-19 years	169
5.2		Early childbearing	Percentage of women age 20-24 years who had at least one live birth before age 18	44.3
5.3	MDG 5.3	Contraceptive prevalence rate	Percentage of women age 15-49 years currently married or in union who are using (or whose partner is using) a (modern or traditional) contraceptive method	6.3
5.4	SDG 3.7.1	Unmet need	Percentage of women age 15-49 years who are currently married or in union who are fecund and want to space their births or limit the number of children they have and who are not currently using contraception	30.8
Mate	ernal and n	ewborn health		
5.5a 5.5b	MDG 5.5 MDG 5.5	Antenatal care coverage	Percentage of women age 15-49 years with a live birth in the last 2 years who were attended during their last pregnancy that led to a live birth	
			(a) at least once by skilled health personnel(b) at least four times by any provider	65.1 44.7
5.6		Content of antenatal care	Percentage of women age 15-49 years with a live birth in the last 2 years who had their blood pressure measured and gave urine and blood samples during the last pregnancy that led to a live birth	49.3
5.7	SDG 3.1.2	Skilled attendant at delivery	Percentage of women age 15-49 years with a live birth in the last 2 years who were attended by skilled health personnel during their most recent live birth	19.8
5.8		Institutional deliveries	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered in a health facility	15.7
5.9		Caesarean section	Percentage of women age 15-49 years whose most recent live birth in the last 2 years was delivered by caesarean section	1.0

Post-natal health checks				
5.10	Post-partum stay in health facility	Percentage of women age 15-49 years who stayed in the health facility for 12 hours or more after the delivery of their most recent live birth in the last 2 years	26.7	
5.11	Post-natal health check for the newborn	Percentage of last live births in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery	17.5	
5.12	Post-natal health check for the mother	Percentage of women age 15-49 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery of their most recent live birth in the last 2 years	4.3	

CHILD DEVELOPMENT

MICS Indicator	Indicator	Description	Value
6.1	Attendance to early childhood education	Percentage of children age 36-59 months who are attending an early childhood education programme	18.1
6.2	Support for learning	Percentage of children age 36-59 months with whom an adult has engaged in four or more activities to promote learning and school readiness in the last 3 days	62.6
6.3	Father's support for learning	Percentage of children age 36-59 months whose biological father has engaged in four or more activities to promote learning and school readiness in the last 3 days	7.8
6.4	Mother's support for learning	Percentage of children age 36-59 months whose biological mother has engaged in four or more activities to promote learning and school readiness in the last 3 days	20.4
6.5	Availability of children's books	Percentage of children under age 5 who have three or more children's books	1.6
6.6	Availability of playthings	Percentage of children under age 5 who play with two or more types of playthings	52.7
6.7	Inadequate care	Percentage of children under age 5 left alone or in the care of another child younger than 10 years of age for more than one hour at least once in the last week	21.9
6.8 SDG 4.2.1	Early child development index	Percentage of children age 36-59 months who are developmentally on track in at least three of the following four domains: literacy-numeracy, physical, social-emotional, and learning	61.0

Lite	LITERACY AND EDUCATION				
MIC	S ator	Indicator	Description	Value	
7.1	MDG 2.3	Literacy rate among young people	Percentage of young people age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education (a) women	46.1	
7.2		School readiness	(b) men Percentage of children in first grade of primary school who attended pre-school during the previous school year	72.5 23.8	
7.3		Net intake rate in primary education	Percentage of children of school-entry age who enter the first grade of primary school	35.4	
7.4	SDG 4.1.2	Primary school net attendance ratio (adjusted)	Percentage of children of primary school age currently attending primary or secondary school	56.7	
7.5	SDG 4.1.1	Secondary school net attendance ratio (adjusted)	Percentage of children of secondary school age currently attending secondary school or higher	45.3	
7.6	MDG 2.2	Children reaching last grade of primary	Percentage of children entering the first grade of primary school who eventually reach last grade	93.6	

7.7		Primary completion rate	Number of children attending the last grade of primary school (excluding repeaters) divided by number of children of primary school completion age (age appropriate to final grade of primary school)	56.1
7.8		Transition rate to secondary school	Number of children attending the last grade of primary school during the previous school year who are in the first grade of secondary school during the current school year divided by number of children attending the last grade of primary school during the previous school year	39.7
7.9	SDG 4.5.1	Gender parity index (primary school)	Primary school net attendance ratio (adjusted) for girls divided by primary school net attendance ratio (adjusted) for boys	0.9
7.10	MDG 3.1 SDG 4.5.1	Gender parity index (secondary school)	Secondary school net attendance ratio (adjusted) for girls divided by secondary school net attendance ratio (adjusted) for boys	0.8

CHILD	PROTEC	TION		
Birth re	egistratio	on		
MICS Indicat	or	Indicator	Description	Value
8.1 SDG	i 16.9.1	Birth registration	Percentage of children under age 5 whose births are reported registered	35.3
Child la	abour			
8.2 SD0	G 8.7.1	Child labour	Percentage of children age 5-17 years who are involved in child labour	53.6
Child d	iscipline			
8.3 SD	G 16.2.1	Violent discipline	Percentage of children age 1-14 years who experienced psychological aggression or physical punishment during the last one month	82.5
Early m	narriage	and polygyny		
8.4 SD0	G 5.3.1	Marriage before age 15	Percentage of people age 15-49 years who were first married or in union before age 15	
			(a) Women	30.8
8.5 SD(G 5.3.1	Marriage before age 18	(b) Men Percentage of people age 20-49 years who were first married or in union before age 18	1.9
			(a) Women (b) Men	69.7 4.1
8.6		Young people age 15-19 years currently married or	Percentage of young people age 15-19 years who are married or in union	
		in union	(a) Women	30.8 0.0
8.7		Polygyny	(b) Men Percentage of people age 15-49 years who are in a polygynous union	0.0
			(a) Women	48.2
			(b) Men	34.7
8.8a 8.8b		Spousal age difference	Percentage of young women who are married or in union and whose spouse is 10 or more years older,	
0.00			(a) among women age 15-19 years,	56.8
			(b) among women age 20-24 years	57.1
Female	genital	mutilation/cutting		
8.9		Approval for female genital mutilation/cutting (FGM/C)	Percentage of women age 15-49 years who state that FGM/C should be continued	59.0
8.10 SE	OG 5.3.2	Prevalence of FGM/C among women	Percentage of women age 15-49 years who report to have undergone any form of FGM/C	30.9

8.11	Prevalence of FGM/C among girls	Percentage of daughters age 0-14 years who have undergone any form of FGM/C, as reported by mothers age 15-49 years	71.0
Attitudes t	owards domestic violence		
8.12	Attitudes towards domestic violence	Percentage of people age 15-49 years who state that a husband is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food (a) Women (b) Men	34.7 22.0
Children's	living arrangements		
8.13	Children's living arrangements	Percentage of children age 0-17 years living with neither biological parent	6.0
8.14	Prevalence of children with one or both parents dead	Percentage of children age 0-17 years with one or both biological parents dead	6.4
8.15	Children with at least one parent living abroad	Percentage of children 0-17 years with at least one biological parent living abroad	0.1

HIV/AIDS AND SEXUAL BEHAVIOUR

MICS Indicator	Indicator	Description	Value
-	Have heard of AIDS	Percentage of people age 15-49 years who have heard of	
		AIDS	
		(a) Women	75.3
		(b) Men	91.9
9.1 MDG 6.3	Knowledge about HIV	Percentage of young people age 15-24 years who correctly	
	prevention among young	identify ways of preventing the sexual transmission of HIV,	
	people	and who reject major misconceptions about HIV	
		transmission	
		(a) Women	15.5
		(b) Men	23.3
9.2	Knowledge of mother-to-	Percentage of people age 15-49 years who correctly identify	
	child transmission of HIV	all three means of mother-to-child transmission of HIV	
		(a) Women	42.2
		(b) Men	34.2
9.3	Accepting attitudes	Percentage of people age 15-49 years expressing accepting	
	towards people living with	attitudes on all four questions toward people living with HIV	
	HIV	(a) Women	7.2
		(b) Men	21.3
HIV testing			
9.4	People who know where	Percentage of people age 15-49 years who state knowledge	
	to be tested for HIV	of a place to be tested for HIV	
		(a) Women	44.7
		(b) Men	47.0
9.5	People who have been	Percentage of people age 15-49 years who have been tested	
	tested for HIV and know	for HIV in the last 12 months and who know their results	
	the results	(a) Women	
		(b) Men	6.9
			5.8

9.6		Sexually active young people who have been	Percentage of young people age 15-24 years who have had sex in the last 12 months, who have been tested for HIV in	
		tested for HIV and know	the last 12 months and who know their results	
		the results	(a) Women	6.9
			(b) Men	5.8
9.7		HIV counselling during	Percentage of women age 15-49 years who had a live birth in	27.1
		antenatal care	the last 2 years and received antenatal care during the	
			pregnancy of their most recent birth, reporting that they	
			received counselling on HIV during antenatal care	
9.8		HIV testing during	Percentage of women age 15-49 years who had a live birth in	18.6
		antenatal care	the last 2 years and received antenatal care during the	
			pregnancy of their most recent birth, reporting that they	
			were offered and accepted an HIV test during antenatal care	
			and received their results	
Sexu	al behavio	our		
9.9		Young people who have	Percentage of never married young people age 15-24 years	
		never had sex	who have never had sex	
			(a) Women	98.6
			(b) Men	86.2
9.10		Sex before age 15 among	Percentage of young people age 15-24 years who had sexual	
		young people	intercourse before age 15	
			(a) Women	15.5
			(b) Men	0.4
9.11		Age-mixing among sexual	Percentage of women age 15-24 years who had sex in the	60.8
		partners	last 12 months with a partner who was 10 or more years	
			older	
9.12		Multiple sexual	Percentage of people age 15-49 years who had sexual	
		partnerships	intercourse with more than one partner in the last 12	
			months	
			(a) Women	0.6
			(b) Men	3.2
9.13		Condom use at last sex	Percentage of people age 15-49 years who report having had	
		among people with	more than one sexual partner in the last 12 months who also	
		multiple sexual	reported that a condom was used the last time they had sex	
		partnerships	(a) Women	12.1
			(b) Men	35.7
9.14		Sex with non-regular	Percentage of sexually active young people age 15-24 years	
		partners	who had sex with a non-marital, non-cohabitating partner in	
			the last 12 months	
			(a) Women	0.3
			(b) Men	11.1
9.15	MDG 6.2	Condom use with non-	Percentage of young people age 15-24 years reporting the	
		regular partners	use of a condom during the last sexual intercourse with a	
			non-marital, non-cohabiting sex partner in the last 12	
			months	
			(a) Women	55.2
			(b) Men	80.3

Orph	nans			
9.16	MDG 6.4	Ratio of school attendance of orphans to school attendance of non- orphans	Proportion attending school among children age 10-14 years who have lost both parents divided by proportion attending school among children age 10-14 years whose parents are alive and who are living with one or both parents	1.07
Male	e circumcis	ion		
9.17		Male circumcision	Percentage of men age 15-49 years who report having been circumcised	99.3

Access to MA	Access to mass media and ICT				
Access to mass	media				
MICS Indicator	Indicator	Description	Value		
10.1	Exposure to mass media	Percentage of people age 15-49 years who, at least once a week, read a newspaper or magazine, listen to the radio, and watch television			
		(a) Women (b) Men	3.8 19.9		
Use of informa	tion/communication te	chnology			
10.2	Use of computers	Percentage of young people age 15-24 years who used a computer during the last 12 months			
		(a) Women (b) Men	7.9 16.3		
10.3 SDG 17.8.1	Use of internet	Percentage of young people age 15-24 years who used the internet during the last 12 months			
		(a) Women	7.2		
		(b) Men	32.9		

SUBJECTIVE	Subjective well-being				
MICS Indicator	Indicator	Description	Value		
11.1	Life satisfaction	Percentage of young people age 15-24 years who are very or somewhat satisfied with their life, overall			
		(a) Women	89.6		
		(b) Men	87.6		
11.2	Happiness	Percentage of young people age 15-24 years who are very or somewhat happy			
		(a) Women	91.2		
		(b) Men	90.9		
11.3	Perception of a better life	Percentage of young people age 15-24 years whose life improved during the last one year, and who expect that their life will be better after one year			
		(a) Women	74.0		
		(b) Men	66.6		

TOBACCO AND ALCOHOL USE Tobacco use			
			MICS Indicator
12.1 SDG.3.a.1	Tobacco use	Percentage of people age 15-49 years who smoked cigarettes, or used smoked or smokeless tobacco products at any time during the last one month (a) Women (b) Men	- 4.0
12.2	Smoking before age 15	Percentage of people age 15-49 years who smoked a whole cigarette before age 15 (a) Women (b) Men	0.1 1.1
Alcohol use			
12.3 SDG 3.a.1	Use of alcohol	Percentage of people age 15-49 years who had at least one alcoholic drink at any time during the last one month (a) Women (b) Men	-
12.4	Use of alcohol before age 15	Percentage of people age 15-49 years who had at least one alcoholic drink before age 15 (a) Women (b) Men	- 0.2

Table of Contents

Summary Table of Survey Implementation and the Survey Population, Multiple Indicator (Nigeria 2016-17, Kano State	
Summary Table of Findings	iv
Table of Contents	xiv
List of Tables	xvii
Acknowledgements	xxiii
I. Introduction	1
Background	1
Survey Objectives	2
II. Sample and Survey Methodology	2
Sample Design: the sub-sample of Kano state	2
Questionnaires	
Training and Fieldwork	
Data Processing	
III. Sample Coverage and the Characteristics of Households and Respondents	6
Kano state sub-Sample Coverage	6
Characteristics of Households	
Housing characteristics, asset ownership, and wealth quintiles	
IV. Child Mortality	
IV. Child Mortality	15
V. Nutrition	
Low Birth Weight	
Nutritional Status	
Breastfeeding and Infant and Young Child Feeding	22
Salt Iodization	
VI. Child Health	32
Vaccinations	
Care of Illness	
Diarrhoea	
Solid Fuel Use	
Malaria/Fever	

VII.	Water and Sanitation	59
Us	se of Improved Water Sources	59
Us	se of Improved Sanitation	64
На	andwashing	
VIII.	Reproductive Health	74
Fe	rtility	74
Сс	ontraception	
Ur	nmet Need	79
Ar	ntenatal Care	81
As	ssistance at Delivery	
Ple	ace of Delivery	86
Рс	ost-natal Health Checks	
IX.	Early Childhood Development	97
	arly Childhood Care and Education	
Qı	uality of Care	
De	evelopmental Status of Children	
Х.	Literacy and Education	102
	teracy among Young Women and Men	
	imary and Secondary School Participation	
	ild Protection	
	rth Registration	
	nild Labour	
	arly Marriage and Polygyny	
	emale Genital Mutilation/Cutting	
	titudes toward Domestic Violence	
Ch	nildren's Living Arrangements	134
XII.	HIV/AIDS and Sexual Behaviour	136
Kr	nowledge about HIV Transmission and Misconceptions about HIV	136
Ac	ccepting Attitudes toward People Living with HIV	
Kr	nowledge of a Place for HIV Testing, Counselling and Testing during Antenatal Care	144
Se	exual Behaviour Related to HIV Transmission	147
HI	IV Indicators for Young Women and Young Men	149
Or	rphans	
М	ale Circumcision	
XIII.	Access to Mass Media and Use of Information/Communication Technology	161
Us	se of Information/Communication Technology	

XIV.	Subject	ive well-being	65
XV.	Tobacc	o and Alcohol Use1	73
Append	dix A.	Sample Design	75
Sam	ple Size (and Sample Allocation	75
Sam	pling Fro	me and Selection of Clusters	76
Listi	ng Activi	ties1	76
Sele	ction of I	Households1	76
Calc	ulation c	f Sample Weights1	77
Append	dix B.	List of Personnel Involved in the Survey18	80
Append	dix C.	Estimates of Sampling Errors18	82
Append	dix D.	Data Quality Tables19	94
Append	dix E. Nig	geria MICS Indicators: Numerators and Denominators22	11
Append	dix F. Kar	no Nigeria MICS Questionnaires	23

List of Tables

Table HH.1:	Results of household, women's, men's and under-5 interviews	6
Table HH.2:	Age distribution of household population by sex	
Table HH.3:	Household composition	
Table HH.4:	Women's background characteristics	
Table HH.4M	Men's background characteristics	10
Table HH.5:	Under-5's background characteristics	12
Table HH.6:	Housing characteristics	13
Table HH.7:	Household and personal assets	14
Table HH.8:	Wealth quintiles	14
Table CM.1:	Early childhood mortality rates	15
Table CM.2:	Early childhood mortality rates by socioeconomic characteristics	16
Table CM.3:	Early childhood mortality rates by demographic characteristics	17
Table NU.1:	Low birth weight infants	18
Table NU.2:	Nutritional status of children	
Table NU.3:	Initial breastfeeding	
Table NU.4:	Breastfeeding	
Table NU.5:	Duration of breastfeeding	
Table NU.6:	Age-appropriate breastfeeding	
Table NU.7:	Introduction of solid, semi-solid, or soft foods	
Table NU.8:	Infant and young child feeding (IYCF) practices	
Table NU.9:	Bottle feeding	30
Table NU.10:	Iodized salt consumption	31
Table CH.1:	Vaccinations in the first years of life	
Table CH.2:	Vaccinations by background characteristics	
Table CH.3:	Neonatal tetanus protection	
Table CH.4:	Reported disease episodes	
Table CH.5:	Care-seeking during diarrhoea	
Table CH.6:	Feeding practices during diarrhoea	
Table CH.7:	Oral rehydration solutions, recommended homemade fluids, and zinc	
Table CH.8:	Oral rehydration therapy with continued feeding and other treatments	
	Source of ORS and zinc	41
Table CH.10:	Care-seeking for and antibiotic treatment of symptoms of acute respiratory infection (ARI)	43
Table CH.11:	Knowledge of the two danger signs of pneumonia	45
	Solid fuel use	
Table CH.13:	Solid fuel use by place of cooking	47
Table CH.14:	Household availability of insecticide treated nets and protection by a vector control method	48
Table CH.15:	Access to an insecticide treated net (ITN) - number of household members	
	Access to an insecticide treated net (ITN) - background characteristics	
	Use of ITNs	
	Children sleeping under mosquito nets	
	Use of mosquito nets by the household population	
	Care-seeking during fever	
	Treatment of children with fever	

Table CH.22:	Diagnostics and anti-malarial treatment of children	
Table CH.23:	Source of anti-malarial	
Table CH.24:	Pregnant women sleeping under mosquito nets	
Table CH.25:	Intermittent preventive treatment for malaria	
Table WS.1:	Use of improved water sources	
Table WS.2:	Household water treatment	61
Table WS.3:	Time to source of drinking water	
Table WS.4:	Person collecting water	63
Table WS.5:	Types of sanitation facilities	64
Table WS.6:	Use and sharing of sanitation facilities	
Table WS.7:	Drinking water and sanitation ladders	
Table WS.8:	Disposal of child's faeces	67
Table WS.9:	Water and soap at place for handwashing	
Table WS.10:	Availability of soap or other cleansing agent	
Table WQ.1:	Quality of source of drinking water	71
Table WQ.2:	Quality of Household drinking water	72
Table WQ3:	Safely managed drinking water services	73
Table RH.1:	Fertility rates	74
Table RH.2:	Adolescent birth rate and total fertility rate	75
Table RH.3:	Early childbearing	76
Table RH.4:	Trends in early childbearing	77
Table RH.5:	Use of contraception	
Table RH.6:	Unmet need for contraception	
Table RH.7:	Antenatal care coverage	
Table RH.8:	Number of antenatal care visits and timing of first visit	
Table RH.9:	Content of antenatal care	
	Assistance during delivery and caesarian section	
Table RH.11:	Place of delivery	
Table RH.12:	Post-partum stay in health facility	
	Post-natal health checks for newborns	
Table RH.14:	Post-natal care visits for newborns within one week of birth	
	:Thermal care for newborn	
	:Cord Cutting and Care	
	: Content of Post-natal care for newborns	
	Post-natal health checks for mothers	
	Post-natal care visits for mothers within one week of birth	
Table RH.17:	Post-natal health checks for mothers and newborns	
Table CD.1:	Early childhood education	
Table CD.2:	Support for learning	
Table CD.3:	Learning materials	
Table CD.4:	Inadequate care	
Table CD.5:	Early child development index	
Table ED.1:	Literacy (young women)	
Table ED.1M:	Literacy (young men)	
Table ED.2:	School readiness	
Table ED.3:	Primary school entry	

Table ED.4:	Primary school attendance and out of school children	107
Table ED.5:	Secondary school attendance and out of school children	
Table ED.6:	Children reaching last grade of primary school	
Table ED.7:	Primary school completion and transition to secondary school	112
Table ED.8:	Education gender parity	113
Table ED.9:	Out of school gender parity	114
Table CP.1:	Birth registration	115
Table CP.2:	Children's involvement in economic activities	
Table CP.3:	Children's involvement in household chores	117
Table CP.4:	Child labour	118
Table CP.5:	Child discipline	
Table CP.6:	Attitudes toward physical punishment	121
Table CP.7:	Early marriage and polygyny (women)	
Table CP.7M:	Early marriage and polygyny (men)	
Table CP.8:	Trends in early marriage (women)	126
Table CP.8M:	Trends in early marriage (men)	127
Table CP.9:	Spousal age difference	
Table CP.10:	Female genital mutilation/cutting (FGM/C) among women	129
Table CP.11:	Female genital mutilation/cutting (FGM/C) among girls	130
Table CP.12:	Approval of female genital mutilation/cutting (FGM/C)	131
Table CP.13:	Attitudes toward domestic violence (women)	132
Table CP.13M	: Attitudes toward domestic violence (men)	133
Table CP.14:	Children's living arrangements and orphanhood	134
Table CP.15:	Children with parents living abroad	135
Table HA.1:	Knowledge about HIV transmission, misconceptions about HIV, and comprehensive	
	knowledge about HIV transmission (women)	136
	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive	
	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men)	138
Table HA.1M: Table HA.2:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women)	138 140
Table HA.1M: Table HA.2: Table HA.2M:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men)	138 140 141
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women)	138 140 141 142
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men)	138 140 141 142 143
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women)	138 140 141 142 143 144
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men)	138 140 141 142 143 144
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women)	138 140 141 142 143 144 145
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3 Table HA.3M: Table HA.4: Table HA.4M: Table HA.5: Table HA.5:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women)	138 140 141 142 143 144 145 146 147
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4: Table HA.5: Table HA.6: Table HA.6:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Sex with multiple partners (men)	138 140 141 142 143 144 145 146 147 148
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4M: Table HA.4M: Table HA.5: Table HA.6: Table HA.6M: Table HA.7:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (men) Key HIV and AIDS indicators (young women)	138 140 141 142 143 143 145 146 147 148 149
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4M: Table HA.4M: Table HA.5: Table HA.6: Table HA.6M: Table HA.7:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key HIV and AIDS indicators (young men)	138 140 141 142 143 144 145 146 147 148 149 150
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4: Table HA.5: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.8:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key Sexual behaviour indicators (young women)	138 140 141 142 143 144 145 146 147 148 149 150 151
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4: Table HA.5: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.8:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) Knowledge of a place for HIV testing (men) Key WIV and AIDS indicators (young women) Key HIV and AIDS indicators (young men) Key sexual behaviour indicators (young men) Key sexual behaviour indicators (young men)	138 140 141 142 143 143 144 145 146 146 147 148 149 150 151 153
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3: Table HA.4: Table HA.4: Table HA.4: Table HA.6: Table HA.6M: Table HA.7: Table HA.7: Table HA.8: Table HA.8: Table HA.8:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key Sexual behaviour indicators (young women) Key sexual behaviour indicators (young men) School attendance of orphans and non-orphans	138 140 141 142 143 143 145 145 146 147 148 149 150 151 153 157
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4: Table HA.4: Table HA.4: Table HA.5: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.8: Table HA.8: Table HA.9: Table HA.10:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key HIV and AIDS indicators (young women) Key sexual behaviour indicators (young men) Key sexual behaviour indicators (young men)	138 140 141 142 143 143 144 145 146 147 148 149 150 151 153 157 158
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4: Table HA.4: Table HA.4: Table HA.5: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.8: Table HA.8: Table HA.9: Table HA.10:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key Sexual behaviour indicators (young women) Key sexual behaviour indicators (young men) School attendance of orphans and non-orphans	138 140 141 142 143 143 144 145 146 147 148 149 150 151 153 157 158
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4: Table HA.4: Table HA.4M: Table HA.5: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.7M: Table HA.8M: Table HA.8M: Table HA.8M: Table HA.9: Table HA.10: Table HA.11:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key sexual behaviour indicators (young men) Key sexual behaviour indicators (young men) School attendance of orphans and non-orphans Male circumcision Provider and location of circumcision	138 140 141 142 143 145 145 145 146 147 148 149 150 151 153 157 158 159
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3M: Table HA.3M: Table HA.4: Table HA.4: Table HA.4: Table HA.6: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.8: Table HA.8: Table HA.9: Table HA.9: Table HA.10: Table HA.11:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key HIV and AIDS indicators (young men) Key sexual behaviour indicators (young men)	138 140 141 142 143 143 145 145 145 149 150 151 153 157 158 159 161
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3M: Table HA.4: Table HA.4: Table HA.4M: Table HA.5: Table HA.6: Table HA.6: Table HA.6: Table HA.7M: Table HA.7M: Table HA.7M: Table HA.9: Table HA.9: Table HA.10: Table HA.11: Table MT.1: Table MT.1:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key sexual behaviour indicators (young women) Key sexual behaviour indicators (young men) Key sexual behaviour indicators (young men) Exposure to mass media (women) Exposure to mass media (men)	138 140 141 142 143 144 145 146 147 148 149 150 151 153 157 158 159 161 162
Table HA.1M: Table HA.2: Table HA.2M: Table HA.3: Table HA.3: Table HA.3M: Table HA.4: Table HA.4M: Table HA.4M: Table HA.5: Table HA.6: Table HA.6M: Table HA.6M: Table HA.7: Table HA.7M: Table HA.7M: Table HA.7M: Table HA.7M: Table HA.7M: Table HA.10: Table HA.10: Table HA.11: Table MT.1: Table MT.1M Table MT.2:	knowledge about HIV transmission (women) Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) Knowledge of mother-to-child HIV transmission (women) Knowledge of mother-to-child HIV transmission (men) Accepting attitudes toward people living with HIV (women) Accepting attitudes toward people living with HIV (men) Knowledge of a place for HIV testing (women) Knowledge of a place for HIV testing (men) HIV counselling and testing during antenatal care Sex with multiple partners (women) Key HIV and AIDS indicators (young women) Key HIV and AIDS indicators (young men) Key sexual behaviour indicators (young men)	138 140 141 142 143 143 145 145 146 147 148 149 150 151 153 157 158 159 161 162 163

Table SW.1:Domains of life satisfaction (women)Table SW.1M:Domains of life satisfaction (men)Table SW.2:Overall life satisfaction and happiness (women)Table SW.2M:Overall life satisfaction and happiness (men)Table SW.3:Perception of a better life (women)Table SW.3M:Perception of a better life (men)	167 169 170 171
Table TA.1:Current and ever use of tobacco (women)Table TA.1M:Current and ever use of tobacco (men)	

Appendices

Table SE.1:	Indicators selected for sampling error calculations	184
	Sampling errors: Total sample	
	Sampling errors: Urban	
	Sampling errors: Rural	
	Sampling errors: Kano Central	
Table SE.6:	Sampling errors: Kano North	192
	Sampling errors: Kano South	

Table DQ.1:	Age distribution of household population	194
Table DQ.2:	Age distribution of eligible and interviewed women	196
Table DQ.3:	Age distribution of eligible and interviewed men	
Table DQ.4:	Age distribution of children in household and under-5 questionnaires	197
Table DQ.5:	Birth date reporting: Household population	197
Table DQ.6:	Birth date and age reporting: Women	198
Table DQ.7:	Birth date and age reporting: Men	198
Table DQ.8:	Birth date and age reporting: Under-5s	199
Table DQ.9:	Birth date reporting: Children, adolescents and young people	199
Table DQ.10:	Birth date reporting: First and last births	
Table DQ.11:	Completeness of reporting	201
Table DQ.12:	Completeness of information for anthropometric indicators: Underweight	
Table DQ.13:	Completeness of information for anthropometric indicators: Stunting	
Table DQ.14:	Completeness of information for anthropometric indicators: Wasting	203
	Heaping in anthropometric measurements	
Table DQ.16:	Observation of birth certificates	204
Table DQ.17:	Observation of vaccination cards	204
Table DQ.18:	Observation of women's health cards	205
Table DQ.19:	Observation of bednets and places for handwashing	205
Table DQ.20:	Respondent to the under-5 questionnaire	
Table DQ.22:	School attendance by single age	207
Table DQ.23:	Sex ratio at birth among children ever born and living	208
Table DQ.24:	Births in years preceding the survey	
Table DQ.25:	Reporting of age at death in days	209
Table DQ.26:	Reporting of age at death in months	210
A	line via NALCE 2016 47 in directory Numeratory and Device via to a	244
Appendix E: N	ligeria, MICS 2016-17 indicators: Numerators and Denominators	

List of Abbreviations

AIDS	Acquired Immune Deficiency Syndrome
ANC	Antenatal Care
APP	Agricultural Promotion Policy
BCG	Bacillus Calmette-Guérin (Tuberculosis)
BMGF	Bill and Melinda Gates Foundation
BNPC	Budget and National Planning Commission
CAPI	Computer Assisted Personal Interviewing
CBN	Central Bank of Nigeria
CDC	Center for Disease Control and Prevention
CRC	Convention on the Rights of the Child
CEDAW	Convention on the Elimination of All Forms of Discrimination against Women
CSPro	Census and Survey Processing System
DFID	Department for International Development
DPT	Diphtheria Pertussis Tetanus
ECCD	Early Childhood Care and Development
ECDI	Early Child Development Index
EPI	Expanded Programme on Immunization
FGM/C	Female genital mutilation/cutting
GPI	Gender Parity Index
HIV	Human Immunodeficiency Virus
ICT	Information and Communications Technology
IDD	lodine Deficiency Disorders
ITN	Insecticide Treated Net
IUD	Intrauterine Device
JMP	Joint Monitoring Programme
KANBUS	Kano State Bureau of Statistics
LAM	Lactational Amenorrhea Method
LLIN	Long-Lasting Insecticidal Net
MCV	Measles Containing Vaccine
MDAs	Ministries, Departments and Agencies
MDG	Millennium Development Goals
MICS	Multiple Indicator Cluster Survey
MICS5	Fifth global round of Multiple Indicator Clusters Surveys programme
МоН	Ministry of Health
NACA	National Agency for the Control of AIDS
NAR	Net Attendance Rate
NBS	National Bureau of Statistics
NDHS	National Demographic and Health Survey
NGHIPS	Nigerian General Household Panel Survey
NISH	National Integrated Survey of Households
NPHCDA	National Primary Health Care Development Agency
NPoPC	National Population Commission
PNC	Post-natal Care
Ppm	Parts Per Million
ORT	Oral rehydration treatment
SDG	Sustainable Development Goals
SFR	Survey Finding Report
SOML	Save One Million Live
SPSS	Statistical Package for Social Sciences

TFR	Total Fertility Rate
UNAIDS	United Nations Programme on HIV/AIDS
UNDP	United Nations Development Programme
UNFPA	United Nations Population Fund
UNGASS	United Nations General Assembly Special Session on HIV/AIDS
UNICEF	United Nations Children's Fund
UNIO	United Nations and International Organizations
VIP	Ventilated Improved Pit
WB	World Bank
WCARO	West and Central Africa Regional Office
WFFC	World Fit for Children
WHO	World Health Organization

Acknowledgements

We are thankful to the United Nations and international organizations in Nigeria for their contributions in various stages of this project. Special thanks go to UNICEF Nigeria for spearheading the technical and financial support for Kano State MICS 2016-17. We are also grateful to United Nations Population Fund (UNFPA), Bill and Melinda Gates Foundation, the World Bank and Save One Million Lives (SOML) for their financial contributions to the project. The immense contributions made by UNICEF West and Central Africa Regional Office (WCARO) and UNICEF Headquarters cannot be overemphasized.

Special thanks go to His Excellency the Executive Governor of Kano State, Dr. Abdullahi Umar Ganduje OFR (Khadimul Islam) and His Deputy Professor Hafizu Abubakar. Similarly we recognize the untiring commitment of the Secretary to the State Government (SSG), the Head of Civil Service and the Permanent Secretary Ministry of Planning and Budget for overseeing the successful completion of the survey from inception to the point of publishing this survey findings report, and for their unflinching support and cooperation throughout the survey.

Also worth mention are contributions of Hon. Commissioner, Permanent Secretary and Accountant General - State Ministry of Finance for their support.

Special appreciation goes to the National Bureau of Statistics (NBS), National Steering and Technical committees, State Statistician General and the entire staff of Kano State Bureau of Statistics (KANBUS) for their hard work, dedication and contribution towards this endeavour. Those who actively participated in planning and preparation, training, monitoring, data collection, data processing, analysis, editing, interpretation and report writing processes were acknowledged. The state remains indebted to the outsourced personnel who were engaged to take part as independent monitors, supervisors and interviewers for the survey, I say a big well-done.

Finally, on behalf of the Kano State Government, I wish to acknowledge, with gratitude, the cooperation and support of the State Emirate Council, heads and members of the sampled households who were respondents during the survey. Their participation was very valuable to the success of the survey.

Barrister Zubaida Damakka Abubakar Honourable Commissioner Kano State Ministry of Planning and Budget

I. Introduction

Background

This report is based on the Multiple Indicator Cluster Survey (MICS), conducted between September 2016 and January 2017 by National Bureau of Statistics and Kano State Bureau of Statistics, with technical and financial support from UNICEF, WHO, UNFPA, Bill and Melinda Gates Foundation, Save One Million Lives and NACA. The survey provides statistically sound and internationally comparable data essential for developing evidence-based policies and programmes, and for monitoring progress toward national goals, state goals and global commitments. Among these global commitments are those emanating from the World Fit for Children Declaration and Plan of Action, the goals of the United Nations General Assembly Special Session on HIV/AIDS, the Education for All Declaration and the Millennium Development Goals (MDGs/SDGs).

A Commitment to Action: National and International Reporting Responsibilities

The governments that signed the Millennium Declaration and the World Fit for Children Declaration and Plan of Action also committed themselves to monitoring progress towards the goals and objectives they contained:

"We will monitor regularly at the national level and, where appropriate, at the regional level and assess progress towards the goals and targets of the present Plan of Action at the national, regional and global levels. Accordingly, we will strengthen our national statistical capacity to collect, analyse and disaggregate data, including by sex, age and other relevant factors that may lead to disparities, and support a wide range of childfocused research. We will enhance international cooperation to support statistical capacity-building efforts and build community capacity for monitoring, assessment and planning." (A World Fit for Children, paragraph 60)

"...We will conduct periodic reviews at the national and subnational levels of progress in order to address obstacles more effectively and accelerate actions...." (A World Fit for Children, paragraph 61)

The Plan of Action of the World Fit for Children (paragraph 61) also calls for the specific involvement of UNICEF in the preparation of periodic progress reports:

"... As the world's lead agency for children, the United Nations Children's Fund is requested to continue to prepare and disseminate, in close collaboration with Governments, relevant funds, programmes and the specialized agencies of the United Nations system, and all other relevant actors, as appropriate, information on the progress made in the implementation of the Declaration and the Plan of Action."

Similarly, the Millennium Declaration (paragraph 31) calls for periodic reporting on progress:

"...We request the General Assembly to review on a regular basis the progress made in implementing the provisions of this Declaration, and ask the Secretary-General to issue periodic reports for consideration by the General Assembly and as a basis for further action."

The Federal Government of Nigeria has made several efforts directed toward the achievement of the objectives and aspirations expressed in the Sustainable Development Goals (SDGs), the World Fit for Children Goals, the UNICEF Country Programme, the Convention on the Rights of the Child (CRC) and the Convention on the Elimination of All Forms of Discrimination against Women (CEDAW), among others. The Government has in recent times launched a number of development initiatives to improve the economic and social life of its people. The Change agenda of the present Government and Vision 20: 2020 are developed to create employment, increase and stabilise electricity power supply, improve social and

economic infrastructure and provide enabling environment for local and foreign investments and to become one of the twenty leading economies in the world by year 2020. The Agricultural Promotion Policy (APP) is to rejuvenate and redirect building an agribusiness ecosystem that will take Nigeria out of food importation and able to earn significant foreign exchange from agriculture.

The National Bureau of Statistics (NBS) with strong financial and technical support from International Development partners and donors like UNICEF, UNFPA, DFID and Kano state government among others has been involved in National and State effort to achieve the goals through provision of relevant data to monitor, evaluate and advise necessary adjustment in development programmes. The Nigeria Multiple Indicator Cluster Survey 2016-17 has been designed to measure achievements of MDGs and provide baseline for SDG in Kano State. More specifically, the report provides a robust baseline data and assists the Kano state government in monitoring and evaluating her programmes and policies to improve the quality of lives of her people.

Survey Objectives

The primary objectives of Multiple Indicator Cluster Survey (MICS) Nigeria 2016-17 are:

- To provide up-to-date information for assessing the situation of children and women;
- To generate data for the critical assessment of the progress made in various programme areas, and to identify areas that require more attention;
- To contribute to the generation of baseline data for (SDG);
- To furnish data needed for monitoring progress toward goals established in the post Millennium Declaration and other internationally agreed goals, as a basis for future action;
- To provide disaggregated data to identify disparities among various groups to enable evidence based actions aimed at social inclusion of the most vulnerable;

II. Sample and Survey Methodology

Sample Design: the sub-sample of Kano state

As part of Nigeria Multiple Indicator Cluster Survey (MICS) 2016-17, the sample for the Kano state MICS 2016-17 was designed to provide estimates for a large number of indicators on the situation of children and women at the state, for urban and rural areas, as well as the 3 senatorial district namely Kano Central, Kano North and Kano South. The senatorial districts within the state were identified as the main sampling strata while the Enumeration Areas (EAs) within each district were identified as the Primary Sampling Units (PSUs). The EAs for the survey were selected from the National Integrated Survey of Households round 2 (NISH2) master sample, based on a list of EAs prepared for the 2006 Population Census. Two stage sampling was conducted with the first stage being the selection of EAs within the strata while the second stage was the selection of households within each EA.

For each Senatorial district, 40 EAs were selected using Random Systematic Sampling. After a household listing was carried out within the selected EAs, a systematic sample of sixteen (16) households was drawn in each EA. The sample is not self-weighting, however for reporting results, sample weights were applied. A more detailed description of the sample design can be found in Appendix A.

Questionnaires

Four sets of questionnaires were used in the MICS 2016-17:

- 1. Household questionnaire was used to collect basic demographic information on all the household members (usual residents), and household characteristics;
- 2. Individual women questionnaire administered in each household to all women age 15-49 years;
- 3. Individual men questionnaire administered to all men age 15-49 years in every other(one in every two) households;
- 4. Under-5 children questionnaire administered to mothers or caretakers for all children under 5 years of age² living in the sampled households.

The Household Questionnaire included the following modules:

- Household Information Panel
- List of Household Members
- Education
- Child Labour
- Child Discipline
- Household Characteristics
- Insecticide Treated Nets
- Water and Sanitation
- Handwashing
- Salt Iodization
- Water Quality Test

² The terms "children under 5", "children age 0-4 years", and "children age 0-59 months" are used interchangeably in this report.

Individual Women questionnaire included the following modules:

- Woman Information Panel
- Woman's Background
- Access to Mass Media and Use of Information/Communication Technology
- Fertility/Birth History
- Desire for Last Birth
- Maternal and Newborn Health
- Post-natal Health Checks
- Illness Symptoms
- Use of Contraception
- Unmet Need for Contraception
- Female Genital Mutilation/Cutting
- Attitudes Toward Domestic Violence
- Marriage/Union
- Sexual Behaviour
- HIV/AIDS
- Tobacco and Alcohol Use
- Life Satisfaction

Individual Men questionnaire included the following modules:

- Man Information Panel
- Man's Background
- Access to Mass Media and Use of Information/Communication Technology
- Fertility
- Attitudes Toward Domestic Violence
- Marriage/Union
- Sexual Behaviour
- HIV/AIDS
- Circumcision
- Tobacco and Alcohol Use
- Life Satisfaction

Under 5 children questionnaire included the following modules:

- Under Five Information Panel
- Age
- Birth Registration
- Early Childhood Development
- Breastfeeding and Dietary Intake
- Immunization
- Care of Illness
- Anthropometry

The questionnaires are based on the MICS5 questionnaire³ model (English version), customised and were pre-tested in the state in April, 2016. Based on the results of the pre-test, modifications were made to the wording of the questionnaires. A copy of the Nigeria MICS questionnaires is provided in Appendix F.

In addition to the administration of questionnaires, salt iodization and water quality tests were conducted. Weights and heights of children age under 5 years were also measured. Details of the tests and measurements are provided in the respective sections of the report.

Training and Fieldwork

Training for the fieldwork was conducted for thirty-one (31) days in August 2016. Training included lectures on interviewing techniques and the contents of the questionnaires. Mock interviews among trainees were also conducted to gain practice in asking questions. Towards the end of the training period, trainees spent 2 days in field practice in purposively selected residential areas in 2 communities in the state.

The data were collected by 4 teams; each team comprised four interviewers, one driver, one measurer and a supervisor. Fieldwork began in September, 2016 and concluded in January 2017.

Using Computer Assisted Personal Interviewing (CAPI), the data were electronically captured from the field and transmitted to a central server, using CSPro CAPI application, Version 5.0. Being the first time of using CAPI, the programme was pretested to know the effectiveness and efficiency of the device. Using CAPI to captured data helps in reducing errors associated with the use of paper questionnaire such as omission and skipping errors.

Data Processing

Data were analysed using the Statistical Package for Social Scientist (SPSS) software, Version 21 version of SPSS used. Model syntax and tabulation plans developed by UNICEF MICS team were customized and used for this purpose.

³The model MICS5 questionnaires can be found at <u>http://mics.unicef.org/tools#survey-design</u>.

III. Sample Coverage and the Characteristics of Households and Respondents

Kano state sub-Sample Coverage

Out of 1,920 Households sampled for coverage, all were visited but 1,876 were found to be occupied and 1,867 were successfully interviewed, representing household response rate of 99.5 percent.

In the interviewed households, 2,576 women aged (15-49 years) were identified. Of these, 2,500 were successfully interviewed, yielding a response rate of 97.0 percent within the interviewed households.

The survey also sampled men aged (15-49 years), but required only a subsample. All men (age 15-49) were identified in 960 household selected for the men questionnaire of which, 1,201 men (age 15-49 years) were listed in the household questionnaires. Questionnaires were completed for 1,099 eligible men, which corresponds to a response rate of 91.5 percent within eligible interviewed households.

There were 2,574 children under age five listed in the household questionnaires. Questionnaires were completed for 2,559 of these children, which corresponds to a response rate of 99.4 percent within interviewed households.

Overall response rates of 96.6, 91.1 and 98.9 are calculated for the individual interviews of women, men, and under-5s, respectively (Table HH.1).

Table HH.1: Results of household, women's, men's and under-5 interviews

	Residence			Senatorial District		
	Total	Urban	Rural	Kano Central	Kano North	Kano South
Households						
Sampled	1920	448	1472	640	640	640
Actual coverage	1920	448	1472	640	640	640
Occupied	1876	434	1442	621	623	632
Interviewed	1867	431	1436	616	622	629
Household response rate	99.5	99.3	99.6	99.2	99.8	99.5
Women						
Eligible	2576	665	1911	905	739	932
Interviewed	2500	628	1872	864	711	925
Women's response rate	97.0	94.4	98.0	95.5	96.2	99.2
Women's overall response rate	96.6	93.8	97.6	94.7	96.1	98.8
Men						
Eligible	1201	359	842	464	297	440
Interviewed	1099	330	769	414	267	418
Men's response rate	91.5	91.9	91.3	89.2	89.9	95.0
Men's overall response rate	91.1	91.3	91.0	88.5	89.8	94.5
Children under 5						
Eligible	2574	522	2052	748	812	1014
Mothers/caretakers interviewed	2559	514	2045	741	806	1012
Under-5's response rate	99.4	98.5	99.7	99.1	99.3	99.8
Under-5's overall response rate	98.9	97.8	99.2	98.3	99.1	99.3

Characteristics of Households

The weighted age and sex distribution of the survey population is provided in Table HH.2. In the households successfully interviewed in the survey, a weighted total of 13,365 household members was listed. Of these, 6,567 were males, and 6,798 were females.

	Tota	1	Male	S	Femal	es
-	Number	Percent	Number	Percent	Number	Percent
Total	13365	100.0	6567	100.0	6798	100.0
Age (Years)						
0-4	2555	19.1	1289	19.6	1265	18.
5-9	2357	17.6	1178	17.9	1180	17.
10-14	1930	14.4	917	14.0	1013	14.
15-19	1226	9.2	607	9.2	618	9.
20-24	853	6.4	405	6.2	448	6.
25-29	800	6.0	350	5.3	450	6.
30-34	662	5.0	299	4.5	363	5.
35-39	523	3.9	227	3.5	297	4.
40-44	486	3.6	255	3.9	231	3.
45-49	433	3.2	232	3.5	201	3.
50-54	492	3.7	199	3.0	293	4.
55-59	225	1.7	96	1.5	129	1.
60-64	313	2.3	164	2.5	149	2.
65-69	144	1.1	99	1.5	45	0.
70-74	183	1.4	125	1.9	58	0.
75-79	38	0.3	27	0.4	11	0.
80-84	94	0.7	66	1.0	27	0.
85+	41	0.3	25	0.4	16	0.
Missing	11	0.1	7	0.1	4	0.
Dependency age groups						
0-14	6842	51.2	3384	51.5	3458	50.
15-64	6013	45.0	2834	43.2	3179	46.
65+	499	3.7	342	5.2	157	2.
Missing	11	0.1	7	0.1	4	0.
child and adult populations						
Children age 0-17 years	7660	57.3	3803	57.9	3857	56.
Adults age 18+ years	5695	42.6	2757	42.0	2938	43.
Missing	11	0.1	7	0.1	4	0.

		Number of ho	ouseholds
	Weighted percent	Weighted	Unweighted
Total	100.0	1867	186
Senatorial District			
Kano Central	42.1	786	610
Kano North	28.2	527	62
Kano South	29.7	554	629
Sex of household head			
Male	96.1	1794	1799
Female	3.9	73	68
Residence			
Urban	26.8	500	43
Rural	73.2	1367	1430
Number of household members			
1	1.5	27	30
2	6.1	114	124
3	10.2	190	198
4	10.7	200	198
5	12.1	226	218
6	10.9	203	200
7	9.5	178	169
8	8.0	149	150
9	8.2	154	152
10+	22.7	425	428
Education of household head			
None	10.5	196	198
Non-formal	49.0	915	933
Primary	11.9	222	220
Secondary	17.4	325	304
Higher	10.4	194	189
Missing/	0.8	15	18
Ethnicity of household head			
Hausa	97.3	1818	181:
Igbo	0.4	7	
Yoruba	0.3	6	
Other ethnic group	2.0	37	4
Mean household size	7.2	1867	186

Both unweighted and weighted numbers are presented. Such information is essential for the interpretation of findings presented later in the report and provides background information on the representativeness of the survey sample. The remaining tables in this report are presented only with weighted numbers.⁴

Table HH.3 provides basic background information on the households, including the sex of the household head, Senatorial District, residence, number of household members, education of household head and ethnicity⁵ of the household head are shown in the table. These background characteristics are used in subsequent tables in this report; the figures in the table are also intended to show the numbers of observations by major categories of analysis in the report.

⁴ See Appendix A: Sample Design, for more details on sample weights.

⁵ This was determined by asking describe the questions asked and used for the construction of this background variable; typical questions asked in MICS surveys are mother tongue, ethnic background and/or religion.

State	Number of women			
	Weighted percent	Weighted	Unweighted	
Total	100.0	2500	2500	
Senatorial District				
Kano Central	43.7	1093	864	
Kano North	24.1	603	711	
Kano South	32.1	803	925	
Residence				
Urban	29.2	731	628	
Rural	70.8	1769	1872	
Age(Years)				
15-19	23.4	586	563	
20-24	17.2	431	442	
25-29	17.3	432	430	
30-34	14.2	354	367	
35-39	11.4	286	281	
40-44	8.9	222	225	
45-49	7.6	190	192	
Arital/Union status				
Currently married/in union	78.1	1949	1999	
Widowed	0.9	23	18	
Divorced	1.5	37	34	
Separated	0.1 19.3	4	441	
Never married/in union	19.3	482	44	
Notherhood and recent births				
Never gave birth	23.6	589	555	
Ever gave birth	76.3	1908	1943	
Gave birth in last two years	43.5	1087	1119	
No birth in last two years	32.9	824	827	
None	16.7	419	411	
Non-formal	43.2	1081	1161	
Primary	11.7	294	286	
Secondary	24.3	608	543	
Higher	3.9	99	99	
Vealth index quintile				
Poorest	17.9	447	509	
Second	19.4	484	529	
Middle	19.1	479	488	
Fourth	21.2	530	480	
Richest	22.4	560	494	
Ethnicity of household head				
Hausa	97.2	2429	2429	
Igbo	0.4	9	8	
Yoruba	0.3	8	Ş	
Other ethnic group	2.2	55	54	

The table includes information on the distribution of women/men, children under 5 according to Senatorial District, Residence, age, marital/union status, motherhood status, births in last two years, education⁶, wealth index quintiles⁷, and ethnicity of the household head.

⁶ Throughout this report, unless otherwise stated, "education" refers to highest educational level ever attended by the respondent when it is used as a background variable.

⁷ The wealth index is a composite indicator of wealth. To construct the wealth index, principal components analysis is performed by using information on the ownership of consumer goods, dwelling characteristics, water and sanitation, and other characteristics that are related to the household's wealth. To generate weights (factor scores) for each of the items used, initial factor scores are calculated for the total sample. Then, separate factor scores are calculated for households in urban and rural areas. Finally, the urban and rural factor scores are regressed on the initial factor scores to obtain the combined final factor scores for the total sample. This is carried out to minimize the

Table HH.4M: Men's background characteristics

Percent and frequency distribution of men age 15-49 years by selected background characteristics, Nigeria, 2016-17 Kano State

		Number of men		
	Weighted percent	Weighted	Unweighted	
Total	100.0	1099	1099	
Senatorial District				
Kano Central	49.0	538	414	
Kano North	20.7	228	267	
Kano South	30.3	333	418	
Residence				
Urban	35.8	394	330	
Rural	64.2	705	769	
Age (Years)				
15-19	26.4	290	287	
20-24	17.5	193	188	
25-29	14.8	163	164	
30-34	11.6	128	129	
35-39	8.8	97	100	
40-44	11.8	130	127	
45-49	9.0	99	104	
Marital/Union status				
Currently married/in union	43.2	474	489	
Widowed	0.0	0.0	.0.0	
Divorced	0.3	3	2	
Separated	0.1	1	1	
Never married/in union	56.4	620	604	

urban bias in the wealth` index values.

Each household in the total sample is then assigned a wealth score based on the assets owned by that household and on the final factor scores obtained as described above. The survey household population is then ranked according to the wealth score of the household they are living in, and is finally divided into 5 equal parts (quintiles) from lowest (poorest) to highest (richest).

In Nigeria MICS 2016-17, the following assets were used in these calculations: Type of floor, roof, wall, fuel used by household for cooking, household assets, source and location of drinking water and sanitation facility.

The wealth index is assumed to capture the underlying long-term wealth through information on the household assets, and is intended to produce a ranking of households by wealth, from poorest to richest. The wealth index does not provide information on absolute poverty, current income or expenditure levels.

 Table HH.4M: Men's background characteristics(continued)

 Percent and frequency distribution of men age 15-49 years by selected background characteristics, Nigeria, 2016-17 Kano

 State

		Number of men		
	Weighted percent	Weighted	Unweighted	
Total	100.0	1099	1099	
Fatherhood status				
Has at least one living child	40.6	446	459	
Has no living children	59.2	651	638	
Education				
None	3.0	33	34	
Non-formal	29.9	329	363	
Primary	13.1	144	155	
Secondary	42.0	461	426	
Higher	12.1	133	121	
Wealth index quintile				
Poorest	15.7	172	214	
Second	15.9	175	195	
Middle	19.0	209	221	
Fourth	21.9	241	216	
Richest	27.5	303	253	
Ethnicity of household head				
Hausa	97.5	1072	1071	
Igbo	0.2	2	2	
Yoruba	0.2	3	3	
Other ethnic group	2.0	22	23	

Table HH.5: Under-5's background characteristics

Percent and frequency distribution of children under five years of age by selected characteristics, Nigeria, 2016-17 Kano State

	Number of under-5 children				
	Weighted percent	Weighted	Unweighted		
Total	100.0	2559	255		
Senatorial District					
Kano Central	37.6	962	74		
Kano North	27.1	693	80		
Kano South	35.3	904	10 ⁻		
Sex					
Male	50.5	1293	128		
Female	49.5	1266	127		
Residence					
Urban	23.5	603	51		
Rural	76.5	1956	204		
Age (Months)					
0-5	10.6	271	27		
6-11	9.5	243	25		
12-23	21.0	538	53		
24-35	18.9	485	48		
36-47	20.4	522	52		
48-59	19.5	500	49		
Respondent to the under-5 questionnaire					
Mother	96.9	2479	247		
Other primary caretaker	3.1	80	8		
Nother's education ^a					
None	17.7	452	43		
Non-formal	50.7	1298	137		
Primary	13.8	352	33		
Secondary	14.8	379	34		
Higher	3.0	77	-		
Wealth index quintile					
Poorest	20.7	530	58		
Second	21.8	559	60		
Middle	20.7	529	53		
Fourth	19.0	487	4		
Richest	17.8	455	38		
Ethnicity of household head					
Hausa	98.2	2514	250		
Igbo	0.4	9			
Yoruba	0.2	4			
Other ethnic group	1.2	31	2		

^a In this table and throughout the report, mother's education refers to educational attainment of mothers as well as caretakers of children under 5, who are the respondents to the under-5 questionnaire if the mother is deceased or is living elsewhere.
Housing characteristics, asset ownership, and wealth quintiles

Table HH.6: Housing characteristics

Percent distribution of households by selected housing characteristics, according to area of residence and regions, Nigeria, 2016-17 Kano State

	_	Reside	ence	Sen	atorial Distr	ict
	Total	Urban	Rural	Kano Central	Kano North	Kano South
Electricity						
Yes	46.8	85.5	32.6	78.7	27.6	19.9
No	53.2	14.5	67.3	21.3	72.4	80.0
Flooring						
Natural floor	47.3	16.2	58.6	30.0	56.6	62.9
Rudimentary floor	0.4	0.2	0.4	0.1	0.2	0.9
Finished floor	52.3	83.2	40.9	69.6	43.2	36.3
Other	0.1	0.4	0.0	0.2	0.0	0.0
Roof						
Natural roofing	11.4	1.6	15.1	2.2	20.7	15.8
Rudimentary roofing	6.8	7.1	6.7	4.8	11.8	5.0
Finished roofing	80.8	90.8	77.1	92.7	65.4	78.5
Other	0.9	0.4	1.1	0.4	2.1	0.6
Exterior walls						
Natural walls	17.7	1.6	23.6	6.9	15.4	35.4
Rudimentary walls	21.0	5.3	26.7	11.6	28.5	27.2
Finished walls	61.3	93.1	49.6	81.6	56.0	37.5
Other	0.0	0.0	0.0	0.0	0.1	0.0
Rooms used for sleeping						
1	19.4	17.6	20.1	15.4	22.9	21.7
2	36.4	33.1	37.7	35.4	40.8	33.6
3 or more	44.2	49.4	42.3	49.2	36.2	44.7
Total	100.0	100.0	100.0	100.0	100.0	100.0
Number of households	1867	500	1367	786	527	554
Mean number of persons per room used for sleeping	3.0	2.9	3.0	2.9	3.0	3.1

Table HH.7: Household and personal assets

Percentage of households by ownership of selected household and personal assets, and percent distribution by ownership of dwelling, according to area of residence and Senatorial District, Nigeria, 2016-17 Kano State

		Reside	ence	Se	natorial Distri	ict
	_			Kano		
	Total	Urban	Rural	Central	Kano North	Kano South
Percentage of households that own a						
Radio	64.7	81.1	58.6	74.5	52.6	62.2
Television	25.6	60.0	13.0	45.9	10.2	11.3
Non-mobile telephone	4.4	6.3	3.7	6.2	4.7	1.6
Refrigerator	12.0	33.7	4.1	24.3	4.0	2.3
Percentage of households that own						
Agricultural land	65.3	19.1	82.2	38.0	85.5	84.9
Farm animals/Livestock	57.1	24.4	69.0	33.0	74.7	74.5
Percentage of households where at least one member owns or has a						
Watch	47.0	65.2	40.4	59.3	25.4	50.2
Mobile telephone	55.6	79.8	46.8	69.1	38.3	53.0
Bicycle	35.9	33.4	36.8	31.8	37.4	40.3
Motorcycle or scooter	39.4	33.9	41.5	37.5	31.4	49.8
Animal-drawn cart	6.9	2.7	8.5	4.2	11.9	6.2
Car or truck	8.2	18.4	4.4	13.9	4.2	3.8
Boat with a motor	1.5	2.1	1.3	1.7	1.2	1.6
Tricycle (Keke Napep)	2.4	5.0	1.4	4.6	0.8	0.8
Bank account	22.9	46.8	14.1	35.8	13.0	14.0
Ownership of dwelling						
Owned by a household member	88.1	68.8	95.2	76.2	95.9	97.6
Not owned	11.9	31.2	4.8	23.8	4.1	2.4
Rented	10.6	29.2	3.8	22.0	3.2	1.6
Other	1.2	2.0	1.0	1.8	0.9	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0
Number of households	1867	500	1367	786	527	554

Table HH.8: Wealth quintiles

Percent distribution of the household population by wealth index quintile, according to area of residence and regions, Nigeria, 2016-17 Kano State

		Wealt	th index quin	tile			Number of household
	Poorest	Second	Middle	Fourth	Richest	Total	members
Total	20.0	20.0	20.1	19.9	20.0	100.0	13365
Residence							
Urban	2.9	3.0	6.1	27.9	60.1	100.0	3748
Rural	26.7	26.6	25.5	16.8	4.4	100.0	9617
Senatorial District							
Kano Central	5.5	9.5	14.5	27.1	43.3	100.0	5772
Kano North	32.3	28.1	24.2	12.6	2.8	100.0	3431
Kano South	29.9	27.7	24.4	16.0	1.9	100.0	4162

IV. Child Mortality

Mortality rates presented in this chapter are calculated from information collected in the birth histories of the Women's Questionnaires. All interviewed women were asked whether they had ever given birth, and if yes, they were asked to report the number of sons and daughters who live with them, the number who live elsewhere, and the number who have died. In addition, they were asked to provide a detailed birth history of live births of children in chronological order starting with the firstborn. Women were asked whether births were single or multiple, the sex of the children, the date of birth (month and year), and survival status. Further, for children still alive, they were asked the current age of the child and, if not alive, the age at death. Childhood mortality rates are expressed by conventional age categories and are defined as follows:

- Neonatal mortality (NN): probability of dying within the first month of life
- Post-neonatal mortality (PNN): difference between infant and neonatal mortality rates
- Infant mortality (1q0): probability of dying between birth and the first birthday
- Child mortality (4q1): probability of dying between the first and the fifth birthdays
- Under-five mortality $({}_{5}q_{0})$: the probability of dying between birth and the fifth birthday

Rates are expressed as deaths per 1,000 live births, except in the case of child mortality, which is expressed as deaths per 1,000 children surviving to age one, and post-neonatal mortality, which is the difference between infant and neonatal mortality rates.

Table CM.1: E	arly childhood morta	lity rates			
Neonatal, post-nec Kano State	onatal, Infant, child and unde	r-five mortality rates for fi	ve year periods p	receding the surv	vey, Nigeria, 2016-17
	Neonatal mortality rate ¹	Post-neonatal mortality rate ^{2, a}	Infant mortality rate ³	Child mortality rate ⁴	Under-five mortality rate ⁵
Years preceding t	the survey				
0-4	69	44	112	103	203
5-9	58	47	105	100	194
10-14	45	63	108	110	206
	¹ MIC	S indicator 1.1 - Neonata	I mortality rate		
	² MICS	indicator 1.3 - Post-neona	atal mortality rate		
	³ MICS indica	tor 1.2; MDG indicator 4.	2 - Infant mortality	v rate	
	⁴ M	ICS indicator 1.4 - Child r	mortality rate		
	⁵ MICS indicato	r 1.5; MDG indicator 4.1 -	Under-five morta	lity rate	
^a Post-neonatal mo	ortality rates are computed a	s the difference between	the infant and neo	onatal mortality ra	ates

Table CM.2: Early childhood mortality rates by socioeconomic characteristics

Neonatal, post-neonatal, Infant, child and under-five mortality rates for the five year period preceding the survey, by socioeconomic characteristics, Nigeria, 2016-17 Kano State

	Neonatal mortality rate ¹	Post-neonatal mortality rate ^{2, a}	Infant mortality rate ³	Child mortality rate ⁴	Under-five mortality rate ⁵
otal	69	44	112	103	203
Senatorial District					
Kano Central	66	31	97	69	159
Kano North	81	62	143	137	260
Kano South	62	42	104	113	205
Residence					
Urban	54	25	79	34	110
Rural	73	49	122	124	23
Iother's education					
None	(95)	56	151	109	243
Non Formal	56	51	107	121	215
Primary	(93)	40	133	108	227
Secondary	(67)	14	80	32	110
Higher	(*)	(*)	(*)	(*)	(*
Vealth index quintile					
Poorest	53	52	105	141	23
Second	80	46	127	137	246
Middle	78	58	136	123	242
Fourth	72	46	119	72	182
Richest	(57)	(8)	65	22	86
	¹ MICS	indicator 1.1 - Neona	atal mortality rate		
	² MICS in	dicator 1.3 - Post-neo	onatal mortality rate	9	
	³ MICS indicato	r 1.2; MDG indicator	4.2 - Infant mortali	ty rate	
	⁴ MIC	S indicator 1.4 - Chile	d mortality rate		
	⁵ MICS indicator 1	.5; MDG indicator 4.	1 - Under-five mort	ality rate	

() Total number of live births (exposure) are based on 250-499 unweighted cases

(*) The result did not pass reliability test

Table CM.3: Early childhood mortality rates by demographic characteristics

Neonatal, post-neonatal, Infant, child and under-five mortality rates for the five year period preceding the survey, by demographic characteristics, Nigeria, 2016-17 Kano State

	Neonatal mortality rate ¹	Post-neonatal mortality rate ^{2, a}	Infant mortality rate ³	Child mortality rate ⁴	Under-five mortality rate ⁵
Total	69	44	112	103	203
Sex of child					
Male	83	47	130	100	217
Female	53	40	93	105	188
Mother's age at birth					
Less than 20	99	44	143	103	232
20-34	60	42	102	98	190
35-49	68	50	118	121	225
Birth order					
1	(119)	50	169	95	248
2-3	54	36	90	96	178
4-6	45	49	94	110	194
7+	87	41	128	104	218
Previous birth interval ^b	,				
< 2 years	92	60	152	135	267
2 years	57	42	99	90	180
3 years	36	40	76	104	173
4+ years	(34)	12	45	57	100
	¹ MICS	indicator 1.1 - Neona	atal mortality rate		
	² MICS in	dicator 1.3 - Post-neo	onatal mortality rate	e	
	³ MICS indicate	or 1.2; MDG indicator	4.2 - Infant mortali	ty rate	
	⁴ MIC	S indicator 1.4 - Chil	d mortality rate		
	⁵ MICS indicator 1	.5; MDG indicator 4.	1 - Under-five mort	ality rate	
^a Post-neonatal mortality	rates are computed as	the difference betwee	en the infant and ne	eonatal mortality ra	ates
° Excludes first order birt					

() Total number of live births (exposure) are based on 250-499 unweighted cases

Nutrition ۷.

Low Birth Weight

percentage of live births				ths by moth			Percenta	age of live	Number of
		assess	sment of siz			-	bir	ths:	last live-
		Smaller		Larger than average			Below		born children in
	Very	than		or very	Don't		2,500	Weighed	the last
	small	average	Average	large	Know	Total	grams ¹	at birth ²	two years
Total	3.5	12.9	42.0	41.2	0.4	100.0	19.4	7.8	1087
Mother's age at birth									
Less than 20 years	4.7	7.2	46.2	41.8	0.0	100.0	17.1	2.1	190
20-34 years	2.9	13.9	40.8	41.8	0.6	100.0	19.4	9.1	695
35-49 years	4.7	14.5	42.3	38.5	0.0	100.0	21.6	8.8	202
Birth order									
1	3.7	8.3	48.5	38.4	1.1	100.0	16.1	6.6	146
2-3	3.6	11.9	44.5	39.2	0.8	100.0	19.3	9.3	284
4-5	2.0	13.1	40.5	44.4	0.0	100.0	18.1	8.2	276
6+	4.5	15.2	38.8	41.3	0.2	100.0	21.7	7.0	38
Senatorial District									
Kano Central	4.0	11.7	43.0	40.6	0.7	100.0	19.3	16.7	39
Kano North	4.3	13.0	38.8	43.6	0.3	100.0	19.9	2.8	31
Kano South	2.5	13.9	43.6	39.8	0.2	100.0	19.2	2.8	38
Residence									
Urban	4.1	14.2	37.8	43.4	0.5	100.0	20.7	24.7	239
Rural	3.4	12.5	43.2	40.6	0.4	100.0	19.1	3.1	84
Mother's education									
None	4.8	14.3	36.4	44.5	0.0	100.0	21.5	1.8	19
Non-formal	2.9	13.5	44.9	38.4	0.3	100.0	18.9	2.1	533
Primary	4.9	12.8	42.4	39.9	0.0	100.0	21.4	8.3	16
Secondary	3.6	10.0	40.9	43.9	1.7	100.0	18.3	23.4	162
Higher	(0.0)	(7.0)	(31.1)	(61.9)	(0.0)	100.0	(10.6)	(62.3)	30
Wealth index quintile									
Poorest	2.0	14.7	45.2	38.1	0.0	100.0	18.9	1.0	234
Second	6.3	12.0	48.2	33.1	0.3	100.0	21.3	2.0	223
Middle	2.2	10.5	38.6	48.3	0.5	100.0	16.9	2.5	23
Fourth	2.3	14.4	42.2	40.4	0.7	100.0	19.3	5.3	21
Richest	5.4	12.8	33.7	47.4	0.7	100.0	21.3	35.8	16
Ethnicity of househole									
Hausa	3.5	12.9	42.3	40.9	0.4	100.0	19.4	7.3	106
Igbo	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	:
Other ethnic group	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	1-

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Nutritional Status

The reference population used in this report is based on the WHO growth standards⁸. Each of the three nutritional status indicators – weight-for-age, height-for-age, and weight-for-height - can be expressed in standard deviation units (z-scores) from the median of the reference population.

Weight-for-age is a measure of both acute and chronic malnutrition. Children whose weight-for-age is more than two standard deviations below the median of the reference population are considered *moderately or severely underweight* while those whose weight-for-age is more than three standard deviations below the median are classified as *severely underweight*.

Height-for-age is a measure of linear growth. Children whose height-for-age is more than two standard deviations below the median of the reference population are considered short for their age and are classified as *moderately or severely stunted*. Those whose height-for-age is more than three standard deviations below the median are classified as *severely stunted*. Stunting is a reflection of chronic malnutrition as a result of failure to receive adequate nutrition over a long period and recurrent or chronic illness.

Weight-for-height can be used to assess wasting and overweight status. Children whose weight-forheight is more than two standard deviations below the median of the reference population are classified as moderately or severely wasted, while those who fall more than three standard deviations below the median are classified as severely wasted. Wasting is usually the result of a recent nutritional deficiency. The indicator of wasting may exhibit significant seasonal shifts associated with changes in the availability of food or disease prevalence.

Children whose weight-for-height is more than two standard deviations above the median reference population are classified as moderately or severely overweight.

⁸ <u>http://www.who.int/childgrowth/standards/technical_report</u>

	2: Nutritional		
	2 NUTRITIONAL	STATIS	
	2 . Nutritiona	Julius	

Percentage of children under age 5 by nutritional status according to three anthropometric indices: weight for age, height for age, and weight for height, Nigeria, 2016-17 Kano State

	Weig	ght for a	ige		Heigh	nt for a	ge			Weight	t for height		-
	Underv	weight	Mean	Numbe r of childre	Stun	ted	Mean	Numbe r of childre	<u>Was</u> Perc		Overweig ht Percent	.Mean Z-	Numbe r of childre
	- 2	t below	е	n under	Percent		е	n under	belo - 2	- 3	above	Scor e	n under
	SD ¹	- 3 SD ²	(SD)	age 5	- 2 SD ³ -	- 3 SD⁴	(SD)	age 5	SD⁵	SD ⁶	+ 2 SD ⁷	(SD)	age 5
Total	40.3	16.1	-1.8	2510	58.0	32.8	-2.3	2487	10.8	2.8	1.7	-0.6	2508
Senatorial District													
Kano Central	35.5	12.1	- 1.6	943	47.8	25.5	- 1.9	942	12. 2	3.6	1.2	- 0.7	938
Kano North	49.3	23.8	2.0	674	68.2	42.6	- 2.7	657	9.6	2.0	3.0	0.5	675
Kano South	38.7	14.6	- 1.7	892	61.2	33.3	- 2.4	888	10. 1	2.6	1.3	0.4	895
Sex													
Male	42.2	18.0	-1.8	1270	60.8	35.7	-2.4	1253	12.6	3.8	1.7		
Female	38.4	14.2	-1.7	1240	55.1	29.9	-2.2	1234	8.9	1.8	1.8	-0.5	1240
Residence									10				
Urban	31.5	10.1	1.5	593	41.7	21.6	- 1.7	592	12. 2	2.8	1.3	0.7	
Rural	43.1	18.0	- 1.8	191 7	63.0	36.3	- 2.5	189 5	10. 3	2.8	1.9	0.5	191 6
Age (Months)													
0-5	27.4	6.8	- 1.2	267	26.4	8.8	- 1.0	266	11. 0	3.6	3.9	0.4	263
6-11	39.0	12.7	- 1.7	242	40.9	14.6	- 1.6	239	17. 9	4.7	0.7	0.9	239
12-17	45.0	21.8	- 1.9	329	54.4	31.5	- 2.1	325	19. 6	3.9	0.3	- 1.1	324
18-23	50.9	26.8	- 2.1	203	67.9	41.4	- 2.7	200	20. 1	5.5	0.4	- 1.0	205
24-35	48.8	21.8	- 1.9	478	72.5	44.8	- 2.8	471	7.6	1.7	0.9	0.5	479
36-47	39.3	15.3	- 1.8	510	67.2	41.8	- 2.7	507	5.9	2.8	2.9	- 0.3	512
48-59	33.2	9.8	- 1.6	481	58.2	31.3	- 2.3	477	5.6	.6	2.2	0.3	486
Mother's educatio	n												
None	49.3	21.5	- 2.0	447	64.1	40.6	- 2.6	439	14. 4	3.8	1.8	- 0.6	447
Non-formal	42.5	16.9	1.8	127 0	63.7	35.4	2.4	125 8	10. 3	3.0	1.9	_	127
Primary	39.8	16.1	- 1.8	347	59.4	34.2	- 2.3	345	8.9	2.1	1.8	- 0.6	348
Secondary	28.6	9.3	- 1.4	369	38.9	18.9	- 1.7		9.3	1.7	1.3	_	000
Higher	10.2	5.6	- 0.9	76	12.6	5.2	- 0.8	76	14. 1	1.3	0.9		76

Table NU.2: Nutritional status of children continued

Percentage of children under age 5 by nutritional status according to three anthropometric indices: weight for age, height for age, and weight for height, Nigeria, 2016-17 Kano State

	Weig	ht for a	age		Heigl	ht for a	ge			Weight	t for height		_
	Underv	veight	.Mean	Numbe r of	Stun	ted	Mean	Numbe r of	Was	ted	Overweig ht	Mean	Numbe r of
	Percent - 2 SD ¹	t below - 3 SD ²	е	n under age 5	Percent		е	childre n under age 5	Perc belo - 2 SD⁵		Percent above + 2 SD ⁷	Z- Scor e (SD)	childre n under age 5
Total	40.3	16.1	-1.8	2510	58.0	32.8		2487	10.8	2.8	1.7	-0.6	2508
Wealth index quin	ntile												
Poorest	47.8	21.0	- 2.0	514	70.7	43.8	- 2.7	504	9.9	3.3	2.1	- 0.5	513
Second	47.2	20.7	- 1.9	552	65.1	40.1	- 2.5	544	12. 8	3.9	2.2	- 0.6	551
Middle	41.8	18.5	- 1.8	518	63.3	34.5	- 2.5	515	9.2	2.1	1.8	- 0.4	520
Fourth	36.2	11.3	- 1.7	481	53.8	27.4	- 2.1	479	10. 9	1.9	1.6	- 0.6	481
Richest	25.9	7.3	- 1.3	445	33.2	15.5	- 1.4	445	10. 9	2.7	0.8	- 0.7	
Ethnicity of house head	ehold												
Hausa	40.6	16.2	- 1.8	246 5	58.2	32.9	- 2.3	244 2	10. 8	2.7	1.7	- 0.6	246 4
Igbo	(*)	(*)	- 0.3	9	(*)	(*)	- 0.2	9	(*)	(*)	(*)	- 0.3	9
Yoruba	(*)	(*)	- 0.9	4	(*)	(*)	- 0.5	4	(*)	(*)	(*)	- 1.0	4
Other ethnic group	(29.9)	(13. 8)	- 1.5	31	(53. 5)	(36. 5)	- 2.1	31	(3.9)	(3.0)	(2.2)	- 0.3	31
	MICS ind	licator 2	.1a an	d MDG ir	dicator 1.8	- Unde	rweigh	it prevalei	nce (mod	erate an	d severe)		
			² MIC	S indicate	or 2.1b - Ur	nderwei	ght pre	evalence ((severe)				
		³ MI	CS ind	licator 2.2	a - Stunting	g preval	ence (moderate	and seve	ere)			
			⁴ M	ICS indic	ator 2.2b -	Stunting	g preva	alence (se	evere)				
		⁵ MI	CS ind	licator 2.3	Ba - Wasting	g preval	ence (moderate	and seve	ere)			
			⁶ M	ICS indic	ator 2.3b -	Wasting	g preva	alence (se	evere)				
				⁷ MICS in	ndicator 2.4	- Over	weight	prevalen	ce				

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Breastfeeding and Infant and Young Child Feeding

UNICEF and WHO recommend that infants be breastfed within one hour of birth, breastfed exclusively for the first six months of life and continue to be breastfed up to 2 years of age and beyond.⁹ Starting at 6 months, breastfeeding should be combined with safe, age-appropriate feeding of solid, semi-solid and soft foods.¹⁰ A summary of key guiding principles^{11, 12} for feeding 6-23 month olds is provided in the table below along with proximate measures for these guidelines collected in this survey.

The guiding principles for which proximate measures and indicators exist are:

- (i) continued breastfeeding;
- (ii) appropriate frequency of meals (but not energy density); and
- (iii) appropriate nutrient content of food.

Feeding frequency is used as proxy for energy intake, requiring children to receive a minimum number of meals/snacks (and milk feeds for non-breastfed children) for their age. Dietary diversity is used to ascertain the adequacy of the nutrient content of the food (not including iron) consumed. For dietary diversity, seven food groups were created for which a child consuming at least four of these is considered to have a better quality diet. In most populations, consumption of at least four food groups means that the child has a high likelihood of consuming at least one animal-source food and at least one fruit or vegetable, in addition to a staple food (grain, root or tuber).¹³

These three dimensions of child feeding are combined into an assessment of the children who received appropriate feeding, using the indicator of "minimum acceptable diet". To have a minimum acceptable diet in the previous day, a child must have received:

- (i) the appropriate number of meals/snacks/milk feeds;
- (ii) food items form at least 4 food groups; and
- (iii) breastmilk or at least 2 milk feeds (for non-breastfed children).

Guiding Principle (age 6-23 months)	Proximate measures	Table
Continue frequent, on-demand breastfeeding for two years and beyond	Breastfed in the last 24 hours	NU.4
Appropriate frequency and energy density of meals	Breastfed children Depending on age, two or three meals/snacks provided in the last 24 hours	NU.6
	Non-breastfed children Four meals/snacks <u>and/or milk feeds</u> provided in the last 24 hours	
Appropriate nutrient content of food	Four food groups ¹⁴ eaten in the last 24 hours	NU.6
Appropriate amount of food	No standard indicator exists	na
Appropriate consistency of food	No standard indicator exists	na
Use of vitamin-mineral supplements or fortified products for infant and mother	No standard indicator exists	na
Practice good hygiene and proper food handling	While it was not possible to develop indicators to fully capture programme guidance, one standard indicator does cover part of the principle: Not feeding with a bottle with a nipple	NU.9
Practice responsive feeding, applying the principles of psycho-social care	No standard indicator exists	na

⁹ WHO. 2003. Implementing the Global Strategy for Infant and Young Child Feeding. Meeting Report Geneva, 3-5 February, 2003.

¹⁰ WHO. 2003. Global Strategy for Infant and Young Child Feeding.

¹¹ PAHO. 2003. *Guiding principles for complementary feeding of the breastfed child.*

¹² WHO. 2005. Guiding principles for feeding non-breastfed children 6-24 months of age.

¹³ WHO. 2008. Indicators for assessing infant and young child feeding practices. Part 1: Definitions.

¹⁴ Food groups used for assessment of this indicator are 1) Grains, roots and tubers, 2) legumes and nuts, 3) dairy products (milk, yogurt, cheese), 4) flesh foods (meat, fish, poultry and liver/organ meats), 5) eggs, 6) vitamin-A rich fruits and vegetables, and 7) other fruits and vegetables.

Table NU.3: Initial breastfeeding

Percentage of last live-born children in the last two years who were ever breastfed, breastfed within one hour of birth, and within one day of birth, and percentage who received a prelacteal feed, Nigeria, 2016-17 Kano State

		Percentage who we	re first breastfed:	Doroonto no who	Number of last	
	Percentage who were ever breastfed ¹	Within one hour of birth ²	Within one day of birth	Percentage who received a prelacteal feed	in the last two years	
Total	90.2	30.8	75.4	51.3	108	
Senatorial District						
Kano Central	91.7	35.6	81.7	48.1	39	
Kano North	88.6	20.1	71.6	62.6	31	
Kano South	89.9	34.7	72.1	45.1	38	
Residence						
Urban	92.0	36.2	82.8	53.1	23	
Rural	89.6	29.3	73.3	50.8	84	
Months since last birth						
0-11 months	91.2	32.6	75.9	52.8	52	
12-23 months	89.3	29.1	74.9	49.8	56	
Assistance at delivery						
Skilled attendant	90.7	33.7	82.5	51.6	21	
Traditional birth attendant	94.4	21.3	75.7	63.0	25	
Other	84.7	35.1	67.8	45.9	36	
Place of delivery						
Home	89.7	29.5	73.8	50.9	91	
Health facility	93.2	38.2	85.5	52.7	17	
Public	92.5	40.3	86.3	52.0	13	
Private	95.9	30.1	82.4	55.5	3	
Mother's education						
None	92.1	28.0	76.0	56.5	19	
Non-formal	89.7	30.4	71.6	48.1	53	
Primary	85.9	30.0	76.3	55.6	16	
Secondary	94.3	35.4	84.8	51.0	16	
Higher	(87.3)	(36.5)	(84.1)	(50.6)	3	
Wealth index quintile						
Poorest	92.4	31.3	69.5	47.7	23	
Second	86.6	27.6	70.3	52.2		
Middle	88.6	24.7	73.6	54.2		
Fourth	90.8	34.5	81.4	51.5		
Richest	93.4	38.3	85.4	50.5	16	
Ethnicity of household head						
Hausa	90.1	30.8	75.6	51.3	106	
Igbo	(*)	(*)	(*)	(*)		
Yoruba	(*)	(*)	(*)	(*)	:	
Other ethnic group	(*)	(*)	(*)	(*)	1-	

() Sample data are based on 25-49 unweighted cases

Table NU.4: Breastfeeding

Percentage of living cl		ing to broadtiot	Jung Statu	o al colocida ago gro	apo, rugona, 2		
	Childre	en age 0-5 mor Percent	nths Number	Children age 12- Percent breastfed (Continued	15 months	Children age 20 Percent breastfed (Continued	-23 months
		predominantly	of	breastfeeding at 1 year) ³		breastfeeding at	
	breastfed ¹	breastfed ²	children	year)*	children	2 years) ⁴	children
Total	18.6	65.1	271	94.9	219	47.0	131
Senatorial District							
Kano Central	20.9	63.2	101	95.8	83	(43.3)	55
Kano North	6.2	58.5	78	95.8	53	(56.2)	39
Kano South	26.6	72.7	93	93.5	84	(42.6)	36
Sex							
Male	19.7	68.8	135	97.0	107	52.0	70
Female	17.6	61.5	137	92.9	112	41.3	61
Residence							
Urban	16.7	45.8	64	(95.4)	47	(32.6)	37
Rural	19.3	71.1	207	94.8	173	52.6	94
Mother's education							
None	(29.1)	(70.8)	45	(96.1)	39	(*)	18
Non-formal	17.1	68.4	126	93.7	107	52.0	56
Primary	(13.6)	(63.1)	46	(93.1)	31	(*)	24
Secondary	(19.4)	(61.5)	44	(97.7)	37	(*)	24
Higher	(*)	(*)	10	(*)	5	(*)	9
Wealth index quintile	e						
Poorest	31.7	75.3	55	96.3	48	(*)	23
Second	11.0	67.2	61	(95.7)	44	(*)	25
Middle	12.1	68.2	57	(88.9)	49	(51.6)	24
Fourth	15.4	57.3	54	(95.8)	51	(*)	23
Richest	(25.1)	(54.9)	45	(100.0)	28	(25.0)	36
Ethnicity of househo	old head						
Hausa	18.9	66.1	264	94.9	219	47.3	128
Igbo	(*)	(*)	2		0		0
Yoruba	(*)	(*)	1		0	(*)	1
Other ethnic group	(*)	(*)			0	(*)	2
				sive breastfeeding un			
	² MI			inant breastfeeding ι		6	
		³ MICS indicat	or 2.9 - Co	ntinued breastfeeding	g at 1 year		
		⁴ MICS indicate	or 2.10 - Co	ntinued breastfeeding	g at 2 years		

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Table NU.5: Duration of breastfeeding

Median duration of any breastfeeding, exclusive breastfeeding, and predominant breastfeeding among children age 0-35 months, Nigeria, 2016-17 Kano State

		an duration (in month		Number of
	Any breastfeeding ¹	Exclusive breastfeeding	Predominant breastfeeding	children age 0-35 months
	breastieeding	bleastieeding	breastreeuing	0-33 11011115
Median	21.1	0.5	4.4	1536
Senatorial District				
Kano Central	20.5	0.4	4.1	570
Kano North	21.7	0.4	3.7	434
Kano South	21.1	0.7	4.9	533
Sex				
Male	21.3	0.5	4.7	783
Female	20.9	0.4	4.0	754
Residence				
Urban	20.3	0.0	0.7	351
Rural	21.3	0.5	4.7	1185
Mother's education				
None	22.1	0.7	4.5	264
Non-formal	21.3	0.5	4.5	763
Primary	20.9	0.5	4.5	229
Secondary	19.4	0.0	3.9	240
Higher	(10.1)	0.0	0.0	40
Wealth index quintile				
Poorest	21.1	0.6	4.8	307
Second	21.9	0.5	4.7	329
Middle	21.5	0.4	4.7	328
Fourth	21.6	0.5	3.3	306
Richest	18.9	0.0	3.6	268
Ethnicity of household head				
Hausa	21.2	0.5	4.4	1505
Igbo	(*)	0.0	0.0	8
Yoruba	0.0	0.0	0.0	2
Other ethnic group	(20.3)	0.0	0.0	20
Mean	21.0	1.2	4.9	1536

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

•

	Children				Children ag	
	mont	hs	Children age 6-23 m	onths	month	าร
	Percent exclusively breastfed ¹	Number of children	Percent currently breastfeeding and receiving solid, semi- solid or soft foods	Number of children	Percent appropriately breastfed ²	Number of childrer
Total	18.6	271	78.1	781	62.8	1052
Senatorial District						
Kano Central	20.9	101	77.1	286	62.5	387
Kano North	6.2	78	78.2	218	59.2	296
Kano South	26.6	93	79.0	276	65.9	369
Sex						
Male	19.7	135	77.3	389	62.5	52
Female	17.6	137	78.9	391	63.0	52
Residence						
Urban	16.7	64	74.0	178	58.8	24
Rural	19.3	207	79.3	603	64.0	80
Mother's education						
None	(29.1)	45	83.2	152	71.0	19
Non-formal	17.1	126	78.4	376	63.0	50
Primary	(13.6)	46	78.5	114	59.7	16
Secondary	(19.4)	44	74.6	118	59.6	16
Higher	(*)	10	(*)	21	(39.7)	3
Wealth index quintile						
Poorest	31.7	55	79.3	169	67.6	22
Second	11.0	61	80.7	167	62.1	22
Middle	12.1	57	78.7	168	61.9	22
Fourth	15.4	54	81.7	151	64.4	20
Richest	(25.1)	45	67.7	125	56.5	17
Ethnicity of household head						
Hausa	18.9	264	78.3	766	63.1	103
Igbo	(*)	2	(*)	3	(*)	
Yoruba	(*)	1	(*)	2	(*)	
Other ethnic group	(*)	4	(*)	10	(*)	1

² MICS indicator 2.12 - Age-appropriate breastfeeding

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Percentage of infants	oduction of solid, so age 6-8 months who rece	<i>,</i>		Is during the prev	ious day, Nigeria,	2016-17
Kano State	Currently bre Percent receiving solid, semi-solid or soft foods	<u> </u>	Currently not Percent receiving solid, semi-solid or soft foods	breastfeeding Number of children age 6-8 months	Al Percent receiving solid, semi-solid or soft foods ¹	
Total	77.7	114	(*)	4	77.1	11
Sex						
Male	68.4	53	(*)	3	66.8	5
Female	85.7	61	(*)	2	86.1	6
Residence						
Urban	(*)	21	(*)	1	(*)	2
Rural	73.2	93	(*)	3	72.3	9

¹ MICS indicator 2.13 - Introduction of solid, semi-solid or soft foods

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Table NU.8: Infant and young child feeding (IYCF) practices

Percentage of children age 6-23 months who received appropriate liquids and solid, semi-solid, or soft foods the minimum number of times or more during the previous day, by breastfeeding status, Nigeria, 2016-17 Kano State

	Cı	irrently brea	stfeeding		c	urrently i	not breast	feeding			A		
	Percer	nt of children received:	n who		Percen	t of childr	en who re	eceived:	Nu mb	Percer	nt of child received		
	Minimu m dietary diversit y ^a	Minimum meal frequenc y ^b	Minim um accept able diet ^{1, c}	Num ber of child ren age 6-23 mont hs	Minim um dietar y divers ity ^a	Minim um meal freque ncy ^b	Minim um accept able diet ^{2, c}	At least 2 milk feeds ³	er of chil dre n ag e 6- 23 mo nth s	Minim um dietar y divers ity ^{4, a}	Minimu m meal freque ncy ^{5, b}	Minim um accept able diet ^c	Numb er of childre n age 6-23 month s
Total	30.3	40.5	14.6	664	39.2	42.3	17.1	34.2	94	32.0	40.7	15.0	781
Senatorial District													
Kano Central	34.4	35.8	11.0	234	(49.1)	(57.9)	(27.7)	(49.8)	45	36.7	39.4	13.7	286
Kano North	28.5	35.8	13.8	190	(37.4)	(33.6)	(9.4)	(24.8)	22	29.6	35.6	13.3	218
Kano South	27.7	48.8	18.9	240	(23.8)	(23.0)	(5.6)	(15.5)	27	28.9	46.3	17.6	276
Sex													
Male	30.4	36.0	15.1	331	(35.6)	(39.3)	(14.2)	(32.9)	49	31.1	36.5	15.0	389
Female	30.1	45.0	14.2	333	(43.0)	(45.4)	(20.2)	(35.6)	46	32.8	45.0	14.9	391
Age (Months)													
6-8	15.6	50.9	9.0	114	(*)	(*)	(*)	(*)	3	16.4	49.8	8.8	119
9-11	32.0	29.1	10.6	122	0.0	0.0	0.0	0.0	0	32.0	29.1	10.6	124
12-17	31.6	42.5	16.6	304	(*)	(*)	(*)	(*)	19	32.3	42.3	16.4	329
18-23	38.7	37.2	19.1	124	40.9	44.7	18.6	37.9	73	40.2	40.0	18.9	209
Residence													
Urban	38.8	33.6	12.4	140	(66.1)	(70.2)	(41.3)	(66.1)	32	43.6	40.4	17.7	178
Rural	28.0	42.4	15.3	525	25.4	28.1	4.8	17.9	63	28.5	40.8	14.1	603
Mother's education													
None	37.9	33.9	13.7	132	(*)	(*)	(*)	(*)	17	40.3	34.3	13.9	152
Non-formal	23.8	43.6	14.0	333	(17.2)	(18.0)	(6.3)	(15.9)	34	23.4	41.3	13.3	376
Primary	24.5	46.3	13.2	94	(*)	(*)	(*)	(*)	12	27.7	42.8	11.7	114
Secondary	47.0	34.9	19.4	92	(*)	(*)	(*)	(*)	24	48.2	43.9	20.3	118
Higher	(*)	(*)	(*)	13	(*)	(*)	(*)	(*)	8	(*)	(*)	(*)	21

Table NU.8: Infant and young child feeding (IYCF) practices (continued)

Percentage of children age 6-23 months who received appropriate liquids and solid, semi-solid, or soft foods the minimum number of times or more during the previous day, by breastfeeding status, Nigeria, 2016-17 Kano State

	Cur	rently bre	astfeeding	g	C	Currently	not bre	astfeed	ling			A	I	
	Percent	of childre		Num		rcent of				um		ent of chil		Num
	Minim um dietar y divers ity ^a	Minim um meal freque ncy ^b	Minim um accept able diet ^{1, c}	ber of childr en age 6-23 mont hs	Mini mum dieta ry diver sity ^a	Minim um meal freque ncy ^b	Minim um accept able diet ^{2, c}	2 t mill fee	chi st e aç k 6-	er of ildr n ge 23 ont s	Mini mum dieta ry diver sity ^{4,} a	Minim um meal freque ncy ^{5, b}	Minim um accept able diet ^c	ber of childr en age 6-23 mont hs
Wealth index quintile														
Poorest	25.4	4 40.8	3 16.0) 149	(1	*)	(*)	(*)	(*)	17	26.0	6 39.4	4 14.	1 9 6 9
Second	29.5	5 41.′	1 11.6	5 152	(*	*)	(*)	(*)	(*)	12	29.9	9 40.	1 11.	7
Middle	18.2	2 42.9	9 11.5	5 145	(1	*)	(*)	(*)	(*)	14	20.	5 40.9	9 10.	8
Fourth	38.0	6 46.0) 22.3	128	(*)	(*)	(*)	(*)	17	38.	5 44.9	9 21.	1
Richest	47.3	3 27.3	3 11.6	89	(58	8. 2) (67	.0) (3	2.5)	(64. 4)	34	49.3	3 38.2	2 17.	1 3 2 5
Ethnicity of household head														
Hausa	29.7	7 40.2	2 14.2	2 654	37.	.4 40).6 1	16.5	32.3	92	31.2	2 40.2	2 14.	7 5 6 6
Igbo	(*) (*) (*)) 1	(*	*)	(*)	(*)	(*)	2	(*	·) (*) (*	
Yoruba	(*) (*) (*)) 1	(*)	(*)	(*)	(*)	1	(*	⁻) (*) (*	*) 2
Other ethnic group	(*) (*) (*)) 8						0	(*	[*]) (*) (*	*) 1 0

¹ MICS indicator 2.17a - Minimum acceptable diet (breastfed)

² MICS indicator 2.17b - Minimum acceptable diet (non-breastfed)

³ MICS indicator 2.14 - Milk feeding frequency for non-breastfed children

⁴ MICS indicator 2.16 - Minimum dietary diversity

⁵ MICS indicator 2.15 - Minimum meal frequency

^a Minimum dietary diversity is defined as receiving foods from at least 4 of 7 food groups: 1) Grains, roots and tubers, 2) legumes and nuts, 3) dairy products (milk, yogurt, cheese), 4) flesh foods (meat, fish, poultry and liver/organ meats), 5) eggs, 6) vitamin-A rich fruits and vegetables, and 7) other fruits and vegetables.

^b Minimum meal frequency among currently breastfeeding children is defined as children who also received solid, semi-solid, or soft foods 2 times or more daily for children age 6-8 months and 3 times or more daily for children age 9-23 months. For non-breastfeeding children age 6-23 months it is defined as receiving solid, semi-solid or soft foods, or milk feeds, at least 4 times.

^c The minimum acceptable diet for breastfed children age 6-23 months is defined as receiving the minimum dietary diversity and the minimum meal frequency, while it for non-breastfed children further requires at least 2 milk feedings and that the minimum dietary diversity is achieved without counting milk feeds.

() Sample data are based on 25-49 unweighted cases

Table NU.9: Bottle feeding

Percentage of children age 0-23 months who were fed with a bottle with a nipple during the previous day, Nigeria, 2016-17 Kano State

	Percentage of children age 0-23 months fed with a bottle with a nipple ¹	Number of children age 0-23 months
Total	31.6	1052
Senatorial District		
Kano Central	33.7	387
Kano North	27.0	296
Kano South	33.1	369
Sex		
Male	30.4	524
Female	32.7	528
Age (Months)		
0-5	31.2	271
6-11	39.8	243
12-23	28.1	538
Residence		
Urban	33.5	242
Rural	31.0	809
Mother's education		
None	32.6	197
Non-formal	28.2	502
Primary	31.8	160
Secondary	38.1	162
Higher	(44.8)	31
Wealth index quintile		
Poorest	22.9	225
Second	33.0	228
Middle	27.9	224
Fourth	39.2	205
Richest	37.0	170
Ethnicity of household head		
Hausa	31.3	1030
Igbo	(*)	4
Yoruba	(*)	4
Other ethnic group	(*)	14

() Sample data are based on 25-49 unweighted cases

Salt Iodization

			P	ercent of hous	seholds v	vith:		Number of
	Percentage of households in			Salt	test resu	ult		households in which salt was tested or with nc salt
	which salt was tested	Number of households	No salt	Not iodized > 0 PPM	0 and <1 PPM	5 15+ PPM ¹	Total	
Total								
Senatorial District								
Kano Central								
Kano North								
Kano South								
Residence								
Urban								
Rural								
Nealth index quin	tile							
Poorest								
Second								
Middle								
Fourth								
Richest								

Note: The results of testing for salt iodisation are not shown, due to problems with data quality in parts of the sample. This is likely due to issues with test kits. The data is available in the microdata for the purpose of further analysis and investigation.

VI. Child Health

Vaccinations

Crude full immunization coverage describes the situation whereby children have received all antigens defined by the expanded programme on immunisation (EPI) without regard to the specified age or time interval between doses as prescribed by the national schedule. A child is considered fully vaccinated if he/she has received BCG (Bacillus Calmette-Guérin) vaccine, at least three doses of Polio vaccine, three doses of Pentavalent vaccine (Diphtheria, Pertussis, Tetanus, *Hemophilus Influenza* Type B and Hepatitis B), one of Measles containing vaccine (MCV), Inactivated Polio Vaccine (IPV) and Yellow Fever vaccine.

ime before the survey and	01.1		00	_	01.11		05	_
		dren age 12				dren age 24		
		at any time				d at any time		Vaccina
	Vaccinatio	y according Mother's	10:	ed by 12 months	Vaccination	vey accordin	ig to:	ed by 12 months
	n card	report	Either	of age ^a	card	report	Either	of age
Antigen	noura	ropon	Ennor	ol ugo	ourd	Topon	Entrior	or ago
BCG ¹	18.5	15.3	33.8	32.2	9.8	22.4	32.2	31.
Polio	10.0	10.0	00.0	52.2	5.0	22.7	52.2	51.
			~ -	29.				28
At birth	14.2	15.4	29.5	5	8.6	19.8	28.4	
1	15.4	13.3	28.8	27.	8.9	20.2	29.1	28
I	10.4	10.0	20.0	5	0.9	20.2	23.1	
2	10.7	9.8	20.4	20.	7.5	16.7	24.2	19
	-		-	1	-	-		4.5
3 ²	9.5	6.4	15.9	15. 0	6.7	11.7	18.4	15
DPT/Penta				0				
				27.				29
1	16.0	13.1	29.1	9	10.8	20.2	31.0	
2	12.6	9.2	21.8	21.	7.8	13.4	21.3	1
2	12.0	9.2	21.0	2	7.0	13.4	21.3	
3 ³	10.9	6.4	17.3	16.	6.9	8.7	15.5	1:
				5				
НерВ				4.4				44
At birth	6.4	5.2	11.6	11. 6	7.4	5.8	13.2	1:
PCV				0				
				15.				18
1	6.9	10.8	17.7	7	4.6	15.9	20.5	
2	5.8	7.1	12.9	12.	4.0	11.2	15.1	1:
				5				
35	4.9	3.9	8.7	7.3	3.3	7.3	10.5	9.
Inactivated Polio	8.6	13.3	21.9	19.9	3.6	18.9	22.5	9.
Vaccine Yellow fever ⁶	11.2	11.3	22.5	18.1	6.4	16.5	22.9	15.
Measles (MCV1) ⁷	11.2	11.3	22.5	10.1	6.7	10.5	22.9	15.
Fully vaccinated ^{8, b}	7.1	1.4	24.4	4.6	4.2	2.9	7.1	3.
No vaccinations	1.0	5.6	6.6	4.0 6.6	4.2	5.9	5.9	5.
Number of children	538	538	538	538	485	485	485	48
					ation coverage	100	100	10
				immunizatio				
³ MIC					OPT) immunizatio	on coverage		
					tion coverage	0.1		
⁵ M					lib) immunization	coverage		
					ation coverage			
	⁷ MICS indicate ⁸ N	or 3.4; MDG	indicator 4.3	3 - Measles ir	mmunization cov	erage		

^b Includes: BCG, Polio3, DPT3, HepB3, Hib3, and Measles (MCV1) as per the vaccination schedule in Country

Table CH.2: Vaccinations by background characteristics

Percentage of children age 12-23 months currently vaccinated against vaccine preventable childhood diseases, Nigeria, 2016-17 Kano State Percentage of children who received: Number of Percentage children with age Yellow Measles vaccination 12-23 Polio **DPT/PENTA** HepB fever (MCV1) Full^a None card seen months At At birth 2 3 birth BCG 3 2 Total 33.8 29.5 28.8 20.4 15.9 29.1 21.8 17.3 22.5 24.4 8.5 6.6 20.6 538 11.6 Senatorial District 38. 29. 21. 41. 32. 27. 16. 40. 30. 12. Kano Central 46.0 31.6 3.8 200 31.2 0 9 8 9 5 9 9 9 1 1 25. 26. 16. 14. 24. 17. 15. 10. 17. Kano North 30.0 19.3 8.0 8.9 15.0 152 2 5 0 8 3 1 7 1 7 21. 20. 13. 11. 19. 13. 18. Kano South 8.7 20.8 4.2 186 24.0 6.8 9.1 13.9 9 0 5 0 9 2 2 Sex 23.3 36.9 29.6 30.8 21.9 18.2 31.4 17.3 12.4 24.6 27.0 10.0 6.1 20.9 269 Male Female 30.8 29.5 26.8 18.9 13.7 26.8 20.3 17.4 10.9 20.5 21.7 7.0 7.2 20.4 269 Residence 50. 49. 37. 26. 52. 41. 34. 18. 41. 15. 42.6 Urban 57.9 1.2 37.2 129 3 9 4 9 1 9 1 1 1 1 23. 22. 15. 12. 21. 15. 12. 16. 6.4 409 26.2 9.4 18.6 9.7 Rural 15.4 0 1 1 6 6 7 0 7 Mother's education 21. 10. 18. 13. 15. 18. 11. None 23.8 7.7 7.0 6.7 15.4 3.5 13.3 100 4 6 8 4 9 0 4 16. 18. 14. 11. 17. 14. 11. 14. Non-formal 20.4 8.8 16.1 6.1 9.2 11.9 253

5 1 5 4 9 3 0 1 1 59. 59. 43. 34. 61. 48. 45. 26. 50. 22. Richest 70.0 50.1 0.0 50.1 5 8 2 2 9 4 8 1 1 2 Ethnicity of household head Hausa 29. 28. 20. 15. 28. 21. 16. 22. 11. 33.3 23.8 8.3 6.8 20.5 2 5 5 2 9 2 1 3 8 Igbo (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) Yoruba (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) Other ethnic group (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) Includes: BCG, Polio3, DPT3, HepB3, Hib3, and Measles (MCV1) as per the vaccination schedule in Country

(*) Sample data are fewer than 25 unweighted cases

7

2

6

(*)

10.

19.

25.

38.

8

8

3

36.

59.

39.7

67.8

(*)

17.7

20.2

29.2

39.5

Primary

Higher

Poorest

Second

Middle

Fourth

Secondary

Wealth index quintile

8

1

3

(*)

15.

17.

24.

33.

9

6

4

34.

61.

1

4

25.

38.

7

(*)

9.8

13.

17.

23.

2

0

0

0

5

(*)

7.7

9.1

13.

19.

1

20.

32.

6

1

2

(*)

12.

19.

23.

35.

9

0

3

31.

61.

1

0

3

22.

47.

(*)

9.5

12.

17.

26.

6

8

4

2

12.

16.

9

4

(*)

4.2

8.1

8.5

14.

18.

37.

7

(*)

5.1

10.

14.

16.

3

6

7

22.

45.

6

(*)

11.

10.

17.

28.

9

2

9

8

25.4

47.3

(*)

13.8

14.0

19.8

29.6

6.9

18.

0

(*)

3.2

3.4

7.5

8.5

4.5

0.0

(*)

17.

16.

5.9

3.4

4

0

18.2

50.9

(*)

8.1

10.6

14.9

25.5

78

90

17

110

117

113

107

91

527

3

2

6

Neonatal Tetanus Protection

The strategy for preventing maternal and neonatal tetanus is to ensure that all pregnant women receive at least two doses of tetanus toxoid vaccine. If a woman has not received at least two doses of tetanus toxoid during a particular pregnancy, she (and her newborn) is also considered to be protected against tetanus if the woman:

- Received at least two doses of tetanus toxoid vaccine, the last within the previous 3 years;
- Received at least 3 doses, the last within the previous 5 years;
- Received at least 4 doses, the last within the previous 10 years;
- Received 5 or more doses anytime during her life.

Table CH.3: Neonatal tetanus protection

Percentage of women age 15-49 years with a live birth in the last 2 years protected against neonatal tetanus, Nigeria, 2016-17 Kano State

	Percentage of	00303 (luring last pre		ceiveu.		Niccost and
	women who received at least 2 doses during last pregnancy	2 doses, the last within prior 3 years	3 doses, the last within prior 5 years	4 doses, the last within prior 10 years	5 or more doses during lifetime	Protected against tetanus ¹	Number of women with a live birth in the last 2 years
Total	43.0	10.3	0.4	0.1	0.0	53.8	1,08
Senatorial District							
Kano Central	47.9	14.1	0.4	0.0	0.0	62.3	393
Kano North	38.4	7.6	0.5	0.0	0.0	46.6	314
Kano South	41.7	8.7	0.4	0.2	0.0	51.0	380
Residence							
Urban	55.0	11.9	0.9	0.0	0.0	67.8	239
Rural	39.6	9.9	0.3	0.1	0.0	49.9	84
Education							
None	34.3	8.1	0.0	0.0	0.0	42.4	190
Non-formal	36.6	9.9	0.6	0.0	0.0	47.2	533
Primary	51.4	11.7	0.0	0.0	0.0	63.0	16
Secondary	60.4	12.1	0.9	0.4	0.0	73.8	162
Higher	(73.5)	(15.1)	(0.0)	(0.0)	(0.0)	(88.5)	30
Wealth index quintile							
Poorest	30.0	6.6	0.0	0.0	0.0	36.6	234
Second	36.7	7.6	0.4	0.0	0.0	44.6	228
Middle	43.9	10.5	0.3	0.0	0.0	54.7	23
Fourth	49.7	15.6	0.8	0.0	0.0	66.1	218
Richest	59.7	12.1	0.8	0.4	0.0	73.0	169
Ethnicity of household	head						
Hausa	42.8	10.4	0.4	0.1	0.0	53.7	1,06
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	;
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	14

() Sample data are based on 25-49 unweighted cases

Care of Illness

Table CH.4: Reported disease episodes

Percentage of children age 0-59 months for whom the mother/caretaker reported an episode of diarrhoea, symptoms of acute respiratory infection (ARI), and/or fever in the last two weeks, Nigeria, 2016-17 Kano State

	Percentage of ch	ildren who in the last	two weeks had:	
	An episode of diarrhoea	Symptoms of ARI	An episode of fever	Number of children age 0-59 months
Total	20.7	2.4	35.4	2559
Senatorial District				
Kano Central	18.1	1.9	33.3	962
Kano North	16.6	2.6	32.3	693
Kano South	26.7	2.7	40.0	904
Sex				
Male	23.0	2.5	37.0	1293
Female	18.4	2.2	33.8	1260
Residence				
Urban	18.6	1.2	31.4	603
Rural	21.4	2.7	36.6	1950
Age(Months)				
0-11	23.1	2.5	29.2	514
12-23	25.6	2.9	39.6	538
24-35	20.6	2.3	33.8	48
36-47	16.0	2.5	35.6	522
48-59	18.1	1.6	38.6	500
Mother's education				
None	19.7	4.1	38.5	452
Non-formal	22.2	2.3	36.5	1298
Primary	21.1	1.1	34.3	352
Secondary	20.0	2.2	31.5	379
Higher	4.5	0.0	22.2	7
Wealth index quintile				
Poorest	22.5	1.8	37.5	530
Second	22.6	3.2	37.1	559
Middle	21.3	2.7	40.0	529
Fourth	20.8	2.8	33.2	48
Richest	15.6	1.2	27.8	45
Ethnicity of household head				
Hausa	20.9	2.4	35.5	2514
Igbo	(*)	(*)	(*)	9
Yoruba	(*)	(*)	(*)	
Other ethnic group	(17.3)	(2.8)	(27.8)	3.

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Diarrhoea

Table CH.5: Care-seeking during diarrhoea

Percentage of children age 0-59 months with diarrhoea in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, Nigeria, 2016-17 Kano State

		Percenta	ge of children wi	th diarrhoea	a for whom:		
		Advice or t	reatment was so	ught from:			
		facilities or	Community health	Other	A health facility or	No advice or treatment	Number of children age 0-59 months with diarrhoea in the
	Public	Private	provider ^a	source	provider ^{1, b}	sought	last two weeks
Total	20.8	14.7	0.2	30.3	21.3	35.9	53 [.]
Senatorial District							
Kano Central	32.7	20.1	0.0	17.8	33.5	32.7	174
Kano North	18.1	3.8	0.0	38.5	19.1	40.5	11
Kano South	13.4	15.9	0.4	35.4	13.4	36.1	24
Sex							
Male	20.8	14.7	0.3	29.4	21.3	37.4	29
Female	20.7	14.7	0.0	31.5	21.2	34.0	23
Residence							
Urban	33.5	11.7	0.0	22.2	34.8	33.6	11
Rural	17.4	15.5	0.2	32.5	17.6	36.5	41
Age(Months)							
0 -11	27.0	10.3	0.0	27.4	27.0	36.9	11
12-23	20.1	17.1	0.0	30.8	22.0	34.7	13
24-35	19.1	15.0	0.0	30.1	19.1	36.7	10
36-47	17.5	14.3	0.0	35.0	17.5	33.2	8
48-59	18.3	16.7	1.0	29.4	18.3	38.0	9
Mother's education							
None	12.6	15.2	0.0	37.3	13.9	38.8	8
Non-formal	19.4	14.4	0.3	28.5	19.4	38.4	28
Primary	18.8	13.3	0.0	37.1	20.7	32.2	7
Secondary	35.6	16.8	0.0	23.9	35.6	26.8	7
Higher	(*)	(*)	(*)	(*)	(*)	(*)	
Wealth index quintile							
Poorest	20.4	10.4	0.7	32.8	21.4	38.2	11
Second	15.9	15.4	0.0	24.6	15.9	45.8	12
Middle	12.5	20.1	0.0	38.6	12.5	30.9	11
Fourth	23.6	10.7	0.0	36.8	23.6	28.9	10
Richest	39.2	17.5	0.0	14.1	41.2	32.6	7
Ethnicity of household	head						
Hausa	20.6	14.7	0.2	30.6	21.1	35.8	52
Igbo							
Yoruba							
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	

^a Community health providers includes both public (Community health worker and Mobile/Outreach clinic) and private (Mobile clinic) health facilities

^b Includes all public and private health facilities and providers, but excludes private pharmacy

Table CH.6: Feeding practices during diarrhoea

Percent distribution of children age 0-59 months with diarrhoea in the last two weeks by amount of liquids and food given during episode of diarrhoea, Nigeria, 2016-17 Kano State

		Drii	nking pra	ctices d	uring diarrh	ioea			Eating	g practice	es during	j diarrhoea		
		Ch	nild was g	jiven to d	drink:				Chile	d was giv	en to eat	:		Number of children
	Much less	Somewhat less	About the same	More	Nothing	Missing/ Don't Know	Total	Much less	Somewhat less	About the same	More	Nothing	Total	age 0-59 months with diarrhoea in the last two weeks
Total	28.4	29.3	34.0	6.9	1.2	0.2	100.0	25.4	33.5	33.2	4.4	3.5	100.0	531
Senatorial District	:													
Kano Central	30.2	22.3	35.5	8.7	3.2	0.0	100.0	27.8	25.7	33.4	6.7	6.4	100.0	174
Kano North	20.9	38.5	32.6	7.3	0.7	0.0	100.0	16.7	45.2	34.4	1.6	2.1	100.0	115
Kano South	30.6	30.0	33.5	5.5	0.0	0.4	100.0	27.8	33.5	32.6	4.1	2.1	100.0	242
Sex														
Male	28.8	28.9	32.8	7.5	2.1	0.0	100.0	25.3	31.9	34.6	4.8	3.4	100.0	298
Female	27.9	29.9	35.6	6.2	0.0	0.4	100.0	25.5	35.6	31.4	3.8	3.7	100.0	233
Residence														
Urban	28.9	25.9	37.5	4.8	2.8	0.0	100.0	25.4	24.5	35.6	6.2	8.3	100.0	112
Rural	28.2	30.2	33.1	7.5	0.7	0.2	100.0	25.4	35.9	32.6	3.9	2.2	100.0	419
Age(Months)														
0-11	34.0	30.2	31.9	3.9	0.0	0.0	100.0	29.9	30.4	32.8	3.0	4.0	100.0	119
12-23	25.8	29.3	29.9	11.5	3.6	0.0	100.0	24.1	30.6	33.6	5.5	6.2	100.0	137
24-35	31.0	27.0	32.9	6.7	1.4	1.0	100.0	26.2	40.3	29.4	3.5	0.6	100.0	100
36-47	21.0	35.8	34.9	8.3	0.0	0.0	100.0	23.2	36.0	33.4	5.0	2.4	100.0	84
48-59	28.9	24.7	43.3	3.2	0.0	0.0	100.0	22.8	32.0	37.3	5.1	2.9	100.0	91

Table CH.6: Feeding practices during diarrhoea (continued)

Percent distribution of children age 0-59 months with diarrhoea in the last two weeks by amount of liquids and food given during episode of diarrhoea, Nigeria, 2016-17 Kano State

		Drin	nking pra	ictices di	uring diarrh	noea			Eating	g practice	s during	diarrhoea		
		Ch	nild was g	given to o	drink:				Child	l was give	en to eat			Number of children age 0-59
	Much less	Somewhat less	About the same	More	Nothing	Missing/ Don't Know	Total	Much less	Somewhat less	About the same	More	Nothing	Total	months with diarrhoea in the last two weeks
Mother's education														
None	26.2	39.4	21.3	11.5	1.6	0.0	100.0	22.7	38.3	26.1	7.4	5.6	100.0	89
Non-formal	28.3	29.8	35.6	5.8	0.3	0.3		28.1	35.9	32.4	2.0	1.6		288
Primary	28.1	21.7	43.0	3.5	3.7	0.0	100.0	18.0	30.0	44.6	1.8	5.7	100.0	74
Secondary	28.2	24.5	35.8	9.7	1.9	0.0	100.0	26.9	23.6	33.4	11.4	4.7	100.0	76
Higher	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	3
Wealth index quintile														
Poorest	25.6	35.8	32.8	4.4	0.6	0.8	100.0	26.4	39.1	29.2	1.6	3.7	100.0	119
Second	23.8	33.1	34.8	7.2	1.1	0.0	100.0	18.9	43.2	31.2	3.3	3.4	100.0	126
Middle	39.5	26.4	26.1	8.1	0.0	0.0	100.0	35.8	25.9	33.1	4.5	.7	100.0	113
Fourth	21.6	29.3	37.5	8.9	2.7	0.0	100.0	22.0	32.5	37.7	7.2	.7	100.0	101
Richest	33.2	16.4	42.2	6.2	2.0	0.0	100.0	23.7	20.1	37.4	7.0	11.7	100.0	71
Ethnicity of househol	d head													
Hausa	28.5	29.6	33.5	7.0	1.2	0.2	100.0	25.5	33.7	32.9	4.4	3.5	100.0	525
Igbo							100.0						100.0	
Yoruba							100.0						100.0	
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)		5

Table CH.7: Oral rehydration solutions, recommended homemade fluids, and zinc

Percentage of children age 0-59 months with diarrhoea in the last two weeks, and treatment with oral rehydration salts (ORS), recommended homemade fluids, and zinc, Nigeria, 2016-2017 Kano State

				Percei	ntage of ch	ildren wit	th diarrhoea who r	eceived:					
	Oral reh	ydration salts	s (ORS)	Rec	ommended	d homem	ade fluids			Zinc		-	Number of children age
	Fluid from packet	Pre- packaged fluid	Any ORS	Salt sugar solution	Coconut water	Rice water	Any recommended homemade fluid	ORS or any recommended homemade fluid	Tablet	Syrup	Any zinc	ORS and zinc ¹	0-59 months with diarrhoea in the last two weeks
Total	39.3	29.7	43.1	17.1	0.7	1.8	17.8	50.1	27.4	16.9	33.3	22.2	531
Senatorial Distri	ct												
Kano Central	48.3	41.0	52.8	23.4	0.6	1.5	24.3	58.1	26.1	15.5	31.2	24.9	174
Kano North	36.8	27.5	39.6	14.3	0.0	0.9	14.3	44.6	23.9	15.0	28.2	18.7	115
Kano South	33.9	22.7	37.9	13.9	1.2	2.5	14.8	47.0	29.9	18.8	37.3	21.9	242
Sex													
Male	42.8	34.1	46.8	17.8	0.8	2.8	18.7	52.6	27.1	19.5	33.9	23.4	298
Female	34.8	24.1	38.5	16.2	0.7	0.5	16.6	46.9	27.8	13.6	32.6	20.5	233
Residence													
Urban	51.2	43.1	56.2	25.6	0.9	0.9	25.6	63.0	28.0	19.1	34.8	28.0	112
Rural	36.1	26.2	39.6	14.8	0.7	2.1	15.7	46.7	27.2	16.3	33.0	20.6	419
Age(Months)													
0-11	35.6	28.1	40.0	13.9	0.0	3.2	15.2	45.9	27.3	18.8	33.6	21.8	119
12-23	40.6	30.2	44.7	17.8	0.8	4.3	18.7	52.5	22.8	13.9	28.8	22.1	137
24-35	40.6	32.2	44.9	13.0	2.2	0.0	13.9	48.3	30.6	23.1	40.3	26.5	100
36-47	44.6	28.1	47.5	20.4	0.8	0.0	20.4	56.5	29.3	16.8	34.7	22.5	84
48-59	35.7	30.0	38.9	21.5	0.0	0.0	21.5	48.2	29.1	12.0	30.9	17.7	91

Table CH.7: Oral rehydration solutions, recommended homemade fluids, and zinc (continued)

Percentage of children age 0-59 months with diarrhoea in the last two weeks, and treatment with oral rehydration salts (ORS), recommended homemade fluids, and zinc, Nigeria, 2016-2017 Kano State

_				Percent	age of child	Iren with	diarrhoea who re	eceived:					
_	Oral reh	ydration sal	ts (ORS)	Reco	mmended	homema	de fluids			Zinc			Number of children age
	Fluid from packet	Pre- packaged fluid	Any ORS	Salt sugar solution	Coconut water	Rice water	Any recommended homemade fluid	ORS or any recommended homemade fluid	Tablet	Syrup	Any zinc	ORS and zinc ¹	0-59 months with diarrhoea in the last two weeks
Mother's education													
None	30.2	22.8	33.7	17.7	0.0	1.2	17.7	41.6	16.6	13.5	24.2	9.6	89
Non-formal	38.0	29.1	41.2	17.3	0.8	2.1	18.1	50.0	24.6	16.1	31.1	21.4	288
Primary	45.1	27.0	46.9	8.5	0.9	2.1	10.6	49.8	39.1	16.2	43.4	30.1	74
Secondary	49.1	43.0	58.3	23.1	1.4	1.4	23.1	60.0	37.4	25.4	41.3	31.6	76
Higher	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Wealth index quintile													
Poorest	31.2	19.1	33.4	19.4	0.0	0.9	19.4	43.5	22.4	11.2	26.0	13.7	119
Second	37.3	32.3	41.1	14.9	1.8	1.8	16.7	49.8	20.2	18.8	30.3	22.3	126
Middle	36.5	24.0	41.4	8.6	0.6	2.5	10.0	44.1	26.6	13.4	31.3	19.3	113
Fourth	47.5	32.3	50.5	22.5	1.0	3.5	22.5	59.2	33.9	23.1	40.9	26.2	101
Richest	49.0	48.5	55.3	22.7	0.0	0.0	22.7	58.4	40.4	19.7	43.5	34.8	71
Ethnicity of household	l head												
Hausa	39.2	29.9	43.1	17.1	0.8	1.9	17.8	50.1	27.3	17.1	33.4	22.1	525
Igbo													0
Yoruba													0
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	5
			¹ MICS inc	dicator 3.11 - Di	arrhoea trea	tment witl	h oral rehydration	salts (ORS) and z	zinc				

Table CH.8: Oral rehydration therapy with continued feeding and other treatments

Percentage of children age 0-59 months with diarrhoea in the last two weeks who were given oral rehydration therapy with continued feeding and percentage who were given other treatments, Nigeria, 2016-17 Kano State

					Chi	ildren wit	h diarrh	bea who wer	e given:							Number of
			ORT (ORS						Other	treatments					_	children
			or recommend			Pill o	or syrup			Injection	1	_			Not	age 0-59 months
	Zinc	ORS or increase d fluids	ed homemade fluids or increased fluids)	ORT with continued feeding ¹	Anti- biotic	Anti- motility	Other	Unknown	Anti- biotic	Non- antibiotic	Unknown	Intra- venous	Home remedy, herbal medicine	Other	given any treatm ent or drug	with diarrhoe a in the last two weeks
Total	33.3	46.3	52.8	35.0	3.9	1.2	3.2	3.0	10.9	1.6	0.9	0.0	0.0	3.6	29.2	531
Senatorial Distric	ct															
Kano Central	31.2	56.0	60.7	37.1	3.7	0.6	3.4	1.3	11.2	2.2	0.5	0.0	0.0	4.8	24.4	174
Kano North	28.2	42.3	45.9	36.8	3.6	2.8	0.7	4.0	9.3	0.7	0.0	0.0	0.0	1.7	36.8	115
Kano South	37.3	41.2	50.3	32.6	4.3	0.9	4.1	3.8	11.6	1.7	1.6	0.0	0.0	3.6	29.1	242
Sex																
Male	33.9	50.1	55.4	37.9	3.1	0.3	1.4	3.5	10.6	1.5	0.4	0.0	0.0	4.9	29.3	298
Female	32.6	41.4	49.5	31.2	5.0	2.3	5.4	2.4	11.4	1.8	1.5	0.0	0.0	2.0	29.1	233
Residence																
Urban	34.8	57.3	64.0	37.2	6.2	0.9	2.1	3.3	13.0	2.5	0.0	0.0	0.0	3.3	21.5	112
Rural	33.0	43.4	49.8	34.4	3.3	1.3	3.4	3.0	10.4	1.4	1.2	0.0	0.0	3.7	31.3	419
Age(Months)																
0-11	33.6	43.3	48.3	27.1	3.3	0.5	6.2	5.9	10.0	3.2	0.0	0.0	0.0	6.5	33.5	119
12-23	28.8	48.2	55.9	34.9	2.5	0.0	4.0	1.8	12.0	0.4	0.0	0.0	0.0	0.9	31.5	137
24-35	40.3	48.3	51.7	40.6	3.3	2.7	2.2	1.4	11.9	1.4	1.9	0.0	0.0	8.4	24.8	100
36-47	34.7	52.4	59.6	40.7	7.3	2.3	0.0	2.9	10.1	2.1	2.2	0.0	0.0	2.0	18.6	84
48-59	30.9	39.6	48.9	33.9	4.6	1.1	1.8	3.1	10.3	1.3	1.1	0.0	0.0	0.0	34.8	91

Table CH.8: Oral rehydration therapy with continued feeding and other treatments (continued)

Percentage of children age 0-59 months with diarrhoea in the last two weeks who were given oral rehydration therapy with continued feeding and percentage who were given other treatments, Nigeria, 2016-17 Kano State

									Other	treatments						
						Pillo	or syrup			Injection						Number o children
	Zinc	ORS or increased fluids	ORT (ORS or recommended homemade fluids or increased fluids)	ORT with continued feeding ¹	Anti- biotic	Anti- motility	Other	Unknown	Anti- biotic	Non- antibiotic	Unknown	Intra- venous	Home remedy, herbal medicine	Other	Not given any treatment or drug	age 0-59 months with diarrhoea in the las two week
Mother's education																
None	24.2	39.0	44.1	30.8	4.1	0.0	1.3	2.9	13.0	1.6	0.0	0.0	0.0	5.5	30.0	8
Non-formal	31.1	44.4	53.2	34.1	3.9	1.2	4.2	3.5	10.7	1.9	1.3	0.0	0.0	3.2	29.7	28
Primary	43.4	46.9	49.8	35.7	0.9	3.7	3.1	3.1	13.4	0.0	1.3	0.0	0.0	0.0	32.9	
Secondary	41.3	62.4	64.0	42.7	7.0	0.0	1.6	0.0	7.7	2.4	0.0	0.0	0.0	5.1	24.2	
Higher	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Nealth index quir	ntile															
Poorest	26.0	35.8	44.7	26.9	5.4	1.8	5.2	1.8	8.7	0.0	0.0	0.0	0.0	2.2	36.5	1
Second	30.3	43.5	51.4	38.4	1.5	0.0	2.9	3.9	11.0	0.0	1.7	0.0	0.0	1.9	35.8	1:
Middle	31.3	47.3	49.9	29.6	3.6	1.2	4.0	4.8	12.2	0.7	1.5	0.0	0.0	3.2	26.9	1
Fourth	40.9	53.6	62.3	47.6	4.4	1.9	1.2	2.5	13.3	5.9	0.9	0.0	0.0	9.3	17.9	10
Richest	43.5	57.0	60.1	33.0	5.7	1.4	1.7	1.6	9.1	2.6	0.0	0.0	0.0	1.6	25.3	
Ethnicity of hous	ehold head															
Hausa	33.4	46.3	52.9	35.0	4.0	1.2	3.2	3.1	11.1	1.6	0.9	0.0	0.0	3.6	29.0	5
Igbo																
Yoruba																
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*) *	(*)	(*)	(*)	(*)	(*)	(*)	(*)	

Percentage of childre	Ŭ	0-59 mon entage	ths with diarrh			weeks who v hildren for w	0		d percentage given z			and zinc, Ni Iren for who	U		ino State
	of ch	ildren				of ORS was					0	zinc was:			-
	give treat	were en as tment or hoea:	Number of children age 0-59 months with	Неа	Ith facili provide			A health	Number of children age 0-59 months who were given ORS as	Health fa	cilities or j	providers		A health	Number of children age 0-59 months who were given zinc as
	ORS	zinc	diarrhoea in the last two weeks	Public	Privat e	Communi ty health provider ^a	Other sourc e	facility or provide r ^b	treatment for diarrhoea in the last two weeks	Public	Private	Communi ty health provider ^a	Other sourc e	facility or provide r ^b	treatment for diarrhoea in the last two weeks
Total	43.1	33.3	531	25.6	32.8	1.6	41.7	58.3	229	25.2	40.8	1.0	33.9	66.1	177
Senatorial District															
Kano Central	(52. 8)	(31.2)	174	(29.8)	(40.7)	(0.0)	(29.5)	(70.5)	92	(39.5)	(42.3)	(0.0)	(18.1)	(81.9)	54
Kano North	(39. 6)	(28.2)	115	(30.2)	(7.5)	(1.5)	(62.3)	(37.7)	45	(20.7)	(6.5)	(0.0)	(72.8)	(27.2)	32
Kano South	37.9	37.3	242	19.0	37.4	3.2	43.6	56.4	92	18.3	52.2	2.0	29.5	70.5	90
Sex															
Male	46.8	33.9	298	25.5	32.5	1.5	42.0	58.0	139	26.8	40.4	0.9	32.9	67.1	101
Female	38.5	32.6	233	25.6	33.3	1.8	41.1	58.9	90	23.2	41.5	1.2	35.3	64.7	76
Residence															
Urban	(56. 2)	(34.8)	112	(30.0)	(41.3)	(.0)	(28.7)	(71.3)	63	(45.4)	(40.6)	(0.0)	(14.0)	(86.0)	39
Rural	39.6	33.0	419	23.9	29.6	2.2	46.6	53.4	166	19.6	40.9	1.3	39.5	60.5	138
Age(Months)															
0-11	(40. 0)	(33.6)	119	(31.4)	(25.7)	(1.5)	(42.8)	(57.2)	48	(26.9)	(42.0)	(0.0)	(31.1)	(68.9)	40
12-23	(44. 7)	(28.8)	137	(29.7)	(30.3)	(3.4)	(40.0)	(60.0)	61	(33.4)	(37.3)	(2.3)	(29.3)	(70.7)	40
24-35	(44. 9)	(40.3)	100	(22.2)	(33.1)	(.0)	(44.8)	(55.2)	45	(28.1)	(36.9)	(0.0)	(35.0)	(65.0)	40
36-47	(47 [́] . 5)	(34.7)	84	(15.4)	(40.8)	(.0)	(43.8́)	(56.2)	40	(8.6)	(59.6)	(0.0)	(31.8)	(68.2)	29
48-59	(38. 9)	(30.9)	91	(26.2)	(37.3)	(2.5)	(36.Ś	(63.5)	35	(24.4)	(30.3)	(3.2)	(45.2)	(54.8)	28

Table CH.9: Source of ORS and zinc

Percentage of children	Percent	tage of	un diarridea in			hildren for wh		-	Number of	-		children for v	whom the		no State
	childre were gi treatme diarrh	ven as ent for	Number of children	He	alth facili provide				children age 0-59 months who were given ORS	Hea	llth facili provide		:		Number of children age 0-59 months
	ORS	zinc	age 0-59 months with diarrhoea in the last two weeks	Public	Privat e	Communit y health providerª	Other source	A health facility or provide r ^b	as treatment for diarrhoea in the last two weeks	Public	Privat e	Communi ty health provider ^a	Other sourc e	A health facility or provide r ^b	who were given zinc as treatment for diarrhoea in the last two weeks
Mother's education															
None	(*)	(*)	89	(*)	(*)	(*)	(*)	(*)	30	(*)	(*)	(*)	(*)	(*)	22
Non-formal	41.2	31.1	288	27.2	32.6	3.1	40.2	59.8	119	24.3	46.9	2.0	28.8	71.2	89
Primary	(46.9)	(43.4)	74	(20.6)	(32.1)	(0.0)	(47.4)	(52.6)	35	(13.9)	(37.9)	(0.0)	(48.1)	(51.9)	32
Secondary	(58.3)	(41.3)	76	(34.7)	(38.6)	(0.0)	(26.8)	(73.2)	44	(46.0)	(34.5)	(0.0)	(19.5)	(80.5)	31
Higher	(*)	(*)	3	(*)	(*)	(*)	(*)	(*)	1	(*)	(*)	(*)	(*)	(*)	2
Wealth index quintile															
Poorest	(33.4)	(26.0)	119	(22.0)	(34.4)	(6.9)	(43.7)	(56.3)	40	(14.5)	(49.5)	(2.9)	(36.0)	(64.0)	31
Second	(41.1)	(30.3)	126	(27.3)	(33.9)	(0.0)	(38.9)	(61.1)	52	(18.5)	(52.7)	(0.0)	(28.9)	(71.1)	38
Middle	(41.4)	(31.3)	113	(17.8)	(26.1)	(1.9)	(56.1)	(43.9)	47	(16.0)	(35.1)	(2.5)	(48.9)	(51.1)	35
Fourth	(50.5)	(40.9)	101	(28.7)	(23.0)	(0.0)	(48.2)	(51.8)	51	(37.4)	(23.7)	(0.0)	(38.8)	(61.2)	41
Richest	(55.3)	(43.5)	71	(32.0)	(50.5)	(0.0)	(17.5)	(82.5)	39	(38.7)	(47.0)	(0.0)	(14.3)	(85.7)	31
Ethnicity of househol	d head														
Hausa	43.1	33.4	525	25.5	32.4	1.6	42.1	57.9	226	25.5	40.3	1.0	34.2	65.8	175
Igbo			0	0.0	0.0	0.0	0.0		0	0.0	0.0	0.0	0.0		C
Yoruba			0	0.0	0.0	0.0	0.0		0	0.0	0.0	0.0	0.0		C
Other ethnic group	(*)	(*)	5	(*)	(*)	(*)	(*)	(*)	3	(*)	(*)	(*)	(*)	(*)	(*)

^b Includes all public and private health facilities and providers

() Sample data are based on 25-49 unweighted cases

Acute Respiratory Infections

Table CH.10: Care-seeking for and antibiotic treatment of symptoms of acute respiratory infection (ARI)

Percentage of children age 0-59 months with symptoms of ARI in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, and percentage of children with symptoms who were given antibiotics, Nigeria, 2016-17 Kano State

	Percenta	age of chi	ildren with s	symptom	s of ARI fo	or whom:			Porce	ntano o	f children wit	h symnt	oms of	
	Adv	ice or trea	atment was	sought f	rom:	-	Percentage of children				the source of			Number of children with
	Health fa	cilities or	providers Communit y health	Other	facility or	No advice or treatment		Number of children age 0-59 months with symptoms of ARI in		facilities	s or providers Community health	-	A health	symptoms of ARI
	Public	Private	provider ^a	source	b	sought	antibiotics ²	the last two weeks	Public	Private	provider ^a		,	given antibiotics
Total	21.0	18.8	1.2	17.7	21.0	14.3	13.3	60	(*)	(*)	(*)) (*)	(*)	8
Senatorial District	t													
Kano Central	(*)	(*)	(*)	(*)	(*)	(*)	(*)	18	1					0
Kano North	(*)	(*)	(*)	(*)	(*)	(*)	(*)	18	(*)	(*)	(*)) (*)	(*)	3
Kano South	(18.9)	(22.4)	(0.0)	(25.4)	(18.9)	(12.8)	(19.0)	24	· (*)	(*)	(*)) (*)	(*)	5
Sex														
Male	(22.5)	(22.8)	(2.3)	(12.4)	(22.5)	(15.6)	(17.1)	32	. (*)	(*)	(*)) (*)	(*)	6
Female	(19.3)	(14.2)	(0.0)	(23.8)	(19.3)	(12.7)	(9.0)	28	(*)	(*)	(*)) (*)	(*)	3
Residence														
Urban	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8						0
Rural	20.7	19.1	1.4	20.2	20.7	14.5	15.2	53	(*)	(*)	(*)) (*)	(*)	8
Age(Months)														
0-11	(*)	(*)	(*)	(*)	(*)	(*)	(*)	13	(*)	(*)	(*)) (*)	(*)	4
12-23	(*)	(*)	(*)	(*)	(*)	(*)	(*)	15	(*)	(*)	(*)) (*)	(*)	2
24-35	(*)	(*)	(*)	(*)	(*)	(*)	(*)	11	(*)	(*)	(*)) (*)	(*)	1
36-47	(*)	(*)	(*)	(*)	(*)	(*)	(*)	13	(*)	(*)	(*)) (*)	(*)	1
48-59	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8						0

() Sample data are based on 25-49 unweighted cases

Table CH.10: Care-seeking for and antibiotic treatment of symptoms of acute respiratory infection (ARI) (continued)

Percentage of children age 0-59 months with symptoms of ARI in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, and percentage of children with symptoms who were given antibiotics, Nigeria, 2016-17 Kano State

		-	dren with s atment was			or whom:	Percentage of		for w	hom th	children wit			Number of
	Health fac	cilities or	providers		A health	No	children with symptoms of ARI in	Number of children age 0-59 months	Hea	alth faci provid		_		children with symptoms of AR
	Public	Private	Communit y health provider ^a	Other source		advice or treatment sought	the last two weeks who were given antibiotics ²	with symptoms of ARI in the last two weeks	Public	Private	Community health provider ^a	Other source	A health facility or provider ^c	in the last two weeks who were given antibiotics
Mother's education														
None	(*)	(*)	(*)	(*)	(*)	(*)	(*)	18	(*)	(*)	(*)) (*)	(*)	
Non-formal	(29.5)	(12.4)	(0.0)	(19.1)	(29.5)	(13.4)	(16.5)	30	(*)	(*)	(*)) (*)	(*)	
Primary	(*)	(*)	(*)	(*)	(*)	(*)	(*)	4						
Secondary	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8	(*)	(*)	(*)) (*)	(*)	
Higher								0						
Wealth index quintile														
Poorest	(*)	(*)	(*)	(*)	(*)	(*)	(*)	9	(*)	(*)	(*)) (*)	(*)	
Second	(*)	(*)	(*)	(*)	(*)	(*)	(*)	18	(*)	(*)	(*)) (*)	(*)	
Middle	(*)	(*)	(*)	(*)	(*)	(*)	(*)	14	(*)	(*)	(*)) (*)	(*)	
Fourth	(*)	(*)	(*)	(*)	(*)	(*)	(*)	14	(*)	(*)	(*)) (*)	(*)	
Richest	(*)	(*)	(*)	(*)	(*)	(*)	(*)	5						
Ethnicity of household	d head													
Hausa	21.3	19.1	1.2	17.9	21.3	14.5	13.5	60	(*)	(*)	(*)) (*)	(*)	
Igbo								0						
Yoruba								0						
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	1						
^a Community health prov	viders inclu	des both p		² MI	CS indicate	or 3.14 - Ar	for children with acu ntibiotic treatment for <i>le/Outreach clinic</i>) an	children with ARI sy	mptoms					
^b Includes all public and ^c Includes all public and	private hea	alth facilitie	es and provid	ders, but				· ·						

() Sample data are based on 25-49 unweighted cases

 Table CH.11: Knowledge of the two danger signs of pneumonia

 Percentage of women age 15-49 years who are mothers or caretakers of children under age 5 by symptoms that would cause them to take a child under age 5 immediately to a health facility, and percentage of mothers who recognize fast or difficult breathing as signs for seeking care immediately, Nigeria, 2016-17 Kano State

percentage of mothers wit			aretakers of c	hildren age 0	-59 months wh h facility if the	o think that			Mothers/caretakers who recognize at least one of the	Number of women age 15-49
	Is not able to drink or breastfeed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	ls drinking poorly	Has other symptoms	two danger signs of pneumonia (fast and/or difficult breathing)	years who are mothers/caretakers of children under age 5
Total	31.0	48.9	79.8	35.3	27.7	22.5	15.0	0.0	44.7	. 152
Senatorial District										
Kano Central	38.9	49.0	82.4	38.2	33.3	27.0	19.6	0.0	49.3	56
Kano North	25.5	53.5	84.1	30.6	22.7	18.8	14.1	0.0	39.7	41
Kano South	27.0	45.2	73.8	35.8	25.8	20.7	10.7	0.0	43.7	, 54
Residence										
Urban	36.3	53.2	80.9	34.8	30.0	21.7	18.3	0.0	44.5	35
Rural	29.4	47.6	79.5	35.5	27.1	22.7	13.9	0.0	44.7	, 117 117
Education										
None	32.6	50.5	78.7	37.6	30.9	18.9	16.9	0.0	50.6	28
Non-formal	28.7	44.8	77.3	33.3	25.9	24.7	14.7	0.0	41.5	76
Primary	28.3	56.0	84.5	37.2	26.3	18.7	12.7	0.0	45.6	
Secondary	36.6	52.9	84.4	35.0	31.0	23.5	15.8	0.0	45.2	22
Higher	(45.1)	(55.6)	(84.8)	(47.7)	(29.9)	(20.6)	(12.8)	(0.0)	(55.0)	4
Wealth index quintile										
Poorest	27.0	44.2	79.6	33.9	22.8	24.3	10.4	0.0	42.0	31
Second	28.3	45.2	78.3	32.2	25.6	19.9	15.3	0.0	41.0	
Middle	31.1	54.8	81.2	42.6	33.3	22.7	15.5	0.0	51.9	33
Fourth	32.8	48.3	77.1	29.5	23.5		15.4	0.0		27
Richest	37.0	52.3	83.0	37.6	33.6	27.3	18.7	0.0	47.4	27
Ethnicity of household h	ead									
Hausa	31.0	49.1	79.6	35.4	27.7	22.7	15.0	0.0	44.6	5 149
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*))
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(15.9)	(41.1)	(87.5)	(27.6)	(21.1)	(9.2)	(20.7)	(0.0)	(38.3)	2

() Sample data are based on 25-49 unweighted cases

Solid Fuel Use

Table CH.12: Solid fuel use

Percent distribution of household members according to type of cooking fuel mainly used by the household, and percentage of household members living in households using solid fuels for cooking, Nigeria, 2016-17 Kano State

				Percentag	e of house	ehold me	embers i	n househo	olds mai	nly using:				
							So	lid fuels					Solid	
	Electricity	Liquefied Petroleum Gas (LPG)	Biogas	Kerosene	Coal/ Lignite	Char- coal	Wood	Straw/ Shrubs/ Grass		Agricultural crop residue	No food cooked in the household	Total	fuels for cooking	Number of household members
Total	1.7	2.1	1.2	4.8	1.5	8.0	69.7	8.7	0.1	1.8	0.4	100.0	89.7	1336
Senatorial District														
Kano Central	3.3	4.9	2.5	10.2	3.0	16.8	51.5	6.3	0.0	1.2	0.3	100.0	78.7	577
Kano North	0.6	0.0	0.2	0.7	0.7	1.1	81.6	10.0	0.3	4.2	0.5	100.0	98.0	343
Kano South	0.4	0.0	0.3	0.8	0.0	1.4	85.0	11.0	0.0	0.7	0.4	100.0	98.2	416
Residence														
Urban	4.6	7.4	3.4	14.6	4.6	23.2	40.7	1.1	0.0	0.0	0.3	100.0	69.6	374
Rural	0.5	0.1	0.4	1.0	0.3	2.0	80.9	11.7	0.1	2.5	0.4	100.0	97.6	961
Education of househo	ld head													
None	0.0	0.4	0.6	5.6	2.6	5.5	65.9	16.8	0.0	1.3	0.8	100.0	92.1	126
Non-formal	0.8	0.5	0.3	0.7	0.7	4.9	78.2	11.1	0.0	2.6	0.3	100.0	97.6	674
Primary	2.9	0.0	0.4	3.6	1.9	5.3	76.3	8.4	0.0	0.8	0.4	100.0	92.7	156
Secondary	1.9	4.2	1.2	12.0	3.0	19.5	52.9	2.9	0.4	1.5	0.5	100.0	80.3	228
Higher	6.0	10.7	7.3	14.0	1.1	9.3	51.4	0.0	0.0	0.0	0.3	100.0	61.7	142
Wealth index quintile														
Poorest	0.5	0.0	0.0	0.0	0.0	0.5	75.8	18.9	0.0	4.0	0.3	100.0	99.2	267
Second	0.0	0.0	0.0	0.0	0.0	.6	87.9	8.1	0.4	2.6	0.5	100.0	99.5	266
Middle	0.3		0.0	0.6	1.0	2.4	80.3	13.5	0.0	-	0.3	100.0		268
Fourth	2.7		0.0	1.9	1.8	15.5	74.3	2.5	0.0		0.4	100.0		266
Richest	4.9	10.6	6.1	21.6	4.6	20.9	30.2	0.6	0.0	0.0	0.3	100.0	56.3	267
Ethnicity of household	d head													
Hausa	1.7	2.1	1.2	4.3	1.5	7.9	70.1	8.9	0.1	1.8	0.4	100.0		1308
Igbo	(0.0)	(0.0)	(0.0)	(25.1)	(0.0)	(18.7)	(56.3)	(0.0)	(0.0)	(0.0)	(0.0)	100.0	(74.9)	4
Yoruba	(0.0)	(0.0)	(0.0)	(48.0)	(0.0)	(0.0)	(52.0)	(0.0)	(0.0)	(0.0)	(0.0)	100.0	(52.0)	2
Other ethnic group	3.3	2.6	3.3	27.9	0.0	11.2	46.2	2.0	0.0	2.4	0.0	100.0	61.9	21

() Sample data are based on 25-49 unweighted cases

Table CH.13: Solid fuel use by place of cooking

	Place of cooking:						
	In the ho In a separate room used as kitchen	use Elsewhere in the house	In a separate building	Outdoors	Other place	Total	Number of household members in households using solid fuels for cooking
Total	31.2	33.7	3.8	31.2	0.0	100.0	11990
Senatorial District							
Kano Central	39.5	30.8	2.6	27.1	0.0	100.0	454
Kano North	27.7	48.4	1.2	22.7	0.0	100.0	336
Kano South	24.9	24.8	7.3	42.8	0.1	100.0	408
Residence							
Urban	54.1	26.1	2.0	17.9	0.0	100.0	260
Rural	24.9	35.8	4.3	34.9	0.0	100.0	938
Education of household	head						
None	28.4	33.1	4.6	33.5	0.3	100.0	116
Non-formal	25.7	34.2	3.8	36.2	0.0		658
Primary	32.3	37.9	4.5	25.4	0.0	100.0	144
Secondary	40.2	35.4	2.3	22.0	0.0	100.0	183
Higher	55.5	18.6	4.7	21.2	0.0	100.0	88
Missing/Don't Know	32.2	47.4	5.2	15.2	0.0	100.0	8
Wealth index quintile							
Poorest	9.8	37.8	2.6	49.7	0.1	100.0	265
Second	23.7	33.7	2.3	40.2	0.0	100.0	265
Middle	28.2	45.2	2.9	23.6	0.0	100.0	264
Fourth	51.4	23.4	7.6	17.7	0.0	100.0	253
Richest	53.7	23.5	3.9	18.9	0.0	100.0	150
Ethnicity of household h	nead						
Hausa	31.2	34.0	3.9	30.9	0.0	100.0	1181
Igbo	(0.0)	(29.3)	(0.0)	(70.7)	(0.0)	100.0	3
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	1
Other ethnic group	47.6	2.9	0.0	49.5	0.0	100.0	13

Percent distribution of household members in households using solid fuels by place of cooking, Nigeria, 2016-17 Kano State

() Sample data are based on 25-49 unweighted cases
Malaria/Fever

Table CH.14: Household availability of insecticide treated nets and protection by a vector control method

Percentage of households with at least one mosquito net, one insecticide treated net (ITN), and one long-lasting treated net, percentage of households with at least one mosquito net, one insecticide treated net (ITN) per two people, and one long-lasting treated net, percentage of households with at least one ITN and percentage of households with at least one ITN per two people, Nigeria, MICS 2016-17 Kano State

		age of househo st one mosquit			of households wi or every two pers		-
	Any mosquito net	Insecticide treated mosquito net (ITN) ¹	Long-lasting insecticidal treated net (LLIN)	Any mosquito net	Insecticide treated mosquito net (ITN) ²	Long-lasting insecticidal treated net (LLIN)	Number of households
Total	81.6	80.8	80.4	32.7	32.1	31.9	1867
Senatorial District							
Kano Central	82.5	80.8	80.2	33.1	32.0	31.4	786
Kano North	79.7	79.3	78.8	34.6	34.3	34.3	527
Kano South	82.2	82.2	82.2	30.2	30.2	30.2	554
Residence							
Urban	80.0	78.7	78.1	30.2	29.5	28.8	500
Rural	82.2	81.5	81.2	33.5	33.1	33.0	1367
Education of household	head						
None	78.9	76.7	76.3	39.4	37.0	37.0	196
Non-formal	78.8	78.2	77.8	30.4	30.2	30.0	915
Primary	92.5	91.6	91.6	37.2	36.8	36.8	222
Secondary	82.8	81.8	81.2	30.4	29.8	29.1	325
Higher	82.7	82.7	82.7	34.8	34.2	33.7	194
Missing/Don't Know	90.4	83.5	83.5	37.0	37.0	37.0	15
Wealth index quintile							
Poorest	79.0	77.6	77.2	36.0	35.1	35.1	382
Second	79.9	79.4	79.4	28.2	27.9	27.9	376
Middle	82.5	82.2	81.5	31.0	30.8	30.8	385
Fourth	83.9	83.0	82.6	35.7	34.8	33.8	365
Richest	83.0	81.8	81.5	32.5	32.0	31.7	360
Ethnicity of household h	ead						
Hausa	82.0	81.1	80.7	32.6	32.0	31.8	1818
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	7
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	6
Other ethnic group	(70.3)	(70.3)	(70.3)	(40.1)	(40.1)	(40.1)	37

MICS indicator 3.16a - Household availability of insecticide-treated nets (ITNs) - One+

² MICS indicator 3.16b - Household availability of insecticide-treated nets (ITNs) - One+ per 2 people

³ MICS indicator 3.17a - Households covered by vector control - One+ ITNs

⁴ MICS indicator 3.17b - Households covered by vector control - One+ ITNs per 2 people

^a The numerators are based on number of usual (de jure) household members and does not take into account whether household members stayed in the household last night. MICS does not collect information on visitors to the household

() Sample data are based on 25-49 unweighted cases

Table CH.15: Access to an insecticide treated net (ITN) - number of household members

		N	lumber	of ITN	s owne	ed by h	ouseh	old:			Percentage	Number of
	0	1	2	3	4	5	6	7	8 or more	Total	with access to an ITN ^a	household members ^b
Total	19.2	14.3	29. 6	17. 7	9.3	4.3	2.7	1.5	1.5	100.0	57.2	1336
Number of h	ousehold	member	s									
1	(38.0)	(56.6)	(5.4)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	100.0	(62.0)	27
2	24.6	46.4	27. 0	0.0	1.9	0.0	0.0	0.0	0.0	100.0	75.4	229
3	20.0	32.4	33. 6	10. 1	3.9	0.0	0.0	0.0	0.0	100.0	69.2	57
4	16.5	21.4	47. 6	11. 9	1.7	0.3	0.0	0.0	0.6	100.0	72.8	80
5	20.2	8.8	38. 7	25. 6	5.8	0.3	0.0	0.0	0.7	100.0	66.8	112
6	18.7	11.0	39. 5	19. 3	6.7	3.7	1.1	0.0	0.0	100.0	60.8	122
7	18.2	8.2	29. 8	24. 9	13. 6	3.9	1.4	0.0	0.0	100.0	59.6	124
8 or more	18.3	5.0	19. 3	20. 0	15. 1	8.9	6.3	3.8	3.3	100.0	52.1	814

Percentage of household population with access to an ITN in the household, Nigeria, 2016-17 Kano State

^a Percentage of household population who could sleep under an ITN if each ITN in the household were used by up to two people ^b The denominator is number of usual (de jure) household members and does not take into account whether household members

stayed in the household last night. MICS does not collect information on visitors to the household

() Sample data are based on 25-49 unweighted cases

Table CH.16: Access to an insecticide treated net (ITN) - background characteristics

Percentage of household population with access to an ITN in the household, Nigeria, 2016-17 Kano State

	Percentage with access to an ITN ^a	Number of household members ^b
Total	57.2	1336
Senatorial District		
Kano Central	55.3	577
Kano North	58.5	343
Kano South	58.9	416
Residence		
Urban	52.3	374
Rural	59.2	961
Wealth index quintile		
Poorest	54.9	267
Second	58.2	266
Middle	58.6	268
Fourth	60.6	266
Richest	53.9	267
Ethnicity of household head		
Hausa	57.3	1308
Igbo	(22.2)	4
Yoruba	(57.1)	2
Other ethnic group	61.0	21

^b The denominator is number of usual (de jure) household members and does not take into account whether household members stayed in the household last night. MICS does not collect information on visitors to the household

() Sample data are based on 25-49 unweighted cases

Table CH.17: Use of ITNs

	Percentage of ITNs used last night	Number of ITNs		
Total	82.7	4191		
Senatorial District				
Kano Central	84.5	1750		
Kano North	77.5	1139		
Kano South	84.8	1302		
Residence				
Urban	84.5	1057		
Rural	82.1	3134		
Wealth index quintile				
Poorest	81.5	823		
Second	84.1	847		
Middle	85.2	845		
Fourth	80.6	878		
Richest	82.0	798		
Ethnicity of household head				
Hausa	82.7	4103		
lgbo	(*)	Ę		
Yoruba	(*)	8		
Other ethnic group	79.7	76		

Table CH.18: Children sleeping under mosquito nets

	Percentage of children age 0-	Number -	five wh		dren under age ous night slept er:	Number of children age 0-59	Percentage of children who slept	
	59 who spent last night in the interviewed households	of	Any		A Long-lasting insecticidal treated net (LLIN)	months who	under an ITN last night in households with at least one ITN	Number of childrer age 0-59 living in households with a least one ITN
Total	99.4	2559	62.0	61.8	61.5	2543	73.9	212
Senatorial District								
Kano Central	99.8	962	63.5	63.2	62.8	960	74.5	81
Kano North	99.5	693	56.7	56.1	55.7	690	68.7	56
Kano South	98.8	904	64.6	64.6	64.6	893	77.2	74
Sex								
Male	99.4	1293	59.9	59.6	59.3	1285	71.6	107
Female	99.4	1266	64.2	64.0	63.7	1258	76.3	105
Residence								
Urban	99.7	603	56.9	56.6	55.9	601	70.2	48
Rural	99.3	1956	63.6	63.4	63.2	1942	75.0	164
Age(Months)								
0-11	99.3	514	66.6	66.6	66.1	510	76.0	447
12-23	99.1	538	64.7	63.7	63.2	533	77.0	441
24-35	99.7	485	61.0	60.8	60.8	483	72.4	406
36-47	99.5	522	58.2	58.2	58.0	519	71.8	42
48-59	99.3	500	59.4	59.5	59.1	497	71.8	41:
Mother's education								
None	99.7	452	58.0	57.3	56.9	451	69.6	37
Non-formal	99.1	1298	63.0	62.8	62.6	1287	76.4	1057
Primary	100.0	352	68.6	68.3	67.1	352	74.2	324
Secondary	99.1	379	59.5	59.6	59.6	375	69.9	320
Higher	100.0	77	53.0	53.0	53.0	77	76.4	54
Wealth index quintile								
Poorest	98.6	530	56.5	56.2	55.9	522	69.1	425
Second	99.2	559	63.4	63.0	63.0	554	75.6	462
Middle	99.7	529	65.2	65.0	64.3	527	78.8	435
Fourth	99.4	487	65.8	65.3	64.8	484	73.7	429
Richest	100.0	455	59.0	59.1	59.1	455	71.8	374
Ethnicity of household	head							
Hausa	99.4	2514	61.9	61.7	61.4	2498	73.7	209
Igbo	(*)	9	(*)	(*)	(*)	9	(*)	:
Yoruba	(*)	4	(*)	(*)	(*)	4	(*)	:
Other ethnic group	(100.0)	31	(71.0)	(71.0)	(71.0)	31	(88.0)	25

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Table CH.19: Use of mosquito nets by the household population

Percentage of household members who slept under a mosquito net last night, by type of net, Nigeria, 2016-17 Kano State

			old members wh slept under:	0		
	Any mosquito net	An insecticide treated net (ITN) ¹	A Long-lasting insecticidal treated net (LLIN)	 Number of household members who spent the previous night in the interviewed households 	Percentage who the previous night slept under an ITN	Number of household members in households with at least one ITN
Total	55.2	54.8	54.5	12982	67.1	10597
Senatorial District						
Kano Central	53.5	52.9	52.4	5592	64.8	4563
Kano North	56.0	55.1	54.9	3322	68.1	2688
Kano South	57.0	57.0	57.0	4068	69.4	3345
Sex						
Male	51.6	51.1	50.9	6287	62.9	5110
Female	58.6	58.2	57.8	6695	71.0	5486
Residence						
Urban	49.6	49.0	48.5	3632	62.0	2870
Rural	57.4	57.0	56.8	9349	69.0	7726
Age(Months)						
0-4 ^a	62.1	61.8	61.5	2531	74.0	2115
5-14	50.0	49.3	49.1	4248	60.9	3438
15-34	55.4	55.1	54.8	3381	66.7	2792
35-49	61.5	60.9	60.6	1362	74.8	1108
50+	52.2	51.6	51.5	1450	66.0	1135
Missing/Don't Know	(*)	(*)	(*)	9	(*)	8
Education of household	head					
None	53.8	53.2	52.9	1215	66.8	968
Non-formal	52.5	52.1	51.9	6560	65.8	5196
Primary	66.6	66.1	66.1	1522	71.0	1416
Secondary	56.5	56.1	55.5	2217	70.4	1768
Higher	54.9	54.3	54.3	1388	63.6	1185
Missing/Don't Know	51.7	49.1	49.1	79	61.6	63
Wealth index quintile						
Poorest	51.5	50.9	50.8	2611	65.2	2041
Second	57.5	57.1	57.1	2599	70.0	2120
Middle	59.4	59.0	58.5	2589	71.6	2133
Fourth	55.8	55.4	54.8	2585	64.9	2206
Richest	51.9	51.4	51.3	2597	63.6	2097
Ethnicity of household h	ead					
Hausa	55.2	54.8	54.5	12709	66.9	10409
Igbo	(30.9)	(30.9)	(30.9)	44	(*)	19
Yoruba	(55.9)	(55.9)	(55.9)	26	(*)	18
Other ethnic group	59.5	59.5	59.5	202	79.5	151

¹ MICS indicator 3.19 - Population that slept under an ITN

^a The results of the age group 0-4 years do not match those in Table CH.18, which is based on completed under-5 interviews only. The two tables are computed with different sample weights

() Sample data are based on 25-49 unweighted cases

Table CH.20: Care-seeking during fever

Percentage of children age 0-59 months with fever in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, Nigeria, 2016-17 Kano State

-			Percentage of ch	hildren for v	whom:		
_		Advice or	treatment was so	ught from:			
-	Health	facilities or	providers				
	Public	Private	Community health provider ^a	Other source	A health facility or provider ^{1, b}	No advice or treatment sought	Number of children with feve in last two weeks
Total	25.2	14.4	1.9	27.0	62.2	34.8	90
Senatorial District							
Kano Central	35.7	18.0	1.3	14.2	65.2	32.7	32
Kano North	28.6	7.9	4.2	27.0	59.4	38.2	22
Kano South	13.7	15.2	.9	38.3	61.4	34.6	36
Sex							
Male	25.4	12.8	1.2	28.7	62.3	34.1	47
Female	24.9	16.1	2.6	25.1	62.2	35.6	42
Residence							
Urban	39.0	15.0	1.6	13.0	64.7	32.4	18
Rural	21.5	14.2	1.9	30.7	61.6	35.4	71
Age(Months)							
0-11	29.0	12.5	1.4	31.6	68.5	29.5	15
12-23	25.1	12.6	.6	25.9	58.3	36.8	21
24-35	26.9	13.0	.3	22.7	58.6	37.9	16
36-47	22.9	15.8	2.5	28.3	63.9	34.3	18
48-59	23.1	17.7	4.2	27.0	63.3	34.5	19
Mother's education							
None	19.9	9.1	.9	29.9	53.1	43.1	17
Non-formal	22.9	16.5	2.8	30.3	65.5	31.7	47
Primary	18.0	8.2	1.8	26.5	48.7	49.4	12
Secondary	42.2	19.3	0.0	13.5	71.8	24.5	11
Higher	(*)	(*)	(*)	(*)	(*)	(*)	1
Wealth index quintile							
Poorest	22.7	10.9	3.5	33.4	59.8	35.6	19
Second	21.0	14.1	1.8	26.6	57.5	38.5	20
Middle	16.3	12.5	2.9	33.1	58.9	39.5	21
Fourth	30.5	19.0	0.0	26.5	71.6	27.0	16
Richest	44.0	17.6	0.0	7.9	67.5	29.6	12
Ethnicity of household h	nead						
Hausa	25.1	14.3	1.9	27.0	62.3	35.0	89
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	

^a Community health providers include both public (Community health worker and Mobile/Outreach clinic) and private (Mobile clinic) health facilities

^b Includes all public and private health facilities and providers as well as shops

Table CH.21: Treatment of children with fever

Percentage of children age 0-59 months who had a fever in the last two weeks, by type of medicine given for the illness, Nigeria, 2016-17 Kano State

Kano State			Chi	Idron	with a fev	or in the	last two	wooks	who we	re aiv	on.			
		Anti-malarials							edicati		<u>.</u>			with eks
	SP/ Fansidar	Chloroquine	Amodia-quine	Quinine	Artemisinin-based Combination Therapy (ACT)	Other anti-malarial	Antibiotic pill or syrup	Antibiotic injection	Paracetamo/ Panadol/ Acetaminophen	Aspirin	Ibuprofen	Other	Missing/Don't Know	Number of children with fever in last two weeks
Total	6.5	6.8	2.5	2.6	9.1	13.9	14.5	6.9	48.4	1.2	1.7	10.6	3.6	906
Senatorial District														
Kano Central	8.8	6.7	2.7	3.8	9.6	15.6	17.8	10.6	46.8	1.3	2.6	11.4	4.9	321
Kano North	3.6	0.7	0.5	3.0	17.6	10.2	11.3	8.8	49.9	0.6	2.4	11.9	2.4	224
Kano South	6.4	10.6	3.7	1.3	3.4	14.8	13.4	2.3	48.8	1.6	0.4	9.0	3.2	361
Sex														
Male	6.0	6.6	2.8	2.9	8.2	14.9	14.9	7.5	46.7	0.8	0.6	10.7	3.0	479
Female	7.2	6.9	2.2	2.3	10.1	12.8	14.0	6.1	50.3	1.7	2.8	10.4	4.3	427
Residence														
Urban	7.6	9.1	3.0	3.5	13.9	13.0	19.3	12.6	46.6	2.2	1.3	9.8	3.9	189
Rural	6.3	6.1	2.4	2.3	7.9	14.2	13.2	5.3	48.9	1.0	1.8	10.8	3.5	717
Age(Months)		-		-	-		-			-	-			
0-11	3.8	5.4	2.8	2.5	3.6	16.4	17.7	4.5	52.7	0.6	2.2	8.4	3.3	150
12-23	5.3	5.0	3.7	1.8	4.9	11.4	13.5	6.4	45.2	1.4	0.5	12.8	3.6	213
24-35	11.0	5.7	2.5	6.0	9.1	13.9	15.0	9.1	40.6	1.8	3.2	8.8	4.0	164
36-47	7.4	6.0	1.5	0.9	15.4	16.7	13.0	7.0	55.8	0.5	1.5	12.8	3.1	186
48-59	5.5	11.4	2.1	2.3	12.1	12.2	14.0	7.1	47.9	1.8	1.4	9.0	3.9	193
Mother's education														
None	8.0	6.9	3.4	1.8	2.7	5.1	11.0	6.9	42.4	1.1	2.8	12.1	6.4	174
Non-formal	7.1	7.6	1.8	2.4	9.5	17.3	14.5	5.6	50.0	1.1	0.7	9.8	3.2	474
Primary	2.7	3.7	2.8	5.1	10.2	14.1	11.9	9.7	41.7	1.0	1.0	5.1	0.6	121
Secondary	7.1	6.5	4.3	2.4	10.7	11.9	24.0	6.5	56.8	1.8	4.0	16.2	4.8	119
Higher	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	17
Wealth index quintile														
Poorest	4.6	7.4	3.0	1.2	6.1	14.2	8.3	2.8	51.9	0.4	2.3	7.6	2.5	199
Second	8.1	6.3	1.1	.7	7.4	11.8	14.4	6.5	48.5	1.5	0.7	10.9	3.6	208
Middle	4.7	5.0	2.6	4.2	6.6	19.9	16.3	8.1	48.2	0.9	0.4	11.4	1.7	211
Fourth	6.7	9.1	2.4	4.1	13.8	11.6	10.6	7.4	46.5	1.4	2.1	7.0	6.0	162
Richest	9.8	6.5	4.1	3.3	14.8	9.9	26.2	11.2	45.4	2.4	3.9	17.9	5.4	126
Ethnicity of household he	ead													
Hausa	6.4	6.8	2.3	2.6	9.0	14.0	14.7	6.9	48.5	1.2	1.7	10.4	3.7	892
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	1
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	g

Table CH.22: Diagnostics and anti-malarial treatment of children

Percentage of children age 0-59 months who had a fever in the last two weeks who had a finger or heel stick for malaria testing, who were given Artemisinin-combination Treatment (ACT) and any anti-malarial drugs, and percentage who were given ACT among those who were given anti-malarial drugs, Nigeria, 2016-17 Kano State

		Percentag	e of child	ren who:		Niveshan of	Treatment with	
	Had blood - taken from a finger or heel for testing ¹	Artemisinin- combination Treatment (ACT)	ACT the	given: Any antimalarial drugs ²	Any antimalarial drugs same or next day	Number of children age 0-59 months with fever in the last two weeks	Artemisinin-based Combination Therapy (ACT) among children who received anti- malarial treatment ³	Number of childre age 0-59 months with fever in the last two weeks wh were given any antimalarial drugs
Total	11.3	9.1	7.2	39.0	30.9	906	23.4	35
Senatorial District								
Kano Central	12.8	9.6	9.6	44.1	37.9	321	21.9	14
Kano North	15.0	17.6			21.7	224	51.3	
Kano South	7.7	3.4		37.4	30.4		9.2	
Sex				••••				
Male	12.5	8.2	5.5	39.4	30.6	479	20.9	18
Female	10.0	10.1	9.2		31.3		26.2	
Residence								
Urban	11.7	13.9	13.4	46.7	38.9	189	29.8	8
Rural	11.2	7.9		37.0	28.8	717	21.3	
Age (Months)								
0-11	10.2	3.6	2.7	33.3	28.5	150	10.7	5
12-23	9.9	4.9	3.5		23.0	213	15.7	
24-35	14.7	9.1	7.8		34.7		20.6	
36-47	11.7	15.4		44.8	36.6	186	34.4	
48-59	10.6	12.1	10.0		32.8	193	28.7	
Mother's education							-	
None	7.6	2.7	1.9	25.8	15.3	174	(10.7)	4
Non-formal	10.0	9.5			34.2		22.1	
Primary	14.9	10.2			32.1	121	(27.7)	
Secondary	17.6	10.7		39.2	33.0	119	(27.2)	
Higher	(*)	(*)	(*)	(*)	(*)	17	(*)	
Wealth index quintile	()		()	()	()		()	
Poorest	8.4	6.1	2.0	34.8	26.6	199	17.6	6
Second	13.4	7.4			22.7	208	21.9	
Middle	9.1	6.6			33.1	211	16.7	
Fourth	11.2	13.8			38.1	162	30.1	
Richest	16.4	14.8	14.8		38.5	126	33.7	
Ethnicity of household								
Hausa	11.1	9.0	7.1	38.5	30.5	892	23.4	34
Igbo	(*)	(*)	(*)	(*)	(*)		(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	1	(*)	
Other ethnic group	(*)	(*)	(*)	(*)	(*)	9	(*)	

² MICS indicator 3.22; MDG indicator 6.8 - Anti-malarial treatment of children under age 5

³ MICS indicator 3.23 - Treatment with Artemisinin-based Combination Therapy (ACT) among children who received anti-malarial treatment () Sample data are based on 25-49 unweighted cases

Table CH.23: Source of anti-malarial

Percentage of children age 0-59 months with fever in the last two weeks who were given anti-malarial by the source of anti-malarial, Nigeria, 2016-17 Kano State

		_	Percentage	of children	for whom the	e source of a	nti-malarial was:	Number of children
	Percentage of children	Number of – children age 0-59	Health fa	cilities or pr	oviders	-		age 0-59 months who were given anti-malarial as
	who were given anti- malarial	months with fever in the last two weeks	Public	Private	Community health provider ^a	Other source	A health facility or provider ^b	treatment for fever in the last two weeks
Total	39.0	906	32.8	25.5	3.0	41.3	97.5	353
Senatorial District								
Kano Central	44.1	321	41.8	35.2	1.4	22.2	96.3	14
Kano North	34.3	224	35.7	20.3	9.4	44.0	99.4	7
Kano South	37.4	361	21.8	18.4	1.1	59.8	97.7	13
Sex								
Male	39.4	479	30.3	26.7	2.2	42.4	95.7	188
Female	38.6	427	35.7	24.2	3.9	40.1	99.5	16
Residence								
Urban	46.7	189	50.7	29.7	0.9	19.6	98.9	88
Rural	37.0	717	26.9	24.1	3.7	48.5	97.0	26
Age(Months)								
0-11	33.3	150	34.9	19.5	2.8	43.1	97.5	50
12-23	31.1	213	44.6	16.9	1.3	38.5	98.3	60
24-35	44.0	164	35.9	30.4	1.5	33.8	95.7	72
36-47	44.8	186	32.1	25.9	4.4	42.1	95.9	8
48-59	42.2	193	20.1	31.5	4.4	48.4	100.0	82
Mother's educatio	ı							
None	25.8	174	(30.0)	(18.6)	(1.8)	(51.4)	(100.0)	4
Non-formal	43.1	474	29.9	23.4	4.8	46.6	98.5	204
Primary	36.8	121	(26.7)	(26.8)	(0.0)	(43.8)	(89.3)	4
Secondary	39.2	119	(43.5)	(40.8)	(0.0)	(15.7)	(98.0)	4
Higher	(*)	17	(*)	(*)	(*)	(*)	(*)	1:
Wealth index quint	ile							
Poorest	34.8	199	34.0	14.1	6.0	51.9	95.6	69
Second	33.9	208	31.1	31.0	2.7	37.8	99.2	70
Middle	39.5	211	22.3	17.1	5.4	60.6	100.0	84
Fourth	46.0	162	29.7	34.4	0.0	34.2	94.2	74
Richest	44.1	126	53.3	33.4	0.0	13.3	98.3	50
Ethnicity of house	hold head							
Hausa	38.5	892	32.6	25.4	3.1	41.7	97.4	344
Igbo	(*)	4	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	1	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(*)	9	(*)	(*)	(*)	(*)	(*)	:

^a Community health providers include both public (*Community health worker and Mobile/Outreach clinic*) and private (*Mobile clinic*) health facilities ^b Includes all public and private health facilities and providers as well as shops

() Sample data are based on 25-49 unweighted cases

Table CH.24: Pregnant women sleeping under mosquito nets

					ant women ag us night slept			Percentage	
	Percentage of pregnant women who spent last night in the interviewed households	Number of pregnant women age 15-49 years	Any mosquito net	An insecticide treated net (ITN) ¹	A Long- lasting insecticidal treated net (LLIN)	An ITN or in a dwelling sprayed with IRS in the past 12 months	Number of pregnant women who spent last night in the interviewed households	of pregnant women who slept under an ITN last night in households with at least one ITN	Number of pregnant women age 15-49 years living in households with at leas one ITN
Total	99.5	330	47.7	51.1	50.9		328	62.3	26
Senatorial District									
Kano Central	99.1	110	53.1	56.5	56.5		109	67.2	9
Kano North	99.2	89	41.9	44.1	43.1		88	57.1	6
Kano South	100.0	131	47.2	51.4	51.4		131	61.5	10
Residence									
Urban	98.7	75	55.0	58.2	58.2		74	69.8	e
Rural	99.7	254	45.6	49.0	48.7		254	60.1	20
Age(Months)									
15-19	(100.0)	44	(32.9)	(34.8)	(34.8)		44	(41.7)	3
20-24	98.6	67	50.4	53.4	53.4		66	62.4	Ę
25-29	100.0	79	48.9	56.7	55.6		79	66.5	(
30-34	100.0	53	39.2	41.7	41.7		53	(53.8)	2
35-39	(100.0)	49	(57.3)	(59.0)	(59.0)		49	(78.6)	3
40-44	(97.2)	26	(63.5)	(63.5)	(63.5)		25	(*)	2
45-49	(*)	13	(*)	(*)	(*)		13	(*)	1
Education									
None	100.0	69	45.8	48.2	46.9		69	61.8	Ę
Non-formal	98.9	159	47.6	50.0	50.0		157	62.3	12
Primary	(100.0)	52	(58.3)	(60.0)	(60.0)		52	(64.8)	
Secondary	(100.0)	45	(38.4)	(49.4)	(49.4)		45	(59.5)	:
Higher	(*)	5	(*)	(*)	(*)		5	(*)	
Wealth index quintile									
Poorest	99.1	82	41.7	43.7	43.7		81	55.0	(
Second	100.0	63	44.9	48.0	48.0		63	59.7	4
Middle	100.0	71	43.6	47.3	46.1		71	61.6	4
Fourth	100.0	60	56.1	62.2	62.2		60	71.2	4
Richest	98.2	54	(56.2)	(58.6)	(58.6)		53	(66.1)	
Ethnicity of househo									
Hausa	99.5	323	47.8	51.3	51.0		321	62.4	2
Igbo	(*)	2	(*)	(*)	(*)		2		
Yoruba	(*)								
Other ethnic group	(*)	5	(*)	(*)	(*)		5	(*)	

() Sample data are based on 25-49 unweighted cases

Table CH.25: Intermittent preventive treatment for malaria

Percentage of women age 15-49 years who had a live birth during the two years preceding the survey and who received intermittent preventive treatment (IPT) for malaria during pregnancy at any antenatal care visit, Nigeria, 2016-17 Kano State

			Perce	entage of p	regnant w	omen:		
	Percentage of women	Number of women	Who took any		ok SP/Fans n ANC visi			Number of women
	who received antenatal care (ANC)	with a live birth in the last two years	medicine to prevent malaria at any ANC visit during pregnancy	At least once	Two or more times	Three or more times ¹	Four or more times	with a live birth in the last two years and who received antenatal care
Total	57.6	1087	80.3	67.6	40.6	16.5	6.0	626
Senatorial District								
Kano Central	77.0	393	85.6	72.9	41.1	15.9	4.8	303
Kano North	46.8	314	72.8	62.9	44.3	19.1	8.2	147
Kano South	46.5	380	77.4	62.5	36.7	15.4	6.0	177
Residence								
Urban	80.8	239	84.8	69.1	40.4	16.8	4.3	194
Rural	51.1	847	78.2	66.9	40.7	16.4	6.7	433
Education								
None	47.8	196	78.2	64.9	42.0	16.1	5.1	94
Non-formal	48.7	533	79.8	66.9	38.1	17.0	6.7	260
Primary	66.1	165	78.6	69.2	45.2	16.2	5.5	109
Secondary	83.9	162	83.0	69.0	41.8	16.3	5.1	136
Higher	(92.5)	30	(84.9)	(70.5)	(35.7)	(15.6)	(8.5)	28
Wealth index quintile								
Poorest	34.1	234	73.2	64.9	44.4	23.2	9.4	80
Second	48.1	228	72.3	56.0	33.0	13.2	4.6	110
Middle	53.1	237	84.4	72.7	42.8	21.1	9.8	126
Fourth	75.2	218	80.6	67.8	39.0	11.5	2.5	164
Richest	86.5	169	86.3	73.2	44.3	17.0	5.7	147
Ethnicity of household	d head							
Hausa	57.5	1066	80.0	67.4	40.6	16.6	6.1	613
Igbo	(*)	4	(*)	(*)	(*)	(*)	(*)	4
Yoruba	(*)	3	(*)	(*)	(*)	(*)	(*)	2
Other ethnic group	(*)	14	(*)	(*)	(*)	(*)	(*)	7

¹ MICS indicator 3.25 - Intermittent preventive treatment for malaria

() Sample data are based on 25-49 unweighted cases

VII. Water and Sanitation

Use of Improved Water Sources

Table WS.1: Use of improved water sources

Percent distribution of household population according to main source of drinking water and percentage of household population using improved drinking water sources, Nigeria, 2016-17 Kano State

_						Mai	n sourc	e of dri	nking wa	iter							_		
_			Im	proved so	urces							Unimp	roved so	urces			_	oť	plot
_		Piped w	ater		ė.	=							~					sing ces	useh
	Into dwelling	Into yard/plot	To neigh- bour	Public tap/ stand-pipe	Tube-well/ bore- hole	Pro-tected well	Pro-tected spring	Bottled water	Sachet water	Unprotected well	Unprotected spring	Tanker truck	Cart with tank/ drum	Surface water	Sachet water	Other	Total	Percentage using improved sources c drinking water ¹	Number of household members
Total	6.4	1.0	1.2	6.2	31.1	8.6	1.1	0.2	2.1	29.5	0.7	3.0	5.8	1.5	0.8	0.7	100.0	57.9	13365
Senatorial District																			
Kano Central	11.6	1.0	1.1	8.2	29.6	6.2	0.6	0.4	4.3	16.4	0.0	5.4	11.8	0.0	2.0	1.5	100.0	62.8	5772
Kano North	5.3	2.5	1.2	6.2	39.3	7.9	1.7	0.0	0.1	28.1	0.2	0.9	2.2	4.2	0.0	0.2	100.0	64.1	3431
Kano South	0.2	0.0	1.5	3.2	26.6	12.5	1.3	0.0	0.6	48.9	2.1	1.3	0.3	1.3	0.0	0.1	100.0	46.0	4162
Residence																			
Urban	12.6	0.8	1.1	7.8	26.5	6.8	0.6	0.6	6.7	6.8	0.2	7.7	16.7	0.3	2.9	1.9	100.0	63.4	3748
Rural	4.1	1.1	1.3	5.5	33.0	9.3	1.3	0.0	0.3	38.4	0.9	1.2	1.5	1.9	0.0	0.3	100.0	55.8	9617
Education of house	ehold head																		
None	7.2	0.0	0.5	3.4	3.4	32.7	7.4	3.1	2.4	33.9	1.4	3.8	3.1	0.9	0.0	0.0	100.0	56.9	1262
Non-formal	3.9	1.2	0.7	6.4	6.4	31.2	7.6	1.1	1.0	36.3	1.0	2.7	4.6	1.9	0.2	0.3	100.0	53.0	6747
Primary	4.0	1.9	2.2	7.3	7.3	34.7	10.9	0.9	0.2	28.5	0.0	2.5	6.6	0.0	0.0	0.2	100.0	62.2	1562
Secondary	6.9	1.3	2.3	7.3	7.3	30.0	10.0	0.5	3.4	17.3	0.3	4.5	9.4	1.6	3.4	1.7	100.0	61.7	2282
Higher	20.0	0.0	1.5	2.0	2.0	28.6	10.3	0.2	7.1	14.5	0.0	2.3	7.3	1.6	1.4	2.0	100.0	70.8	1427
Missing/ Don't Know	0.0	0.0	0.0	51.5	51.5	14.8	0.0	3.7	0.0	25.4	0.0	0.0	0.0	0.0	0.0	4.6	100.0	70.1	85

Table WS.1: Use of improved water sources (continued)

Percent distribution of household population according to main source of drinking water and percentage of household population using improved drinking water sources, Nigeria, 2016-17 Kano State

						Ма	in sour	ce of dr	inking w	vater							_		
			Im	proved so	ources							Unimp	roved so	ources			_	of	plor
_		Piped wa	ater		ē	I.							7	L				sing rces r ¹	usel
	Into dwelling	Into yard/plot	To neigh- bour	Public tap/ stand-pipe	Tube-well/ bore- hole	Pro-tected well	Pro-tected spring	Bottled water ^s	Sachet water	Unprotected well	Unprotected spring	Tanker truck	Cart with tank/ drum	Surface water	Sachet water	Other	Total	Percentage using improved sources drinking water ¹	Number of household members
Wealth index quintile																			
Poorest	0.6	0.4	0.3	5.0	25.8	9.3	1.4	0.0	0.0	54.0	0.6	0.0	0.0	2.6	0.0	0.0	100.0	42.8	2672
Second	3.5	1.5	0.7	5.1	31.1	8.1	0.7	0.0	0.0	43.6	1.1	2.1	0.6	1.9	0.0	0.0	100.0	50.7	2668
Middle	5.0	0.7	0.9	7.5	37.1	11.1	0.8	0.0	0.1	27.7	1.2	1.5	3.3	2.4	0.0	0.7	100.0	63.3	2682
Fourth	3.5	1.9	2.0	7.5	37.0	6.7	1.9	0.0	1.9	18.6	0.5	3.8	12.7	0.7	0.3	1.1	100.0	62.4	2665
Richest	19.6	0.7	2.2	5.8	24.8	7.7	0.6	0.8	8.3	3.9	0.0	7.6	12.3	0.0	4.0	1.9	100.0	70.4	2678
Ethnicity of household	head																		
Hausa	6.5	1.1	1.2	6.2	31.4	8.6	1.1	0.2	2.0	29.7	0.7	2.9	5.7	1.5	0.5	0.7	100.0	58.2	13081
Igbo	(0.0)	(0.0)	(0.0)	(0.0)	(5.9)	(28.4)	(0.0)	(0.0)	(0.0)	(29.1)	(0.0)	(13.2)	(11.5)	(0.0)	(11.8)	(0.0)	100.0	(34.3)	44
Yoruba	(27.0)	(0.0)	(0.0)	(0.0)	(0.0)	(7.5)	(0.0)	(0.0)	(5.3)	(35.5)	(0.0)	(9.1)	(15.7)	(0.0)	(0.0)	(0.0)	100.0	(39.7)	26
Other ethnic group	3.3	0.0	4.1	6.0	21.7	1.8	0.0	0.0	8.2	19.0	0.9	6.0	8.8	0.0	17.7	2.4	100.0	45.1	214

¹ MICS indicator 4.1; MDG indicator 7.8 - Use of improved drinking water sources

^a Households using bottled water as the main source of drinking water are classified into improved or unimproved drinking water users according to the water source used for other purposes such as cooking and hand washing.

() Sample data are based on 25-49 unweighted cases

Table WS.2: Household water treatment

Percentage of household population by drinking water treatment method used in the household, and for household members living in households where an unimproved drinking water source is used, the percentage who are using an appropriate treatment method, Nigeria, 2016-17 Kano State

				or a cating	sint mett	100 0300 1	n the hous	enoiu			_		
	None	Boil	Add bleach/ chlorine		Use water filter	Solar dis- infection	Let it stand and settle	Add alum	Add water tablet	Other	Number of household members	Percentage of household members in households using unimproved drinking water sources and using an appropriate water treatment method ¹	Number of household members in households using unimproved drinking water sources
Total	91.1	0.7	0.7	3.6	0.1	0.0	1.7	3.0	0.1	0.1	13365	0.7	5624
Senatorial District													
Kano Central	90.5	1.1	0.4	4.0	0.0	0.0	1.6	3.3	0.1	0.2	5772	0.7	2145
Kano North	88.7	0.5	1.2	6.6	0.0	0.0	0.6	3.6	0.1	0.1	3431	0.5	1231
Kano South	94.1	0.5	0.6	0.7	0.3	0.0	2.8	2.1	0.0	0.0	4162	0.9	2248
Residence													
Urban	91.0	1.5	1.2	1.3	0.0	0.0	1.4	4.5	0.1	0.0	3748	1.0	1371
Rural	91.2	0.4	0.4	4.5	0.1	0.0	1.8	2.4	0.0	0.2	9617	0.6	4253
Main source of drinkin	g water												
Improved	89.8	0.8	1.1	4.3	0.2	0.0	1.9	3.5	0.1	0.0	7742		
Unimproved	93.0	0.6	0.0	2.7	0.0	0.0	1.5	2.3	0.1	0.3	5624	0.7	5624
Education of househol	ld head												
None	95.9	0.0	0.0	3.2	0.0	0.0	0.0	1.3	0.0	0.0	1262	0.0	544
Non-formal	93.2	0.3	0.1	3.3	0.2	0.0	1.7	1.5	0.1	0.1	6747	0.7	3172
Primary	89.2	0.3	2.6	4.5	0.0	0.0	2.8	2.4	0.0	0.0	1562	0.3	591
Secondary	88.4	1.7	1.2	3.3	0.0	0.0	0.5	5.6	0.0	0.5	2282	1.7	874
Higher	83.8	2.3	0.8	4.8	0.0	0.0	4.2	8.1	0.3	0.0	1427	0.0	417
Missing/Don't Know	90.4	0.0	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	85	0.0	26
Wealth index quintile													
Poorest	94.5	0.2	0.0	4.0	0.0	0.0	0.9	0.8	0.0	0.0	2672	0.3	1528
Second	90.7	0.3	0.7	6.4	0.0	0.0	1.5	0.9	0.0	0.1	2668	0.5	1316
Middle	88.8	0.4	0.7	4.6	0.4	0.0	3.0	2.8	0.2	0.0	2682	1.6	985
Fourth	90.7	0.9	1.1	2.0	0.0	0.0	2.2	5.2	0.0	0.0	2665	0.0	1002
Richest	91.0	1.9	0.9	1.3	0.0	0.0	1.0	5.3	0.1	0.4	2678	1.8	792
Ethnicity of household	l head												
Hausa	91.3	0.6	0.7	3.6	0.1	0.0	1.8	2.8	0.1	0.0	13081	0.5	5462
Igbo	(78.1)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(21.9)	(0.0)	(0.0)	44	(0.0)	29
Yoruba	(100.0)	(0.0)		(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	26	(*)	16
Other ethnic group	80.0	6.6			0.Ó		0.Ó	8.6	0.0	5.1	214	12.1	117
na: not applicable							¹ MICS	indicato	or 4.2 - W	ater treatn	nent		

() Sample data are based on 25-49 unweighted cases

Table WS.3: Time to source of drinking water

Percent distribution of household population according to time to go to source of drinking water, get water and return, for users of improved and unimproved drinking water sources, Nigeria, 2016-17 Kano State

				Time to source	of drinking	water				
	Users o		ved dri urces	nking water	Users		roved dr ources	inking water		Number
	Water on t	Less	30	Missing/Don't	Water on	Less	30	Missing/Don't		of
	premises n	ninutes c	or more	Know	premises	minutes	or more	Know	Total	members
Total	20.9	27.2	5.7	4.1	18.5	14.5	2.5	6.6	100.0	1336
Senatorial District										
Kano Central	26.4	28.7	4.4	3.3	10.5	11.9	2.4	12.4	100.0	5772
Kano North	23.1	27.5	9.5	4.1	17.7	12.3	3.2	2.6	100.0	343 [.]
Kano South	11.4	24.8	4.5	5.3	30.2	20.0	2.0	1.8	100.0	4162
Residence										
Urban	31.0	23.6	5.4	3.4	6.3	11.4	3.0	15.9	100.0	3748
Rural	16.9	28.6	5.8	4.4	23.2	15.8	2.3	2.9	100.0	961
Education of household	l head									
None	20.5	27.5	3.6	5.3	18.9	18.4	0.6	5.2	100.0	1262
Non-formal	13.2	29.6	5.2	5.0	23.1	14.1	2.9	7.0	100.0	6747
Primary	22.8	27.0	10.8	1.6	16.3	15.3	1.2	5.0	100.0	1562
Secondary	29.1	22.2	7.4	3.0	11.2	17.0	3.8	6.3	100.0	2282
Higher	43.4	21.7	2.1	3.5	10.4	8.8	1.7	8.3	100.0	142
Missing/Don't Know	3.7	66.3	0.0	0.0	20.8	4.5	0.0	4.6	100.0	85
Wealth index quintile										
Poorest	7.1	24.9	5.8	4.9	26.6	21.4	4.7	4.5	100.0	2672
Second	14.2	25.4	7.6	3.5	25.7	20.2	2.1	1.3	100.0	2668
Middle	19.3	34.8	4.3	4.9	19.4	13.2	0.8	3.4	100.0	2682
Fourth	17.6	33.6	6.5	4.8	16.0	11.7	1.9	8.0	100.0	2665
Richest	46.1	17.4	4.4	2.5	4.7	6.2	3.0	15.7	100.0	2678
Ethnicity of household	head									
Hausa	21.0	27.4	5.7	4.2	18.6	14.5	2.3	6.3	100.0	1308
Igbo	(28.4)	(0.0)	(5.9)	(0.0)	(29.1)	(13.2)	(0.0)	(23.4)	100.0	44
Yoruba	(32.3)	(7.5)	(0.0)	(0.0)	(35.5)	(9.1)	(15.7)	(0.0)	100.0	26
Other ethnic group	13.3	23.1	8.7	0.0	6.1	18.9	10.7	19.3	100.0	214

() Sample data are based on 25-49 unweighted cases

Table WS.4: Person collecting water

Percentage of households without drinking water on premises, and percent distribution of households without drinking water on premises according to the person usually collecting drinking water used in the household, Nigeria, 2016-17 Kano State

	_			Perso	n usually o		g drinking	water		Number of
	Percentage of households without drinking water on premises	Number of households	Adult woman	Adult man	Female child under age 15	Male child under age 15	Missing	Don't Know	Total	households without drinking water on premises
Total	62.3	1867	19.5	48.1	8.8	17.8	3.7	2.1	100.0	1164
Senatorial District										
Kano Central	64.1	786	15.6	47.7	6.7	18.6	7.4	4.0	100.0	503
Kano North	61.3	527	21.7	48.8	10.5	16.5	1.5	1.0	100.0	323
Kano South	60.9	554	23.3	48.2	10.2	17.8	0.2	0.2	100.0	337
Residence										
Urban	63.6	500	12.6	49.7	3.8	16.6	11.2	6.1	100.0	318
Rural	61.9	1367	22.1	47.5	10.7	18.2	0.9	0.5	100.0	846
Education of househo	old head									
None	68.0	196	25.2	31.0	12.0	27.2	2.8	1.9	100.0	133
Non-formal	63.5	915	21.9	47.2	9.8	16.8	3.4	0.8	100.0	58
Primary	63.6	222	21.6	51.7	9.2	13.3	2.5	1.6	100.0	14
Secondary	61.8	325	11.5	54.8	6.1	17.6	5.7	4.3	100.0	20
Higher	49.7	194	11.7	56.7	3.6	17.4	4.8	5.7	100.0	90
Missing/ Don't Know	73.7	15	12.1	60.7	6.6	20.6	0.0	0.0	100.0	1
Wealth index quintile										
Poorest	68.1	382	28.7	41.9	13.2	15.8	0.0	0.4	100.0	26
Second	62.3	376	21.3	45.8	11.1	19.9	2.0	0.0	100.0	234
Middle	61.6	385	18.5	45.3	10.6	22.1	1.9	1.5	100.0	23
Fourth	68.9	365	14.4	56.8	4.5	15.0	7.1	2.2	100.0	25 ²
Richest	50.3	360	12.4	51.9	3.0	16.2	8.9	7.6	100.0	18
Ethnicity of househol	d head									
Hausa	62.1	1818	19.6	48.3	8.8	17.7	3.8	1.8	100.0	1129
Igbo	(*)	7	(*)	(*)	(*)	(*)	(*)	(*)	100.0	
Yoruba	(*)	6	(*)	(*)	(*)	(*)	(*)	(*)	100.0	:
Other ethnic group	(77.5)	37	(14.7)	(48.6)	(9.2)	(18.8)	(0.0)	(8.7)	100.0	29

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Use of Improved Sanitation

Table WS.5: Types of sanitation facilities

Percent distribution of household population according to type of toilet facility used by the household, Nigeria, 2016-17 Kano State

-				Тур	oe of toilet	facility used	d by househ					_		
-				oved sanitation fa	cility			Unimpro	oved sanitati	on facility		_		
	Piped sewer system	Flush/Por		to: Unknown place/not sure/Don't Know where	Ventilated improved pit latrine	Pit latrine (with slab	Composting toilet	Flush/Pour flush to somewhere else	Pit latrine without slab/ open pit	Bucket	Other	Open defecation (no facility, bush, field)	Total	Number of household members
Total	4.6	6.3	15.9	0.3	1.3	3 30.3	4.6	1.1	30.9	0.0	0.0	4.6	100.0	1336
Senatorial District														
Kano Central	9.8	12.7	26.2	0.2	1.5	5 31.5	0.2	2.1	15.4	0.0	0.0	0.5	100.0	577
Kano North	1.1		2.7	0.0	0.9		14.8	0.4		0.2	0.2		100.0	343
Kano South	0.4	2.1	12.6	0.5	1.3	3 21.8	2.3	0.3	51.9	0.0	0.0) 6.9	100.0	416
Residence														
Urban	13.8	15.7	27.0	0.4	2.4	4 28.6	1.5	2.6	8.1	0.0	0.0	0.0	100.0	374
Rural	1.1	2.7	11.6	0.2	3.0	3 31.0	5.8	0.5	39.8	0.1	0.1	6.5	100.0	961
Education of household he	ad													
None	1.2	7.8	5.9	0.0	1.4	4 22.3	7.1	0.6	46.1	0.0	0.4	7.3	100.0	126
Non-formal	1.7	2.4	16.7	0.0	0.9	30.3	3.3	1.2	36.6	0.1	0.0	6.8	100.0	674
Primary	2.2	0.9	9.5	2.1	1.0) 37.0	9.3	0.4	35.4	0.0	0.0) 2.1	100.0	156
Secondary	7.2	14.8	23.8	0.0	1.7	7 29.8	5.1	1.3	15.1	0.0	0.0) 1.3	100.0	228
Higher	20.2	16.3	16.4	0.0	2.7	7 29.4	3.0	1.5	10.4	0.0	0.0) 0.0	100.0	142
Missing/Don't Know	0.0	0.0	0.0	0.0	0.0	56.4	0.0	0.0	35.3	0.0	0.0	8.2	100.0	8
Wealth index quintile														
Poorest	0.0	0.0	8.1	0.0	0.0) 22.7	2.4	0.0	50.3	0.0	0.2	2 16.3	100.0	267
Second	0.0		12.6	0.7	0.6		5.4	0.4		0.2	0.1	5.3	100.0	
Middle	0.1		14.6	0.0	1.3		9.2	0.3		0.0	0.0		100.0	
Fourth	1.8		22.1	0.0	1.7		4.9	0.9		0.0	0.0		100.0	
Richest	21.2		22.2	0.5	2.8		1.1	3.9		0.0	0.0		100.0	
Ethnicity of household hea				0.0				0.0	2.0		510	0.0		201
Hausa	4.5	6.3	16.0	0.3	1.2	2 30.3	4.7	1.0	31.0	0.0	0.0) 4.7	100.0	1308
Igbo	(0.0)		(40.3)	(0.0)	(0.0)		(0.0)	(13.2)		(0.0)	(0.0)		100.0	
Yoruba	(27.0)		(0.0)	(0.0)	(0.0)	, , ,	(0.0)	(0.0)	, ,	(0.0)	(0.0)	. ,	100.0	
Other ethnic group	(27.0) 9.4	. ,	(0.0)	(0.0)	5.5		0.0	(0.0)		(0.0)	(0.0)		100.0	

() Sample data are based on 25-49 unweighted cases

 Table WS.6: Use and sharing of sanitation facilities

 Percent distribution of household population by use of private and public sanitation facilities and use of shared facilities, by users of improved and unimproved sanitation facilities, Nigeria, 2016-17 Kano

 State

		Users of	improved sanitat	ion facilities		Users	of unimp	roved sanitation	facilities	_		
			Shared	l by				Share	d by	Open defecation		Number of
	Not shared ¹	Public facility	5 households or less	More than 5 households	Missing/Don't Know	Not shared	Public facility	5 households or less	More than 5 households	(no facility, bush, field)	Total	household members
Total	55.1	0.8	5.9	1.6	0.1	26.3	0.3	3 4.5	1.0	4.6	100.0	1336
Senatorial District												
Kano Central	73.0	0.2	7.1	1.7	0.1	15.0	0.4	1.6	0.4	0.5	100.0	577
Kano North	50.8	1.3	4.4	2.3	0.0	27.8	0.0) 3.7	0.7	9.0	100.0	343
Kano South	33.8	1.1	5.4	0.7	0.0	40.7	0.5		2.1	6.9	100.0	416
Residence												
Urban	80.4	0.3	8.2	0.6	0.0	7.1	0.2	2 3.2	0.2	0.0	100.0	374
Rural	45.2	0.9	4.9	1.9		33.8	0.4		1.3		100.0	961
Education of household	nead											
None	37.5	0.4	6.0	1.7	0.0	39.7	0.0) 7.2	0.2	7.3	100.0	126
Non-formal	46.8	1.0	5.8	1.6	0.1	30.6	0.3		1.2		100.0	674
Primary	55.1	0.5	3.9	2.7	0.0	31.0	1.6		1.4	2.1	100.0	156
Secondary	71.7	0.6	9.2	0.9		12.7	0.0		0.8	1.3	100.0	228
Higher	84.2	0.4	2.4	1.1	0.0	9.9	0.0) 1.7	0.3	0.0	100.0	142
Missing/Don't Know	42.6	0.0	13.9	0.0	0.0	35.3	0.0	0.0	0.0	8.2	100.0	ε
Wealth index quintile												
Poorest	26.6	1.6	4.0	0.7	0.3	41.6	0.7	7 6.6	1.6	16.3	100.0	267
Second	40.4	0.5	5.0	2.5	0.0	39.0	0.0) 5.5	1.9	5.3	100.0	266
Middle	51.3	0.9	5.9	2.1	0.0	31.3	0.7	7 5.4	1.1	1.2	100.0	268
Fourth	70.3	0.4	8.4	2.4	0.0	15.0	0.0	3.2	0.0	0.4	100.0	266
Richest	86.8	0.4	6.1	0.1	0.0	4.5	0.2	2 1.7	0.3	0.0	100.0	267
Ethnicity of household he	ead											
Hausa	55.2	0.8	5.7	1.6	0.1	26.5	0.3	3 4.3	0.9	4.7	100.0	1308
Igbo	(34.3)	(0.0)	(23.4)	(0.0)	(0.0)	(21.9)	(13.2) (0.0)	(0.0)	(7.2)	100.0	4
Yoruba	(41.3)	(0.0)	(15.7)	(0.0)	(0.0)	(42.9)	(0.0) (0.0)	(0.0)	(0.0)	100.0	2
Other ethnic group	55.3	0.9	10.4	0.0	0.0	8.7	0.0		5.4		100.0	21

() Sample data are based on 25-49 unweighted cases

_				Percenta	ge of househol	d population	using:				
_	Improved drinki	ing water ^{1, a}	_		_	Unin	nproved sanita	tion			
	Piped into dwelling, plot or yard	Other improved	Unimproved drinking water	Total	Improved sanitation ²	Shared improved facilities	Unimproved facilities	Open defecation	Total	Improved drinking water sources and improved sanitation	Number of household members
Total	7.8	50.1	42.1	100.0	55.1	8.2	32.0	4.6	100.0	33.8	1336
Senatorial District											
Kano Central	13.2	49.6	37.2	100.0	73.0	9.1	17.4	0.5	100.0	46.1	577
Kano North	7.8	56.3	35.9	100.0	50.8	8.0	32.2	9.0	100.0	35.0	343
Kano South	0.2	45.7	54.0	100.0	33.8	7.1	52.2	6.9	100.0	15.6	416
Residence											
Urban	14.5	48.9	36.6	100.0	80.4	9.0	10.6	0.0	100.0	52.8	374
Rural	5.2	50.6	6 44.2	100.0	45.2	7.9	40.4	6.5	100.0	26.3	961
Education of household	head										
None	7.3	49.5	i 43.1	100.0	37.5	8.1	47.1	7.3	100.0	24.4	126
Non-formal	5.1	47.9	47.0	100.0	46.8	8.5	37.9	6.8	100.0	24.7	674
Primary	6.0	56.2	2 37.8	100.0	55.1	7.0	35.8	2.1	100.0	35.4	156
Secondary	8.6	53.1	38.3	100.0	71.7	10.7	16.3	1.3	100.0	46.7	228
Higher	22.2	48.6	3 29.2	100.0	84.2	3.8	11.9	0.0	100.0	62.5	142
Missing/Don't Know	0.0	70.1	29.9	100.0	42.6	13.9	35.3	8.2	100.0	33.1	ε
Wealth index quintile											
Poorest	1.0	41.8	57.2	100.0	26.6	6.6	50.5	16.3	100.0	10.1	267
Second	5.0	45.7	49.3	100.0	40.4	8.0	46.3	5.3	100.0	21.2	266
Middle	5.7	57.5	36.7	100.0	51.3	8.9	38.6	1.2	100.0	33.8	268
Fourth	5.4	57.0		100.0	70.3	11.1		0.4	100.0		266
Richest	21.8	48.6	5 29.6	100.0	86.8	6.6	6.6	0.0	100.0	62.3	267
Ethnicity of household h	ead										
Hausa	7.8	50.5		100.0	55.2	8.1		4.7	100.0		1308
Igbo	(0.0)	(34.3)		(100.0)	(34.3)	(23.4)	(35.1)	(7.2)	100.0	()	4
Yoruba	(27.0)	(12.8)		(100.0)	(41.3)	(15.7)	· · ·	(0.0)	100.0	()	2
Other ethnic group	6.6	38.5		100.0	55.3	11.3		3.6	100.0	25.2	21
^a Those indicating bottled				cator 4.3; MDG	indicator 7.9 - L	Jse of improve	ed sanitation				

Table WS.8: Disposal of child's faeces

Percent distribution of children age 0-2 years according to place of disposal of child's faeces, and the percentage of children age 0-2 years whose stools were disposed of safely the last time the child passed stools, Nigeria, 2016-17 Kano State

				lace of dispo	sal of chi						Percentage of children	Number of
	Child used	Put/rinsed into	Put/rinsed into			Left in the		Don't			whose last stools were	children age
	toilet/latrine	toilet or latrine	drain or ditch	garbage	Buried	open	Other	Know	Missing	Total	disposed of safely ¹	0-2 years
Total	27.8	55.4	6.2	7.1	1.7	0.7	0.7	0.3	0.1	100.0	83.3	153
Type of sanitation facilit	ty used by hous	ehold members										
Improved	30.2	55.4	6.2	5.4	0.8	0.4	1.0	0.4	0.1	100.0	85.6	940
Unimproved	25.3	59.5	6.7	7.6	0.5	0.3	0.2	0.0	0.0	100.0	84.8	524
Open defecation	15.8	26.5	2.0	26.5	21.2	6.9	1.1	0.0	0.0	100.0	42.3	7:
Senatorial District												
Kano Central	32.5	54.1	5.9	4.1	0.8	0.4	1.4	0.7	0.2	100.0	86.5	57
Kano North	23.0	51.5	4.5	15.0	3.5	1.7	0.8	0.0	0.0	100.0	74.5	43
Kano South	26.9	60.1	7.8	4.0	1.1	0.2	0.0	0.0	0.0	100.0	86.9	53
Residence												
Urban	32.1	52.4	6.9	4.3	0.4	0.2	2.2	1.1	0.3	100.0	84.5	35
Rural	26.6	56.3	6.0	8.0	2.0	0.8	0.3	0.0	0.0	100.0	82.9	118
Mother's education												
None	26.1	46.1	9.2	10.3	4.2	1.4	1.5	1.1	0.0	100.0	72.3	26
Non-formal	26.0	58.2	6.4	6.3	1.5	0.9	0.7	0.0	0.0	100.0	84.2	764
Primary	36.0	54.2	3.1	5.7	1.1	0.0	0.0	0.0	0.0	100.0	90.2	229
Secondary	28.6	57.3	6.1	6.6	0.0	0.0	0.9	0.5	0.0	100.0	85.9	24
Higher	(24.1)	(58.7)	(0.0)	(14.7)	(0.0)	(0.0)	(0.0)	(0.0)	(2.6)	100.0	(82.7)	40
Wealth index quintile												
Poorest	25.3	49.6	4.9	12.7	4.3	2.6	0.6	0.0	0.0	100.0	74.9	30
Second	25.6	56.5	7.5	6.8	2.3	0.8	0.5	0.0	0.0	100.0	82.1	329
Middle	28.6	57.1	6.5	7.8	0.0	0.0	0.0	0.0	0.0	100.0	85.6	32
Fourth	26.6	57.7	7.1	4.4	1.5	0.0	1.8	0.9	0.0	100.0	84.3	30
Richest	34.0	56.2	4.6	3.5	0.0	0.0	0.9	0.4	0.4	100.0	90.2	26
Ethnicity of household h	head											
Hausa	28.2	55.4	6.0	7.2	1.6	0.6	0.8	0.3	0.0	100.0	83.5	150
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	:
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	
Other ethnic group	(27.0)	(76.8)	(1.5)	(6.0)	(3.4)	(9.2)	(0.0)	(0.0)	(0.0)	100.0	(79.9)	20

() Sample data are based on 25-49 unweighted cases

Handwashing

Table WS.9: Water and soap at place for handwashing

Percentage of households where place for handwashing was observed, percentage with no specific place for handwashing, and percent distribution of households by availability of water and soap at specific place for handwashing, Nigeria, 2016-17 Kano State

	Where place for handwashing was observed	With no specific place for handwashing in the dwelling,		Wate	er is availat No		Water i	is not avail	able and:			households with	Number of
	for handwashing was	place for handwashing			No								
	for handwashing was	place for handwashing				soap:		No	soap:	No specific place for		a specific place for handwashing	households where place for handwashing
Tatal		yard, or plot	Number of households	Soap present	Ash, mud, or sand present	No other cleansing agent present	Soap present	Ash, mud, or sand present	No other cleansing agent present	handwashing in the dwelling, yard, or plot	Total	where water and soap or other cleansing agent are present ¹	was observed or with no specific place for handwashing in the dwelling, yard, or plot
Total	43.6	50.8	1867	15.9	0.4	9.9	2.1	0.2	17.8	53.8	100.0	16.3	1763
Senatorial District													
Kano Central	57.9	35.0	786	29.0	0.6	11.7	3.4	0.3	17.4	37.7	100.0	29.6	73
Kano North	34.6	58.8	527	7.8	0.2	4.9	1.7	0.0	22.5	62.9	100.0	8.0	492
Kano South	31.8	65.7	554	5.5	0.3	12.1	0.6	0.2	13.9	67.3	100.0	5.7	540
Residence													
Urban	63.2	28.3	500	34.1	0.8	11.8	4.0	0.4	18.0	30.9	100.0	34.9	45
Rural	36.4	59.1	1367	9.5	0.3	9.3	1.4	0.1	17.7	61.8	100.0	9.7	130
Education of household	d head												
None	45.9	43.5	196	6.6	0.0	16.7	0.6	0.0	27.4	48.7	100.0	6.6	175.0
Non-formal	36.5	58.3	915	8.6	0.2	9.2	2.1	0.2	18.2	61.5	100.0	8.8	86
Primary	38.7	55.6	222	10.7	0.0	9.2	2.4	0.0	18.7	59.0	100.0	10.7	20
Secondary	55.9	40.8	325	26.9	0.9	9.7	2.8	0.0	17.5	42.2	100.0	27.8	31
Higher	59.8	34.4	194	45.5	1.2	8.4	1.4	0.5	6.4	36.6	100.0	46.7	18
Missing/Don't Know	43.4	50.2	15	27.1	0.0	5.1	5.6	0.0	8.6	53.6	100.0	27.1	1
Wealth index quintile													
Poorest	28.8	66.2	382	2.7	0.3	6.5	0.8	0.3	19.8	69.7	100.0	3.0	362
Second	29.8	65.0	376	4.1	0.3	8.8	1.0	0.0	17.3	68.6	100.0	4.3	35
Middle	42.7	53.5	385	10.8	0.0	7.4	2.7	0.0	23.4	55.6	100.0	10.8	37
Fourth	52.9	42.3	365	19.0	0.4	13.9	4.1	0.0	18.1	44.4	100.0	19.5	34
Richest	65.3	25.5	360	45.6	1.1	13.6	1.7	0.6	9.2	28.1	100.0	46.7	32
Ethnicity of household	head												
Hausa	43.8	50.8	1818	15.7	0.4	10.0	2.1	0.2	17.8	53.7	100.0	16.1	172
Igbo	(*)	(*)	7	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(
Yoruba	(*)	(*)	6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	
Other ethnic group	(32.9)	(56.1)	37	(17.2)	(0.0)	(3.7)	(0.0)	(0.0)	(16.1)	(63.0)	100.0	(17.2)	33

() Sample data are based on 25-49 unweighted cases

		availability of soap or othe Place for ha	ndwashing observed			handwashin	g not observed		Percentage of	
-	Soap or other		ansing agent not obser handwashing	rved at place for		No soap or other	Not able/Does not		households with soap or other	
	cleansing agent observed	Soap or other cleansing agent shown	No soap or other cleansing agent in household	Not able/Does not want to show soap or other cleansing agent	Soap or other cleansing agent shown	agent in	want to show soap or other cleansing agent	Total	cleansing agent anywhere in the dwelling ¹	Number of households
Total	17.5	11.4	12.6	2.2	16.4	35.2	4.8	100.0	45.3	186
Senatorial District										
Kano Central	30.9	11.1	13.5	2.4	14.8	22.3	4.9	100.0	56.9	78
Kano North	9.0	10.3	14.4	1.0	19.6	43.9	1.9	100.0	38.9	52
Kano South	6.4	12.9	9.4	3.1	15.5	45.2	7.5	100.0	34.8	55
Residence										
Urban	36.0	12.8	12.6	1.8	14.0	18.2	4.6	100.0	62.7	50
Rural	10.7	10.9	12.5	2.3	17.3	41.4	4.9	100.0	38.9	136
Education of househol	d head									
None	6.5	27.1	10.3	2.1	14.7	33.0	6.4	100.0	48.3	19
Non-formal	10.5	8.2	14.7	3.1	16.6	42.3	4.6	100.0	35.3	91
Primary	12.4	12.6	12.1	1.6	19.3	35.9	6.1	100.0	44.3	22
Secondary	29.6	13.5	11.3	1.4	16.3	24.9	2.9	100.0	59.4	32
Higher	45.9	5.6	8.4	0.0	11.8	22.5	5.9	100.0	63.2	19
Missing/Don't Know	30.7	12.8	0.0	0.0	40.5	8.3	7.7	100.0	83.9	1
Wealth index guintile										
Poorest	3.9	8.9	13.9	2.2	15.6	50.8	4.8	100.0	28.3	38
Second	5.1	10.0	11.3	3.3	18.7	45.6	5.9	100.0	33.8	
Middle	13.1	12.4	15.6	1.7	20.8	32.4	4.1	100.0	46.2	38
Fourth	22.4	16.1	12.4	2.0	13.5	29.2	4.4	100.0	52.1	36
Richest	44.5	9.7	9.3	1.8	13.0	17.0	4.8	100.0	67.2	36
Ethnicity of household	head									
Hausa	17.4	11.4	12.7	2.3	16.1	35.1	4.9	100.0	45.0	181
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)		100.0	(*)	
Other ethnic group	(15.3)		(4.7)	(0.0)	(30.4)			100.0	(58.6)	

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Safely managed drinking water services

Safe drinking water is a human right and a basic requirement for good health. Microbiological contamination of drinking water can lead to diarrhoea diseases including shigellosis and cholera. Other pathogens in drinking water can cause hepatitis, typhoid, and polio myelitis. Drinking water can also be contaminated with chemicals with harmful effects on human health.

The global indicator for tracking progress towards the SDG drinking water target (SDG 6.1) is use of 'safely managed drinking water services', defined as an improved drinking water source that is accessible on premises, available when needed and free from contamination¹⁵. This represents a much more ambitious service level for drinking water services than the `improved source' indicator used during the MDGs. The Kano-Nigeria MICS 2016-17 recorded whether households used sources located on premises, whether water sources provided water every day in the last two weeks and also included direct measurement of microbiological quality of drinking water at both the source and the household level.

The bacteria species *Escherichia coli (E. coli)* is the most commonly recommended faecal indicator, and many countries including Nigeria have set a standard that no *E. coli* should be found in a 100 mL sample of drinking water. *E. coli* was measured in the field by MICS teams by filtering 100 mL of sample through a 0.45 micron filter (Millipore Microfil[®]) which was then placed onto Compact Dry EC growth media plates (Nissui, Japan). A 1 mL sample was also tested from the same source directly onto a second media plate. Incubation was done using ambient temperature and incubation belts were worn at night to keep the samples near body temperature. After 24-48 hours, the number of blue colonies, signifying the presence of *E. coli* colony forming units (CFU), was recorded and classified into the following risk categories: low risk (<1 per 100 mL), medium risk (1-10 per 100 mL), high risk (11-100 per 100 mL) and very high risk (>100 per 100 mL)¹⁶. Laboratory staff identified by the Federal Ministry of Water Resources trained field teams and conducted field visits to as part of the quality assurance for the water quality module.

Tables WQ.1 and WQ.2 report the levels of contamination of drinking water from a glass within the home and from water sample obtained from the water source. Table WQ.3 combines information on the quality, availability and location of drinking water sources to provide first estimates of safely managed drinking water services for Nigeria.

¹⁵ WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (2017), Progress on Drinking Water, Sanitation and Hygiene: 2017 Update and SDG baseline.

¹⁶ Adapted from WHO drinking water quality guidelines, 4th Ed. (2011), E. coli coliform counts are divided into risk categories based on probability of infection of diarrheal disease. Note, this classification does not take account of the sanitary inspection.

Table WQ.1: Quality of source of drinking water

Percent distribution of household population according to faecal contamination risk as assessed by levels of E. coli in source of drinking water, and percent of household population with E. coli in drinking water source Nigeria, 2016-17 Kano State

	Low (<1 per 100 mL)	Moderate (1-10 per 100 mL)	High (11-100 per 100 mL)	Very high (>100 per 100 mL)	Total	Number of household members
Total	12.0	16.8	30.1	41.1	100.0	639
Residence						
Urban	3.5	15.5	70.7	10.3	100.0	176
Rural	15.2	17.3	14.6	52.8	100.0	463
Senatorial District						
Kano Central	6.2	11.4	50.0	32.5	100.0	284
Kano North	17.4	13.6	17.8	51.2	100.0	131
Kano South	16.2	25.5	12.1	46.2	100.0	224
Main source of drinking water						
Piped water	4.7	11.0	50.6	33.8	100.0	101
Tubewell /borehole	25.9	35.4	32.7	6.0	100.0	27
Protected wells and springs	0.0	0.0	40.8	59.2	100.0	3
Unprotected wells and springs	0.0	0.0	14.7	85.3	100.0	22
Sachet and bottled water	100.0	0.0	0.0	0.0	100.0	
Other	0.0	0.0	100.0	0.0	100.0	
Education of household head						
None	0.0	0.0	31.8	68.2	100.0	1
Non-formal	10.5	18.9	30.3	40.3	100.0	41
Primary	0.0	48.7	13.7	37.7	100.0	5
Secondary	29.4	2.7	42.4	25.5	100.0	9
Higher	8.4	0.0	22.7	68.9	100.0	5
Wealth index quintile						
Poorest	11.8	8.2	13.7	66.2	100.0	12
Second	16.8	7.4	9.5	66.2	100.0	11
Middle	10.5	32.6	32.2	24.7	100.0	9
Fourth	13.6	23.6	26.7	36.2	100.0	20
Richest	5.7	10.7	73.8	9.8	100.0	11
Ethnicity of household head						
Hausa	11.9	16.5	30.5	41.0	100.0	629
Yoruba	100.0	0.0	0.0	0.0	100.0	:
Other ethnic group	0.0	40.3	0.0	59.7	100.0	1

Table WQ.2: Quality of household drinking water

Percent distribution of household population according to faecal contamination risk as assessed by levels of E. coli in household drinking water, and percent of household population with E. coli in drinking water Nigeria, 2016-17 Kano State

	Low (<1 per 100 mL)	Moderate (1-10 per 100 mL)	High (11-100 per 100 mL)	Very high (>100 per 100 mL)	Total	Number of household members
Total	3.0	1.8	29.2	66.0	100.0	639
Residence						
Urban	2.8	5.1	48.2	43.8	100.0	189
Rural	3.1	.4	21.2	75.3	100.0	450
Senatorial District						
Kano Central	1.7	3.1	36.4	58.8	100.0	315
Kano North	0.0	0.0	17.3	82.7	100.0	107
Kano South	6.4	.8	24.7	68.2	100.0	217
Main source of drinking water						
Piped water	4.2	2.5	58.2	35.0	100.0	95
Tubewell/borehole	5.2	.9	33.9	60.1	100.0	270
Protected wells and springs	0.0	0.0	31.4	68.6	100.0	38
Unprotected wells and springs	0.0	.8	12.5	86.8	100.0	222
Sachet and bottled water	21.3	78.7	0.0	0.0	100.0	6
Other	0.0	0.0	0.0	100.0	100.0	7
Education of household head						
None	0.0	0.0	0.0	100.0	100.0	22
Non-formal	0.0	.6	29.3	70.2	100.0	413
Primary	28.5	3.4	0.0	68.0	100.0	49
Secondary	1.3	7.2	50.8	40.6	100.0	101
Higher	7.4	0.0	26.9	65.8	100.0	55
Wealth index quintile						
Poorest	0.0	0.0	15.9	84.1	100.0	125
Second	0.0	0.0	8.0	92.0	100.0	118
Middle	0.0	2.0	46.9	51.1	100.0	83
Fourth	6.9	1.2	30.5	61.4	100.0	201
Richest	4.8	6.6	51.3	37.3	100.0	111
Ethnicity of household head		0.0	00	0.10		
Hausa	2.9	1.0	30.0	66.1	100.0	623
Igbo	0.0	100.0	0.0	0.0	100.0	5_5
Yoruba	100.0	0.0	0.0	0.0	100.0	1
Other ethnic group	0.0	0.0	0.0	100.0	100.0	10

Table WQ.3: Safely managed drinking water services

Percent distribution of household population with drinking water accessible on premises, available when needed, and free from faecal contamination, for users of improved and unimproved drinking water sources, Nigeria, 2016-17 Kano State

			Main source of o	drinking water				
		Improved sources			Unimproved sources		Percentage of household	Number of
	Percent of household members without E. coli in drinking water source	Percentage of household population with drinking water available every day in last two weeks	Percentage of household population with drinking water accessible on premises	Percent of household members without E. coli in drinking water source	Percentage of household population with drinking water available every day in last two weeks	Percentage of household population with drinking water accessible on premises	members with an improved drinking water source located on premises, free of E. coli and available when needed [1]	household members with informatior on water quality
Total	18.9	79.6	11.7	0.0	96.5	47.1	0.2	639
Residence								
Urban	3.7	74.3	12.3	0.0	100.0	0.0	0.9	176
Rural	29.8	83.4	11.3	0.0	96.4	48.3	0.0	463
Senatorial District	20.0	0011		0.0	00.1	10.0	0.0	100
Kano Central	8.9	77.7	13.2	0.0	100.0	43.9	0.6	284
Kano North	34.5	82.3	15.3	0.0	100.0	40.1	0.0	131
Kano South	25.3	80.8	8.0	0.0	90.0	56.3	0.0	224
Main source of drinking water	20.0	66.6	0.0	0.0	50.0	00.0	0.0	22-1
Piped water	4.7	35.7	22.7				0.0	101
Tubewell/borehole	25.9	93.2	3.9				0.0	272
Protected wells and springs	0.0	100.0	39.2				0.0	32
Unprotected wells and springs	0.0	100.0	00.2	0.0	96.4	48.3	0.0	227
Sachet and bottled water	100.0	100.0	100.0	0.0		1010	100.0	2
Other	100.0	100.0	100.0	0.0	100.0	0.0	0.0	6
Education of household head				0.0	100.0	0.0	0.0	0
None	0.0	0.0	0.0	0.0	48.9	62.0	0.0	19
Non-formal	16.3	76.4	1.9	0.0	100.0	56.5	0.0	410
Primary	0.0	100.0	9.4	0.0	100.0	91.7	0.0	56
Secondary	36.4	83.8	36.4	0.0	100.0	0.0	1.6	99
Higher	20.9	79.1	45.2	0.0	100.0	0.0	0.0	56
Wealth index guintile	20.0	1011	10.2	0.0	100.0	0.0	0.0	00
Poorest	26.2	73.3	0.0	0.0	100.0	28.3	0.0	124
Second	49.1	70.2	8.9	0.0	89.1	74.1	0.0	113
Middle	18.0	100.0	0.0	0.0	100.0	42.0	0.0	90
Fourth	17.7	91.7	15.0	0.0	100.0	41.6	0.0	202
Richest	6.0	58.2	20.0	0.0	100.0	0.0	1.4	110
Ethnicity of household head	0.0	56.2	20.0	0.0	100.0	0.0	1.4	110
Hausa	18.9	80.3	11.6	0.0	96.5	47.1	0.0	629
Yoruba	10.0	100.0	100.0	0.0	50.5	47.1	100.0	2
Other ethnic group	0.0	40.3	0.0				0.0	8
	0.0		dicator 6.1.1 - Use of sa	والمالية ومعمومهما والمتعاد	na watar aguitte		0:0	0

VIII. Reproductive Health

Fertility

	Urban	Rural	Total
Age (Years)			
15-19 ¹	62	218	16
20-24	267	318	304
25-29	257	320	303
30-34	276	284	282
35-39	209	250	238
40-44	150	156	154
45-49	75	82	80
TFR ^a	6.5	8.1	7.7
GFR⁵	184.6	258.2	237.3
CBR℃	36.0	47.9	45.1
	¹ MICS indicator 5.1; MDG indicator	5.4 - Adolescent birth rate	
	^a TFR: Total fertility rate expressed p	er woman age 15-49 years	
	^b GFR: General fertility rate expressed pe	r 1,000 women age 15-49 years	
	°CBR: Crude birth rate expresse	ed per 1.000 population	

Table RH.2: Adolescent birth rate and total fertility rate

Adolescent birth rates and total fertility rates for the one-year / three-year period preceding the survey, Nigeria, 2016-17 Kano State

	Adolescent birth rate ¹ (Age-specific fertility rate for women age 15-19 years)	Total fertility rate
Total	169	7.7
Senatorial District		
Kano Central	78	6.8
Kano North	244	8.2
Kano South	241	8.3
Education		
None	268	7.6
Non-formal	255	8.3
Primary	252	9.4
Secondary	67	6.7
Higher	0	3.7
Wealth index quintile		
Poorest	241	8.0
Second	224	8.0
Middle	244	8.6
Fourth	147	8.3
Richest	45	5.7
Ethnicity of household head		
Hausa	173	7.7
Igbo	0	12.2
Yoruba	0	3.6
Other ethnics groups	75	5.4

Table RH.3: Early childbearing

Percentage of women age 15-19 years who have had a live birth, are pregnant with the first child, have begun childbearing, and who have had a live birth before age 15, and percentage of women age 20-24 years who have had a live birth before age 18, Nigeria, 2016-17 Kano State

	Perce	ntage of womer	n age 15-19 y	ears who:		Percentage of women	
	Have had a live birth	Are pregnant with first child	Have begun	Have had a live birth before age 15	Number of women age 15-19 years	age 20-24 years who have had a live birth before age 18 ¹	Number of women age 20-24 years
Total	19.2	4.8	3 24.0	4.3	586	44.3	43
Senatorial District							
Kano Central	5.3	1.4	6.8	0.3	299	30.3	16
Kano North	37.7	8.4	46.1	12.8	110	57.8	119
Kano South	31.2	8.4	39.6	5.7	177	49.1	14
Residence							
Urban	3.1	1.0) 4.1	1.4	216	19.8	11:
Rural	28.6	7.1	35.6	5.9	370	52.9	319
Education							
None	(40.3)	(18.0)) (58.2)	(7.7)	47	58.1	68
Non-formal	36.6	7.4	44.0	8.4	162	55.9	174
Primary	34.2	7.6	6 41.9	10.4	63	57.1	5
Secondary	4.1	9.	9 5.1	0.3	304	21.4	11
Higher	(*)	(*)) (*)	(*)	9	(*)	2
Wealth index quintile							
Poorest	32.9	11.5	5 44.4	12.0	72	54.8	72
Second	29.5	6.6	36.1	4.1	90	57.9	68
Middle	32.9	6.5	39.4	6.3	110	58.3	102
Fourth	12.8	3.1	15.9	3.3	155	38.9	10
Richest	4.0	1.3	5.4	0.4	159	14.6	8
Ethnicity of household h	ead						
Hausa	19.7	5.0) 24.7	4.3	566	44.9	41
Igbo	(*)	(*)) (*)	(*)	2	(*)	:
Yoruba	(*)	(*)) (*)	(*)	2	(*)	:
Other ethnics groups	(*)	(*)) (*)	(*)	16	(*)	1(

¹ MICS indicator 5.2 - Early childbearing

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Table RH.4: Trends in early childbearing

Percentage of women who have had a live birth, by age 15 and 18, by area and age group, Nigeria, 2016-17 Kano State

-		Urba	an			Ru	ral			A	11	
	Percentage of women with a live birth before age 15	Number of women age 15-49 years	Percentage of women with a live birth before age 18	Number of women age 20-49 years	Percentage of women with a live birth before age 15	Number of women age 15-49 years	Percentage of women with a live birth before age 18	Number of women age 20-49 years	Percentage of women with a live birth before age 15	Number of women age 15-49 years	Percentage of women with a live birth before age 18	Number of women age 20-49 years
「otal	9.6	731	38.9	515	16.5	1769	52.0	1399	14.5	2500	48.5	1914
Age (Years)												
15-19	1.4	216	na	na	5.9	370	na	na	4.3	586	na	na
20-24	2.6	112	19.8	112	18.2	319	52.9	319	14.1	431	44.3	431
25-29	16.2	118	40.4	118	19.8	314	58.0	314	18.8	432	53.2	432
30-34	12.2	92	45.7	92	20.6	261	57.2	261	18.4	354	54.2	354
35-39	23.0	84	45.3	84	21.2	202	51.4	202	21.8	286	49.6	286
40-44	(17.0)	55	(46.5)	55	19.7	167	45.1	167	19.0	222	45.5	222

() Sample data are based on 25-49 unweighted cases

Contraception

Percentage of womer	n age 15-4	9 years	currentl	y married	d or in unio	n who a	re using	(or whose	e partner is usi	ng) a contrace	eptive me	ethod, Nigeria	a, 2016-1	7 Kano	State			
-				P	ercent of v	vomen	currentl	y married	d or in union w	vho are using	g (or who	ose partner	is using)	:				ğ
	No method	Female sterilization	Male sterilization	DN	Injectables	Implants	liid	Male condom	Female condom	Diaphragm /Foam/Jelly	LAM	Periodic abstinence	Withdrawal	Other	Any modern method	Any traditional method	Any method ¹	Number of women age 15-49 years currently married
Total	93.7	0.0	0.0	0.4	2.2	0.7	2.2	0.0	0.0	0.1	0.2	0.2	0.0	0.4	5.7	0.6	6.3	1949
Senatorial District																		
Kano Central	88.5	0.0	0.0	0.9	4.7	2.0	3.0	0.0	0.0	0.2	0.3	0.5	0.0	0.1	10.9	0.6	11.5	723
Kano North	96.3	0.0	0.0	0.2	0.2	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.6	1.1	3.7	538
Kano South	97.0	0.0	0.0	0.1	1.0	0.0	1.4	0.0	0.0	0.0	0.2	0.0	0.0	0.3	2.7	0.3	3.0	688
Residence																		
Urban	84.9	0.0	0.0	1.4	6.9	2.9	3.1	0.0	0.0	0.0	0.4	0.2	0.0	0.2	14.8	0.4	15.1	437
Rural	96.2	0.0	0.0	0.1	0.8	0.1	2.0	0.0	0.0	0.1	0.1	0.2	0.0	0.5	3.1	0.7	3.8	1512
Age (Years)																		
15-19	97.6	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.4	0.0	0.0	1.1	1.3	1.1	2.4	180
20-24	95.8	0.0	0.0	0.0	2.0	1.0	1.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	4.2	0.0	4.2	364
25-29	94.6	0.0	0.0	0.8	1.9	0.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.2	0.2	5.4	410
30-34	89.9	0.0	0.0	0.6	3.9	1.0	2.8	0.0	0.0	0.3	0.6	0.7	0.0	0.2	9.2	0.9	10.1	336
35-39	92.8	0.0	0.0	0.2	2.9	0.0	2.7	0.0	0.0	0.0	0.0	0.4	0.0	0.9	5.8	1.4	7.2	277
40-44	88.8	0.0	0.0	1.0	2.3	1.8	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	10.3	0.8	11.2	212
40-44	97.4	0.0	0.0	0.0	2.3 0.6	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	0.8	2.6	170

r crocinage of women a	ge 15-49 yea	ars curre	ntly mar	ried or in	union who	are usin	ig (or wh	ose parti	ner is usin	g) a contraceptive m	nethod, M	Nigeria, 2016	-17 Kano	State				
				F	Percent of	women	currentl	y marrie	d or in ur	iion who are using	(or who	se partner i	s using):					en d or
	No method	Female sterilization	Male sterilization	IUD	Injectables	Implants	Pill	Male condom	Female condom	Diaphragm / Foam/Jelly	LAM	Periodic abstinence	Withdrawal	Other	Any modern method	Any traditional method	Any method ¹	Number of women age 15-49 years currently married or
Number of living child																		
0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
1	97.1	0.0	0.0	0.0	0.6	0.5	0.9	0.0	0.0	0.0	0.3	0.0	0.0	0.8	2.2	0.8	2.9	26
2	93.6	0.0	0.0	0.7	1.4	1.2	2.5	0.0	0.0	0.0	0.2	0.0	0.0	0.3	6.1	0.3	6.4	20
3	92.2	0.0	0.0	0.6	2.5	1.7	2.2	0.0	0.0	0.4	0.0	0.3	0.0	0.0	7.4	0.3	7.8	28
4+	92.2	0.0	0.0	0.4	3.0	0.5	2.8	0.0	0.0	0.0	0.2	0.3	0.0	0.6	7.0	0.8	7.8	96
Education	~ -																	
None	96.7	0.0	0.0	0.0	0.9	0.4	1.3	0.0	0.0	0.0	0.2	0.0	0.0	0.5	2.9	0.5	3.3	3
Non-formal	97.6	0.0	0.0	0.0	0.8	0.0	1.0	0.0	0.0	0.0	0.1	0.1	0.0	0.4	1.9	0.5	2.4	98
Primary	92.5	0.0	0.0	0.0	2.6	0.0	3.5	0.0	0.0	0.0	0.7	0.5	0.0	0.3	6.8	0.7	7.5	2
Secondary	81.2	0.0	0.0	1.6	7.8	3.7	4.8	0.0	0.0	0.4	0.0	0.0	0.0	0.5	18.3	0.5	18.8	20
Higher	68.9	0.0	0.0	6.5	5.5	4.8	11.5	0.0	0.0	0.0	0.0	1.6	0.0	1.2	28.3	2.8	31.1	(
Wealth index quintile	07.0	0.0	0.0	0.0	0.5	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	07	0.0	0.7	0.7	4
Poorest Second	97.3 97.1	0.0	0.0	0.0	0.5	0.0	1.5	0.0	0.0	0.0 0.0	0.0	0.0 0.3	0.0 0.0	0.7 0.4	2.0	0.7 0.7	2.7	4
		0.0	0.0	0.0	0.2	0.0	1.9	0.0	0.0		0.2				2.3	0.7	2.9 2.8	4:
Middle	97.2 94.6	0.0	0.0	0.0 0.0	1.0	0.0	1.4	0.0	0.0	0.0 0.0	0.2 0.0	0.0	0.0	0.2 0.6	2.6 4.7		2.0 5.4	4
Fourth Richest	94.6 79.7	0.0 0.0	0.0 0.0	0.0 2.3	2.4 7.7	0.4 3.7	1.9 4.9	0.0 0.0	0.0 0.0	0.0	0.0	0.0 0.6	0.0 0.0	0.6	4.7 19.5	0.6 0.9	5.4 20.3	3
Ethnicity of household	-	0.0	0.0	2.3	1.1	3.7	4.9	0.0	0.0	0.3	0.0	0.0	0.0	0.2	19.5	0.9	20.3	3
Hausa	93.7	0.0	0.0	0.4	2.1	0.7	2.3	0.0	0.0	0.1	0.2	0.1	0.0	0.4	5.7	0.5	6.3	19
Igbo	93.7 (*)	(*)	(*)	(*)	2.1 (*)	(*)	2.3 (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	5.7 (*)	(*)	0.3 (*)	19
Yoruba	() (*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	()	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnics groups	(94.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(3.9)	(0.0)	(2.1)	(0.0)	(6.0)	(6.0)	

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Unmet Need

Percentage of women age 15-4		d for contraceptic			ed for contracep		•	Percentage of	Number of women
-	For spacing	For limiting	Total	For spacing	For limiting	Total ¹	Number of women currently married or in union	demand for contraception satisfied	currently married or in union with need for contraception
				• -	-				·
Total	5.0	1.3	6.3	25.0	5.8	30.8	1,949	17.1	72
Senatorial District									
Kano Central	9.0	2.5	11.5	28.4	8.3	36.7	723	23.8	34
Kano North	2.9	0.8	3.7	19.5	4.3	23.8	538	13.5	14
Kano South	2.5	0.5	3.0	25.7	4.3	30.0	688	9.1	22
Residence									
Urban	11.3	3.8	15.1	28.7	10.5	39.2	437	27.9	23
Rural	3.2	0.6	3.8	23.9	4.4	28.3	1,512	11.8	48
Age (Years)									
15-19	2.4	0.0	2.4	19.1	1.5	20.5	180	(10.3)	4
20-24	4.2	0.0	4.2	31.0	.8	31.9	364	11.7	13
25-29	4.9	0.5	5.4	27.8	2.0	29.8	410	15.4	14
30-34	8.8	1.3	10.1	28.2	4.6	32.7	336	23.6	14
35-39	4.0	3.2	7.2	26.2	13.5	39.6	277	15.3	13
40-44	6.7	4.4	11.2	16.5	11.5	28.0	212	28.5	8
45-49	1.9	0.7	2.6	14.2	12.7	26.9	170	8.7	5
Education									
None	3.3	0.0	3.3	23.5	9.0	32.5	392	9.3	14
Non-formal	1.7	0.7	2.4	24.0	4.5	28.5	985	7.9	30
Primary	4.5	3.1	7.5	24.6	4.6	29.2	252	20.5	9
Secondary	16.4	2.4	18.8	33.0	6.2	39.2	260	32.4	15
Higher	23.4	7.7	31.1	17.4	9.5	26.8	60	(53.7)	3
Wealth index quintile									
Poorest	2.2	0.5	2.7	25.2	4.8	30.0	412	8.3	13
Second	2.7	0.2	2.9	21.8	5.1	26.9	421	9.7	12
Middle	2.1	0.7	2.8	26.7	3.7	30.4	406	8.3	13
Fourth	4.2	1.1	5.4	25.3	5.5	30.8	371	14.9	13
Richest	15.7	4.6	20.3	26.4	10.6	37.0		35.4	19
Ethnicity of household head									
Hausa	5.0	1.2	6.3	25.2	5.8	31.0	1,907	16.8	71
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	7	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	4	(*)	
Other ethnics groups	(2.1)	(3.9)	(6.0)	(14.8)	(5.7)	(20.5)		(*)	

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Antenatal Care

Percent distribution of women age 1				antenatal care ^a	<u> </u>			•		Number of
	Medical doctor	Nurse/ Midwife	Auxiliary midwife	Traditional birth attendant	Community health worker	Other	No antenatal care	Total	Any skilled provider ^{1,b}	women with a live birth in th last two years
Total	17.6	40.0	7.5	0.3	4.6	0.1	29.9	100.0	65.1	108
Senatorial District										
Kano Central	31.0	46.0	2.1	0.0	3.3	0.0	17.6	100.0	79.1	39
Kano North	11.6	35.2	11.7	0.2	0.6	0.0	40.7	100.0	58.5	31
Kano South	8.8	37.7	9.6	0.6	9.3	0.2	33.9	100.0	56.1	38
Residence										
Urban	42.4	38.5	2.1	0.0	2.1	0.0	15.0	100.0	82.9	23
Rural	10.7	40.4	9.0	0.3	5.3	0.1	34.2	100.0	60.1	84
Mother's age at birth										
Less than 20	15.7	39.6	11.4	0.6	4.8	0.0	28.0	100.0	66.7	19
20-34	18.3	39.7	7.8	0.2	4.8	0.1	29.3	100.0	65.7	69
Missing	17.3	41.4	2.8	0.3	3.9	0.0	34.2	100.0	61.6	20
Education										
None	9.1	38.6	8.3	0.3	4.9	0.0	38.6	100.0	56.1	19
Non-formal	10.5	38.1	7.7	0.4	4.3	0.1	38.9	100.0	56.3	53
Primary	21.8	44.3	9.7	0.0	6.5	0.0	17.6	100.0	75.8	10
Secondary	35.7	48.2	5.0	0.0	3.7	0.0	7.5	100.0	88.9	16
Higher	79.8	12.7	0.0	0.0	3.7	0.0	3.7	100.0	(92.5)	
Wealth index quintile									· · · ·	
Poorest	7.6	26.6	8.5	1.2	4.1	0.0	52.1	100.0	42.6	23
Second	7.3	40.7	7.8	0.0	4.7	0.0	39.4	100.0	55.9	22
Middle	12.7	40.5	10.4	0.0	7.5	0.3	28.7	100.0	63.6	23
Fourth	25.9	49.3	7.0	0.0	2.8	0.0	15.0	100.0	82.2	2
Richest	41.8	44.8	2.1	0.0	3.7	0.0	7.7	100.0	88.7	1
Ethnicity of household head										
Hausa	17.4	40.1	7.5	0.3	4.7	0.1	30.0	100.0	65.0	10
Igbo	64.0	36.0	0.0	0.0	0.0	0.0	0.0	-	(*)	-
Yoruba	85.3	0.0	0.0	0.0	0.0	0.0	14.7	100.0	(*)	
Other ethnics groups	10.7	38.0	9.2	0.0	0.0	0.0	42.1	100.0	(*)	

^a Only the most qualified provider is considered in cases where more than one provider was reported. ^b Skilled providers include *Medical doctor* and *Nurse/Midwife*.

() Sample data are based on 25-49 unweighted cases

 Table RH.8: Number of antenatal care visits and timing of first visit

 Percent distribution of women age 15-49 years with a live birth in the last two years by number of antenatal care visits by any provider and by the timing of first antenatal care visits, Nigeria, 2016-17

 Kano State

	Percent dis	stributio	on of wo	omen wh	o had:	Percent distribution of women by number of months pregna at the time of first antenatal care visit									Number of women with a live birth in	
	No antenatal care visits	One visit	Two visits	Three visits	4 or more visits ¹	Total	No antenatal care visits	First trimester	4-5 months	6-7 months	8+ months	Missing /Don't Know	Total	Number of women with a live birth in the last two years	Median months pregnant at first ANC visit	the last two years who
Total	29.9	3.7	7.6	13.6	44.7	100.0	30.3	9.1	32.4	24.6	3.1	0.5	100.0	1087	5.0	752
Senatorial District																
Kano Central	17.6	3.5	11.1	17.0	50.1	100.0	18.5	9.9	38.1	28.2	3.9	1.3	100.0	393	5.0	315
Kano North	40.7	3.6	5.9	13.5	36.4	100.0	40.7	6.8	24.9	25.3	2.3	0.0	100.0	314	5.0	186
Kano South	33.9	3.9	5.4	10.2	45.9	100.0	33.9	10.1	32.6	20.3	3.0	0.2	100.0	380	5.0	25
Residence																
Urban	15.0	2.8	10.1	16.2	54.7	100.0	16.1	11.7	39.6	25.7	5.2	1.7	100.0	239	5.0	197
Rural	34.2	3.9	6.9	12.9	41.9	100.0	34.3	8.3	30.3	24.3	2.5	0.2	100.0	847	5.0	555
Mother's age at birth																
Less than 20	28.0	4.8	6.0	13.8	47.5	100.0	28.7	7.2	40.4	20.6	3.1	0.0	100.0	190	5.0	136
20-34	29.3	3.6	7.6	15.0	44.2	100.0	29.6	9.8	30.4	27.4	2.3	0.5	100.0	695	5.0	486
Missing	34.2	2.9	9.2	8.8	43.8	100.0	34.2	8.2	31.6	18.9	5.9	1.3	100.0	202	5.0	130
Education																
None	38.6	5.1	8.4	11.8	35.4	100.0	39.1	7.8	30.2	21.0	1.6	0.3	100.0	196	5.0	119
Non-formal	38.9	4.3	7.6	12.9	36.1		38.9	7.7	26.3	23.9	3.2	0.0		533	5.0	326
Primary	17.6	2.7	6.8	14.8	57.2	100.0	17.6	10.1	33.6	31.3	4.2	3.2	100.0	165	5.0	13 ⁻
Secondary	7.5	1.0	7.8	16.4	67.3	100.0	8.3	12.1	51.6	24.9	3.2	0.0	100.0	162	5.0	148
Higher	(3.7)	(3.9)	(5.5)	(16.7)	(66.3)	100.0	(7.6)	(19.4)	(44.2)	(23.3)	(5.5)	(0.0)	100.0	30	(4.0)	28
Wealth index quintile																
Poorest	52.1	3.0	4.1	7.8	32.8	100.0	52.1	8.4	18.8	18.7	2.0	0.0	100.0	234	5.0	112
Second	39.4	4.7	4.5	11.1	39.9	100.0	39.9	7.6	28.0	21.9	2.3	0.3	100.0	228	5.0	13
Middle	28.7	4.2	11.1	13.8	41.7	100.0	28.7	8.7	29.8	30.0	2.8	0.0	100.0	237	5.0	169
Fourth	15.0	4.6	9.5	20.8	50.2	100.0	15.6	7.9	45.7	25.4	4.8	0.6	100.0	218	5.0	183
Richest	7.7	1.2	9.2	15.6	64.8	100.0	8.3	13.9	43.5	28.0	3.9	2.4	100.0	169	5.0	151
Ethnicity of household head	d															
Hausa	30.0	3.7	7.5	13.8	44.6	100.0	30.3	9.2	32.2	24.8	3.1	0.4	100.0	1066	5.0	738
Igbo	(*)	(*)	(*)	(*)	(*)		(*)	(*)	(*)	(*)	(*)	(*)	100.0	4	(*)	2
Yoruba	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)		100.0	3	(*)	
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	(*)	100.0	14		8

() Sample data are based on 25-49 unweighted cases

Table RH.9: Content of antenatal care

Percentage of women age 15-49 years with a live birth in the last two years who, at least once, had their blood pressure measured, urine sample taken, and blood sample taken as part of antenatal care, during the pregnancy for the last birth, Nigeria, 2016-17 Kano State

		Percentage of women w of their las	no, during the pregnancy birth, had:	,	Number of women
	Blood pressure measured	Urine sample taken	Blood sample taken	Blood pressure measured, urine and blood sample taken ¹	with a live birth in the last two years
Total	58.7	55.9	56.4	49.3	1087
Senatorial District					
Kano Central	74.3	75.6	76.4	70.4	393
Kano North	44.2	38.6	38.6	32.0	314
Kano South	54.6	49.7	50.5	41.8	380
Residence					
Urban	76.2	78.0	78.7	73.6	239
Rural	53.8	49.6	50.1	42.4	847
Mother's age at birth					
Less than 20	53.9	51.0	53.6	41.6	190
20-34	60.7	57.8	58.0	51.9	695
Missing	56.2	53.9	53.7	47.7	202
Education					
None	50.4	43.6	46.4	38.3	196
Non-formal	51.6	48.1	48.9	43.0	533
Primary	63.4	60.2	59.7	48.6	165
Secondary	80.6	84.5	82.6	75.5	162
Higher	(96.3)	(96.3)	(96.3)	(96.3)	30
Wealth index quintile					
Poorest	35.8	31.5	31.4	26.0	234
Second	49.3	43.2	44.4	38.2	228
Middle	57.9	51.5	53.2	44.4	237
Fourth	74.1	75.7	76.1	66.1	218
Richest	84.3	87.2	86.4	81.8	169
Ethnicity of household head					
Hausa	58.7	56.0	56.5	49.3	1066
Igbo	(*)	(*)	(*)	(*)	4
Yoruba	(*)	(*)	(*)	(*)	3
Other ethnics groups	(*)	(*)	(*)	(*)	14

() Sample data are based on 25-49 unweighted cases
Assistance at Delivery

Table RH.10: Assistance during delivery and caesarean section

Percent distribution of women age 15-49 years with a live birth in the last two years by person providing assistance at delivery, and percentage of births delivered by C-section, Nigeria, 2016-17 Kano State

			Per	son assisting	g at delivery			_			Percent del	ivered by C-s	ection	Number of
	Medical doctor	Nurse/ Midwife	Auxiliary midwife	Traditional birth attendant	Community health worker	Relative /Friend	Other	No attendant	Total	Delivery assisted by any skilled attendant ^{1,a}	Decided before onset of labour pains	Decided after onset of labour pains	Total ²	women who had a live birth in the last two years
Total	6.2	12.4	1.2	23.5	2.1	30.4	1.4	22.9	100.0	19.8	0.5	0.5	1.0	1087
Senatorial District														
Kano Central	11.6	22.6	0.5	14.6	3.4	24.6	2.0	20.6	100.0	34.7	1.3	0.9	2.2	393
Kano North	4.5	6.0	2.1	32.1	0.6	31.7	0.9	22.1	100.0	12.6	0.0	0.3	0.3	314
Kano South	2.0	7.2	1.1	25.5	2.0	35.4	1.2	25.8	100.0	10.2	0.0	0.4	0.4	380
Residence														
Urban	16.5	33.5	0.7	10.8	3.5	17.7	0.7	16.7	100.0	50.7	1.5	1.4	3.0	239
Rural	3.3	6.4	1.3	27.1	1.7	34.0	1.6	24.6	100.0	11.0	0.2	0.3	0.4	847
Mother's age at birth														
Less than 20	4.6	9.8	2.3	26.5	1.0	40.1	1.7	14.0	100.0	16.7	0.0	0.7	0.7	190
20-34	6.9	11.6	0.9	24.2	2.9	30.8	1.4	21.4	100.0	19.3	0.8	0.4	1.2	695
35-49	5.3	17.7	1.0	18.2	0.3	20.2	1.0	36.2	100.0	24.1	0.0	0.6	0.6	202
Place of delivery														
Home	1.7	3.5	0.7	27.9	1.5	36.1	1.5	26.9	100.0	6.0	0.0	0.0	0.0	913
Health facility	30.2	60.2	3.7	0.0	3.9	0.5	0.0	1.4	100.0	94.1	3.1	3.3	6.4	170
Public	29.8	59.7	4.7	0.0	4.9	0.0	0.0	0.9	100.0	94.2	3.9	3.5	7.4	136
Private	31.9	62.2	0.0	(0.0)	(0.0)	(2.6)	(0.0)	(3.3)	100.0	(94.1)	(0.0)	(2.6)	(2.6)	34
Other/Don't Know/Missing	0.0	0.0	0.0	0.0	64.8	0.0	35.2	0.0	100.0	0.0	0.0	0.0	0.0	3

			Per	son assistin	g at delivery						Percent del	ivered by C-s	ection	Number of women who
	Medical doctor	Nurse/ Midwife	Auxiliary midwife	Traditional birth attendant	Community health worker	Relative/Friend	Other	No attendant	Total	Delivery assisted by any skilled attendant ^{1,a}	Decided before onset of labour pains	Decided after onset of labour pains	Total ²	had a live birth in the last two years
Education														
None	1.6	5.9	0.0	33.6	3.2	31.6	2.0	22.1	100.0	7.5	0.0	0.0	0.0	19
Non-formal	1.8	6.5	1.2	25.0	1.9	36.5	1.3	25.8		9.5	0.0	0.2	0.2	53
Primary	6.7	13.7	1.0	25.4	0.9	22.9	0.0	29.3	100.0	21.5	0.6	0.5	1.1	16
Secondary	18.7	33.5	2.9	8.4	1.4	21.3	2.8	11.1	100.0	55.0	1.7	2.5	4.2	16
Higher	44.3	39.6	0.0	(0.0)	(7.5)	(5.5)	(0.0)	(3.1)	100.0	(83.9)	(4.7)	(0.0)	(4.7)	3
Wealth index quintile														
Poorest	0.7	4.2	1.2	35.6	1.2	34.1	0.8	22.1	100.0	6.2	0.0	0.4	0.4	23
Second	1.9	4.7	1.6	30.2	0.3	34.7	2.3	24.2	100.0	8.3	0.0	0.0	0.0	22
Middle	2.1	5.9	0.7	26.0	2.6	31.3	1.0	30.4	100.0	8.7	0.0	0.0	0.0	23
Fourth	10.7	12.7	1.2	15.4	2.7	30.7	1.8	24.8	100.0	24.6	0.7	0.6	1.3	21
Richest	19.5	42.7	1.1	4.4	4.2	17.9	1.0	9.3	100.0	63.2	2.2	2.0	4.2	16
Ethnicity of household I	nead													
Hausa	6.0	12.1	1.2	23.4	2.1	30.8	1.4	23.0	100.0	19.2	0.5	0.4	0.9	106
Igbo	64.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)		(*)	(*)	(*)	(*)	
Yoruba	0.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	
Other ethnics groups	7.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	1

4

^a Skilled attendants include *Medical doctor* and *Nurse/Midwife*.

Table DH 10, Assistance

-

() Sample data are based on 25-49 unweighted cases

Place of Delivery

Table RH.11: Place of delivery

Percent distribution of women age 15-49 years with a live birth in the last two years by place of delivery of their last birth, Nigeria, 2016-17 Kano State

-		Place of de	livery				Number of
-	Health f	acility				Delivered	Number of women with a live
-	Public sector	Private sector	Home	Other	Total	in health facility ¹	birth in the last two years
Total	12.5	3.2	84.0	0.2	100.0	15.7	108
Senatorial District							
Kano Central	21.7	7.5	70.3	0.5	100.0	29.2	393
Kano North	7.6	1.3	91.0	0.0	100.0	8.9	314
Kano South	7.1	0.2	92.5	0.0	100.0	7.3	38
Residence							
Urban	30.5	12.3	57.2	0.0	100.0	42.8	239
Rural	7.4	0.6	91.6	0.2	100.0	8.0	84
Mother's age at birth							
Less than 20	10.6	1.4	88.0	0.0	100.0	12.0	19
20-34	12.4	3.1	84.0	0.3	100.0	15.5	69
35-49	14.5	5.0	80.4	0.0	100.0	19.6	20
Number of antenatal care	e visits						
None	1.2	0.8	97.0	0.6	100.0	2.0	32
1-3 visits	10.3	2.4	87.3	0.0	100.0	12.7	27
4+ visits	21.1	4.9	73.9	0.0	100.0	26.1	48
Missing/Don't Know	23.4	27.8	48.9	0.0	100.0	51.1	
Education							
None	4.3	1.6	94.1	0.0	100.0	5.9	19
Non-formal	6.0	0.6	92.8	0.4	100.0	6.6	53
Primary	12.7	4.7	82.5	0.0	100.0	17.5	16
Secondary	34.7	7.6	57.7	0.0	100.0	42.3	16
Higher	(60.5)	(27.1)	(12.3)	(0.0)	100.0	(87.7)	3
Wealth index quintile							
Poorest	2.8	1.0	96.2	0.0	100.0	3.8	23
Second	4.8	0.0	94.9	0.0	100.0	4.8	22
Middle	5.9	0.7	92.3	0.9	100.0	6.6	23
Fourth	17.5	1.5	81.0	0.0	100.0	19.0	21
Richest	39.0	16.1	44.9	0.0	100.0	55.1	16
Ethnicity of household he	ead						
Hausa	12.4	2.9	84.4	0.2	100.0	15.3	106
Igbo	(*)	(*)	(*)	(*)	100.0	(*)	
Yoruba	(*)	(*)	(*)	(*)	100.0	(*)	
Other ethnics groups	(*)	(*)	(*)	(*)	100.0	(*)	1

Table RH.12: Post-partum stay in health facility

Percent distribution of women age 15-49 years with a live birth in the last two years who had their last birth delivered in a health facility by duration of stay in health facility, Nigeria, 2016-17 Kano State

		Duration	of stay i	in health	facility			Number of women who had their last
	Less than 6 hours	6-11 hours	12-23 hours	1-2 days	3 days or more	Total	12 hours or more ¹	birth delivered in a health facility in the last 2 years
Total	54.8	18.4	1.4	15.0	10.4	100.0	26.7	170
Senatorial District								
Kano Central	52.4	19.3	2.0	17.5	8.7	100.0	28.3	11:
Kano North	(49.4)	(22.3)	(0.0)	(10.2)	(18.0)	100.0	(28.3)	20
Kano South	(70.2)	(10.8)	(0.0)	(9.4)	(9.6)	100.0	(19.0)	28
Residence								
Urban	52.1	20.4	1.2	17.3	9.0	100.0	27.5	102
Rural	59.0	15.4	1.6	11.4	12.5	100.0	25.6	68
Mother's age at birth								
Less than 20	(70.5)	(8.7)	(0.0)	(8.3)	(12.5)	100.0	(20.8)	23
20-34	50.5	19.0	2.1	16.6	11.7	100.0	30.5	108
Missing/Don't Know	57.7	22.4	0.0	14.4	5.5	100.0	19.9	39
Type of health facility								
Public	53.4	19.0	1.7	14.2	11.7	100.0	27.6	130
Private	(60.3)	(16.3)	(0.0)	(18.2)	(5.2)	100.0	(23.4)	34
Type of delivery								
Vaginal birth	58.0	19.7	1.4	15.6	5.3	100.0	22.3	159
C-section	(*)	(*)	(*)	(*)	(*)	100.0	(*)	11
Education								
None	(*)	(*)	(*)	(*)	(*)	100.0	(*)	1:
Non-formal	(55.0)	(19.3)	(0.0)	(21.4)	(4.3)	100.0	(25.7)	3
Primary	(58.6)	(21.4)	(0.0)	(5.8)	(14.2)	100.0	(19.9)	29
Secondary	53.0	17.0	3.4	14.0	12.7	100.0	30.0	69
Higher	(46.6)	(17.9)	(0.0)	(25.9)	(9.7)	100.0	(35.5)	20
Wealth index quintile								
Poorest	(*)	(*)	(*)	(*)	(*)	100.0	(*)	9
Second	(*)	(*)	(*)	(*)	(*)	100.0	(*)	1.
Middle	(*)	(*)	(*)	(*)	(*)	100.0	(*)	10
Fourth	(54.7)	(20.9)	(0.0)	(14.2)	(10.2)	100.0	(24.5)	4
Richest	51.5	18.1	2.5	17.3	10.7	100.0	30.4	93
Ethnicity of household he								
Hausa	53.6	18.5	1.4	15.6	10.8	100.0	27.9	163
Igbo	(*)	(*)	(*)	(*)	(*)	100.0	(*)	-
Yoruba	(*)	(*)	(*)	(*)	(*)	100.0	(*)	:
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	100.0	(*)	

() Sample data are based on 25-49 unweighted cases

Post-natal Health Checks

Table RH.13: Post-natal health checks for newborns

Percentage of women age 15-49 years with a live birth in the last two years whose last live birth received health checks while in facility or at home following birth, percent distribution whose last live birth received post-natal care (PNC) visits from any health provider after birth, by timing of visit, and percentage who received post natal health checks, Nigeria, 2016-17 Kano State

	Health check			PNC	isit for nev	vborns⁵			Post-natal	Number of
	following birth while in facility or at home ^a	Same day	1 day following birth	2 days following birth	3-6 days following birth	After the first week following birth	No post- natal care visit	Total	health check for the newborn ^{1, c}	last live births in the last two years
Total	11.7	6.7	1.0	1.8	1.6	2.2	86.6	100.0	17.5	1087
Senatorial District										
Kano Central	20.7	8.6	1.9	2.5	2.0	1.7	82.9	100.0	26.3	393
Kano North	7.0	6.5	0.7	0.9	0.7	4.6	86.5	100.0	13.4	314
Kano South	6.1	4.9	0.5	1.8	1.8	0.6	90.4	100.0	11.7	380
Residence										
Urban	30.9	9.5	1.9	2.7	2.6	3.2	79.6	100.0	34.7	239
Rural	6.2	5.9	0.8	1.6	1.3	1.9	88.6	100.0	12.6	847
Mother's age at birth										
Less than 20	7.9	3.9	2.8	1.4	1.2	2.7	87.9	100.0	12.3	190
20-34	11.9	6.8	0.9	2.1	1.7	2.4	85.9	100.0	18.4	695
35-49	14.4	8.9	0.0	1.3	1.5	0.8	87.5	100.0	18.9	202
Place of delivery										
Home	2.1	4.5	1.1	1.7	1.7	2.0	88.9	100.0	8.6	913
Health facility	63.1	18.5	0.7	2.4	0.9	3.0	73.8	100.0	65.4	170
Public	58.7	17.5	0.3	1.7	1.1	2.8	76.6	100.0	61.5	136
Private	(80.7)	(22.3)	(2.1)	(5.1)	(0.0)	(4.1)	(62.7)	100.0	(80.7)	34
Other/Don't Know/Missing	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	0.0	3
Education										
None	5.3	2.3	2.1	2.0	2.9	3.1	87.4	100.0	10.7	196
Non-formal	4.5	6.0	0.2	1.3	1.4	1.5	89.5		10.8	533
Primary	13.2	9.5	0.4	0.6	1.8	2.6	85.0	100.0	19.5	165
Secondary	28.6	9.1	3.3	4.7	0.0	3.1	79.1	100.0	33.6	162
Higher	(81.4)	(19.9)	(0.0)	(0.0)	(2.4)	(0.0)	(77.7)	100.0	(81.4)	30
Wealth index quintile										
Poorest	3.7	3.6	0.2	1.9	1.5	2.2	90.7	100.0	8.4	234
Second	4.6	6.9	0.9	0.9	2.4	1.3	87.5	100.0	12.4	228
Middle	4.7	3.4	1.8	1.6	1.1	4.3	87.8	100.0	10.2	237
Fourth	10.6	6.9	0.0	1.2	1.7	0.3	90.0	100.0	16.8	218
Richest	43.2	15.0	2.7	4.1	1.1	2.7	73.6	100.0	47.7	169
Ethnicity of household he	ead									
Hausa	11.3	6.7	1.1	1.9	1.5	2.0	86.8	100.0	17.1	1066
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	3
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	14

¹ MICS indicator 5.11 - Post-natal health check for the newborn

^a Health checks by any health provider following facility births (before discharge from facility) or following home births (before departure of provider from home).

^b Post-natal care visits (PNC) refer to a separate visit by any health provider to check on the health of the newborn and provide preventive care services. PNC visits do not include health checks following birth while in facility or at home (see note ^a above).

^c Post-natal health checks include any health check performed while in the health facility or at home following birth (see note ^a above), as well as PNC visits (see note ^b above) within two days of delivery.

() Sample data are based on 25-49 unweighted cases

week of birth, by location	· ·	ation of firs	t PNC vis		4, 2010 11			NC visit fo	r newborns		Number of last live
	Home	Public Sector	Private	Other location	Total	Doctor/ nurse/ midwife		Community health worker		Total	births in the last two years with a PNC visit within the first week of life
Total	47.5	44.0	8.4		100.0	55.5	3.4	7.0	34.1	100.0	121
Senatorial District											
Kano Central	(27.2)	(59.3)	(13.5)		100.0	(78.9)	(0.0)	(5.6)	(15.5)	100.0	59
Kano North	(74.3)	(17.7)	(8.0)		100.0	(29.2)	(9.1)	(2.7)	(59.0)	100.0	28
Kano South	(61.0)	(39.0)	(0.0)		100.0	(36.4)	(4.8)	(13.0)	(45.8)	100.0	34
Residence											
Urban	(24.2)	(55.8)	(20.0)		100.0	(79.5)	(2.0)	(5.2)	(13.3)	100.0	40
Rural	59.0	38.2	2.7		100.0	43.7	4.1	7.9	44.3	100.0	81
Mother's age at birth											
Less than 20	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	18
20-34	50.6	41.5	7.9		100.0	53.6	.7	6.9	38.8	100.0	80
35-49	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	23
Place of delivery											
Home	64.7	33.3	2.0		100.0	39.2	2.9	8.1	49.8	100.0	83
Health facility	(10.4)	(67.2)	(22.3)		100.0	(90.8)	(4.5)	(4.7)	(0.0)	100.0	38
Public	(11.0)	(89.0)	(0.0)		100.0	(93.3)	(3.0)	(3.7)	(0.0)	100.0	28
Private	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	10
Education											
None	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	19
Non-formal	68.7	29.5	1.9		100.0	33.7	2.9	7.6	55.8	100.0	48
Primary	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	20
Secondary	(20.8)	(61.8)	(17.4)		100.0	(84.6)	(0.0)	(6.1)	(9.3)	100.0	28
Higher	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	7
Wealth index quintile											
Poorest	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	17
Second	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	25
Middle	(*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	19
Fourth	(53.7)	(40.0)	(6.2)		100.0	(49.7)	(0.0)	(5.8)	(44.5)	100.0	21
Richest	(15.3)	(64.1)	(20.6)		100.0	(88.5)	(0.0)	(7.0)	(4.5)	100.0	39
Ethnicity of household	head										
Hausa	47.4	44.0	8.5		100.0	55.6	3.5	7.1	33.8	100.0	119
Igbo					100.0					100.0	
Yoruba					100.0					100.0	
Other ethnics group	s (*)	(*)	(*)		100.0	(*)	(*)	(*)	(*)	100.0	2

Table RH.14A: Thermal care for newborns

Percentage of last-born children in the last 2 years who were dried after birth, percentage who were given skin to skin contact and percent distribution of timing of first bath, Nigeria, 2016-17 Kano State

	Percenta	ge of children who were:		Timing o	of first bath			
	Dried (wiped) after birth	Given skin-to-skin contact with mother	Less than 6 hours after birth	6-23 hours after birth	More than 24 hours after birth	Don't Know/Don't remember	Total	Number of last born children in the last two years
Total	61.6	25.4	89.4	7.2	1.3	2.2	100.0	1087
Senatorial District								
Kano Central	71.1	27.8	83.6	12.4	2.6	1.4	100.0	393
Kano North	42.2	29.3	91.8	4.3	0.2	3.6	100.0	314
Kano South	67.7	19.8	93.3	4.1	0.8	1.8	100.0	380
Residence								
Urban	75.2	34.5	77.9	17.4	4.3	0.4	100.0	239
Rural	57.7	22.9	92.6	4.3	0.4	2.7	100.0	847
Mother's age at birth								
Less than 20	57.5	24.5	92.9	4.4	0.0	2.7	100.0	190
20-34	63.3	26.5	88.6	7.2	1.8	2.4	100.0	695
35-49	59.5	22.5	88.4	9.7	0.8	1.0	100.0	202
Place of delivery								
Home	56.9	23.3	94.6	3.3	0.1	1.9	100.0	913
Public Health facility	87.8	34.4	61.9	25.9	8.5	3.6	100.0	136
Private Health facility	(87.4)	(43.4)	(60.3)	(36.0)	(3.7)	(0.0)	100.0	34
Other	(*)	(*)	(*)	(*)	(*)	(*)	100.0	2
Missing/Don't Know	0.0	0.0	0.0	0.0	0.0	100.0	100.0	1
Education								
None	56.8	25.6	93.7	2.8	0.6	2.8	100.0	196
Non-formal	57.3	24.5	92.5	5.3	0.1	2.1	100.0	533
Primary	63.3	20.7	88.0	7.6	1.7	2.7	100.0	165
Secondary	74.8	31.6	80.0	14.7	3.8	1.6	100.0	162
Higher	(86.9)	(34.0)	(61.8)	(27.0)	(11.2)	(0.0)	100.0	30
Wealth index quintile								
Poorest	52.5	18.8	94.7	3.9	0.6	0.8	100.0	234
Second	54.1	25.2	93.4	2.6	0.0	4.0	100.0	228
Middle	62.1	28.8	91.2	6.2	0.0	2.6	100.0	237
Fourth	68.0	23.5	89.3	5.6	2.7	2.5	100.0	218
Richest	75.1	32.8	74.2	21.2	4.1	0.6	100.0	169
Ethnicity of household he								
Hausa	61.8	25.3	89.3	7.3	1.3	2.1	100.0	1066
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	100.0	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	100.0	3
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	(*)	100.0	14

() Sample data are based on 25-49 unweighted cases

Table RH.14B: Cord cutting and care

Percent distribution of last live births delivered outside a facility in the two years preceding the survey by what instrument was used to cut the umbilical cord and what substance was applied to cord, Nigeria, 2016-17 Kano State

	Instru	iment use	ed to cut	the cord:		Percentage of whose cord was		S	ubstance	s applied to	the cor	d [b]:		ul cord	born ast ered v
	New blade	Used blade	Scissors	Other	Don't Know/ Missing	Boiled or sterilised instruments	A clean instrument [a]	Nothing	Chlorhexidine	Other non- harmful substance	Harmful substance	Others	Don't Know/ Missing	Percentage with nothing harmful applied to the cord	Number of last-born children in the last two years delivered outside a facility
Total	95.7	1.3	1.6	0.0	0.8	8.4	96.3	68.5	5.0	8.0	8.8	8.9	0.8	81.5	917
Senatorial District															
Kano Central	96.4	1.3	1.3	0.0	0.5	7.8	96.9	73.5	5.6	9.3	6.2	4.4	1.1	88.3	278
Kano North	95.7	0.9	1.1	0.0	1.6	5.4	96.0	78.5	3.4	4.4	7.6	5.9	0.2	86.3	286
Kano South	95.2	1.5	2.2	0.0	0.4	11.3	96.0	56.4	5.7	10.0	11.8	14.9	1.1	72.2	352
Residence															
Urban	94.6	2.7	1.7	0.0	1.0	8.2	95.2	72.0	2.0	9.6	10.2	4.9	1.3	83.6	137
Rural	95.9	1.0	1.6	0.0	0.8	8.4	96.5	67.9	5.5	7.7	8.6	9.6	0.7	81.1	780
Mother's age at birth															
Less than 20	95.8	0.5	1.7	0.0	2.1	6.6	95.8	66.2	4.5	7.3	10.5	10.8	0.6	78.1	167
20-34	95.8	1.5	1.5	0.0	0.4	8.1	96.7	69.1	5.8	7.7	8.1	8.3	0.9	82.6	587
35-49	95.4	1.3	1.9	0.0	0.9	11.3	95.4	68.5	2.6	9.9	9.5	8.9	0.5	81.0	162
Place of delivery															
Home	95.8	1.3	1.6	0.0	0.7	8.4	96.4	68.4	5.0	8.1	8.8	8.9	0.8	81.4	913
Other	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	2

Table RH.14B: Cord cutting and care (continued)

Percent distribution of last live births delivered outside a facility in the two years preceding the survey by what instrument was used to cut the umbilical cord and what substance was applied to cord, Nigeria, 2016-17 Kano State

	Instru	iment use	ed to cut	the cord:		Percentage of whose cord was		S	ubstance	s applied to	the cor	d [b]:		د ord	born ast ∍red
	New blade	Used blade	Scissors	Other	Don't Know/ Missing	Boiled or sterilised instruments	A clean instrument [a]	Nothing	Chlorhexidine	Other non- harmful substance	Harmful substance	Others	Don't Know/ Missing	Percentage with nothing harmful applied to the cord	Number of last-born children in the last two years delivered
Education															
None	94.6	2.4	2.7	0.0	0.0	9.3	94.6	69.4	6.4	8.5	10.0	5.8	0.0	84.2	185
Non-formal	96.0	0.8	1.3	0.0	0.9	7.9	96.4	69.1	4.7	6.6	8.8	10.1	0.5	80.5	498
Primary	96.5	1.8	0.7	0.0	1.0	8.2	98.3	64.2	5.4	8.7	8.6	10.9	2.3	78.2	136
Secondary	95.1	0.9	2.4	0.0	1.5	9.8	96.1	69.5	3.2	12.9	6.9	5.5	1.9	85.7	93
Higher	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	4
Wealth index quintile		.,	.,	.,				.,	.,				.,	.,	
Poorest	96.0	0.9	2.2	0.0	1.0	7.7	96.0	68.7	6.3	6.2	8.5	10.0	0.3	81.2	225
Second	93.4	1.9	2.5	0.0	0.3	9.2	94.7	68.5	6.0	4.4	11.0	9.4	0.7	78.8	217
Middle	96.8	0.5	0.6	0.0	1.5	6.7	96.8	69.3	3.6	8.0	8.8	9.4	1.0	80.8	221
Fourth	97.1	2.5	0.4	0.0	0.0	10.6	98.4	66.9	4.8	13.1	8.2	6.4	0.7	84.8	177
Richest	95.2	0.0	3.0	0.0	1.9	7.8	95.2	69.4	2.7	12.2	5.0	8.4	2.3	84.4	76
Ethnicity of household head															
Hausa	95.7	1.2	1.6	0.0	0.8	8.5	96.3	68.4	5.1	8.1	8.8	8.8	0.8	81.6	903
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	10

[a] Clean instruments are all new blades and boiled or sterilised used blades or scissors

[b] Substances include: Chlorhexidine, other antiseptic (such as alcohol, spirit, gentian violet), mustard or other oil, animal dung and others. Mustard or other oil and animal dung are considered harmful

Table RH.14C: Content of postnatal care for newborns

Percent distribution of last live births delivered outside a facility in the two years preceding the survey by what instrument was used to cut the umbilical cord and what substance was applied to cord, Nigeria, 2016-17 Kano State

	Percenta	ge of newborn rec	eiving postnatal	care signal fu	nction of:	Percentage of newborns	Number of
	Cord examination	Temperature assessment	Counselling on and observation of breastfeeding	Weight assessment	Counselling on danger signs for newborns	who received a least 2 of the preceding signal postnatal care functions within 2 days after birth	lastborn children in the last two years
Total	17.1	11.8	12.7	9.3	11.6	15.3	1087
Senatorial District							
Kano Central	24.7	20.5	21.0	18.1	18.2	25.6	393
Kano North	19.2	8.0	8.6	5.6	8.9	11.1	314
Kano South	7.6	5.9	7.6	3.2	6.9	8.1	380
Residence							
Urban	35.4	28.5	29.2	27.3	27.7	37.0	239
Rural	11.9	7.1	8.1	4.2	7.0	9.1	847
Mother's age at birth							
Less than 20	15.4	9.2	14.3	5.0	9.5	13.3	190
20-34	18.0	11.0	12.8	10.0	11.7	14.9	695
35-49	15.6	17.0	10.8	10.6	13.0	18.3	202
Place of delivery							
Home	11.7	6.3	8.8	4.2	7.0	8.8	913
Public Health facility	47.5	42.0	36.3	36.3	35.1	49.1	136
Private Health facility	(43.4)	(38.4)	(26.1)	(38.4)	(40.4)	(54.9)	34
Other	(*)	(*)	(*)	(*)	(*)	(*)	2
Education							
None	7.4	7.1	8.7	2.8	5.7	8.2	196
Non-formal	11.8	6.9	7.1	4.7	6.7	8.9	533
Primary	19.1	10.9	15.4	11.3	13.2	16.9	165
Secondary	37.1	28.2	29.1	22.1	26.8	34.9	162
Higher	(55.3)	(44.8)	(35.7)	(51.8)	(45.3)	(60.1)	30
Wealth index quintile							
Poorest	8.4	3.9	5.2	2.1	4.8	5.8	234
Second	10.8	6.6	6.1	3.7	7.2	8.0	228
Middle	11.0	6.2	9.8	3.7	6.4	7.8	237
Fourth	19.2	12.2	12.2	11.1	11.2	17.7	218
Richest	43.5	36.9	36.7	32.1	34.6	45.6	169
Ethnicity of household h	ead						
Hausa	17.0	11.3	12.2	8.9	11.3	14.7	1066
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	3
Other ethnics groups	(*)	(*)	(*)	(*)	(*)	(*)	14

() Sample data are based on 25-49 unweighted cases

Table RH.15: Post-natal health checks for mothers

Percentage of women age 15-49 years with a live birth in the last two years who received health checks while in facility or at home following birth, percent distribution who received post-natal care (PNC) visits from any health provider after birth at the time of last birth, by timing of visit, and percentage who received post natal health checks, *Nigeria, 2016-17 Kano State*

				PNC	visit for m	others				Number o
	Health check following birth while in facility or at home ^a	Same day	1 day following birth	2 days following birth		After the first week following birth		Total	Post-natal health check for the mother ^{1, c}	women with a live birth in the last two years
Total	13.3	3.3	1.0	0.9	0.5	1.5	92.6	100.0	17.3	108
Senatorial District										
Kano Central	25.5	3.4	1.7	1.5	0.5	1.5	91.1	100.0	29.6	393
Kano North	6.8	2.3	0.5	0.6	0.3	1.6	94.5	100.0	9.8	314
Kano South	6.1	4.0	0.7	0.5	0.7	1.3	92.7	100.0	11.0	38
Residence										
Urban	37.9	4.1	1.8	2.0	0.8	1.2	89.6	100.0	42.5	23
Rural	6.4	3.1	0.8	0.6	0.4	1.6	93.5	100.0	10.2	84
Mother's age at birth										
Less than 20	10.0	1.6	1.8	0.2	0.4	3.3	92.6	100.0	12.8	190
20-34	13.5	3.3	1.1	1.2	0.7	1.1	92.5	100.0	18.0	69
35-49	15.8	4.8	0.0	0.3	0.0	1.2	93.0	100.0	19.3	202
Place of delivery										
Home	2.4	3.3	0.9	0.9	0.3	1.5	93.0	100.0	6.9	913
Health facility	72.3	3.5	1.4	0.7	1.6	1.5	90.5	100.0	73.5	170
Public	68.5	2.6	1.7	0.8	2.1	1.1	90.7	100.0	69.9	13
Private	(87.4)	(7.0)	(0.0)	(0.0)	(0.0)	(3.3)	(89.6)	100.0	(87.4)	34
Other/Don't Know/Missing	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	0.0	:
Type of delivery										
Vaginal birth	12.4	3.3	1.0	0.9	0.5	1.4	92.7	100.0	16.5	107
C-section	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	1
Education										
None	4.1	2.3	0.6	1.3	0.0	1.1	94.7	100.0	8.4	19
Non-formal	4.8	3.6	0.3	0.1	0.7	1.8	93.4	100.0	8.6	53
Primary	13.5	3.4	0.0	1.3	0.0	2.3	93.0	100.0	16.3	16
Secondary	39.6	3.4	5.0	2.6	0.6	0.4	87.2	100.0	46.2	16
Higher	(81.3)	(3.4)	(0.0)	(0.0)	(3.5)	(0.0)	(93.2)	100.0	(81.3)	30
Wealth index quintile										
Poorest	3.9	2.9	0.4	0.3	0.8	1.7	93.9	100.0	7.1	234
Second	4.3	3.5	0.5	0.0	0.7	0.7	94.2	100.0	8.2	22
Middle	3.9	1.4	0.3	1.5	0.0	2.7	94.1	100.0	6.8	23
Fourth	12.5	3.7	1.5	0.8	0.0	1.5	92.6	100.0	18.5	21
Richest	52.6	5.6	2.9	2.2	1.2	0.7	86.7	100.0	57.0	16
Ethnicity of household hea	d									
Hausa	12.9	3.2	1.0	0.9	0.4	1.5	92.9	100.0	16.9	106
Igbo	(*)	(*)	(*)			(*)	(*)	100.0	(*)	
Yoruba	(*)	(*)	(*)					100.0	(*)	
Other ethnics groups	(*)	(*)	(*)		(*)			100.0	(*)	

¹ MICS indicator 5.12 - Post-natal health check for the mother

^a Health checks by any health provider following facility births (before discharge from facility) or following home births (before departure of provider from home).

^b Post-natal care visits (PNC) refer to a separate visit by any health provider to check on the health of the mother and provide preventive care services. PNC visits do not include health checks following birth while in facility or at home (see note ^a above).

^c Post-natal health checks include any health check performed while in the health facility or at home following birth (see note ^a above), as well as PNC visits (see note ^b above) within two days of delivery.

() Sample data are based on 25-49 unweighted cases

Table RH.16: Post-natal care visits for mothers within one week of birth

Percent distribution of women age 15-49 years with a live birth in the last two years who received a post-natal care (PNC) visit within one week of birth, by location and provider of the first PNC visit, Nigeria, 2016-17 Kano State

	Locati		st PNC v hers	visit for		Prov	vider of fi	rst PNC vi	sit for moth	ners		Number of womer with a live birth in the last two years
	Home	Public Sector	Private sector	Other location	Total	Doctor/ nurse/ midwife	Auxiliary	Community health worker	Traditional birth attendant	Other	Total	who received a PNC visit within one week of birth
Total	51.9	40.5	5.6	2.0	100.0	24.8	29.5	2.3	7.9	35.4	100.0	6
Senatorial District												
Kano Central	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	2
Kano North	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Kano South	(67.5)	(27.1)	(0.0)	(5.4)	100.0	(13.4)	(16.4)	(2.7)	(12.5)	(55.1)	100.0	2
Residence												
Urban	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	2
Rural	(61.8)	(35.3)	(0.0)	(3.0)	100.0	(19.6)	(22.1)	(3.5)	(6.9)	(48.0)	100.0	4
Mother's age at birth												
Less than 20	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
20-34	(52.8)	(36.5)	(7.9)	(2.8)	100.0	(27.5)	(20.1)	(1.4)	(11.3)	(39.8)	100.0	4
35-49	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Place of delivery												
Home	56.3	36.3	5.0	2.5	100.0	18.5	30.1	1.2	7.8	42.3	100.0	4
Health facility	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Public	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Private	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
Type of delivery												
Vaginal birth	51.9	40.5	5.6	2.0	100.0	24.8	29.5	2.3	7.9	35.4	100.0	6
Education												
None	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
Non-formal	(75.2)	(24.8)	(0.0)	(0.0)	100.0	(8.5)	(20.4)	(5.8)	(6.5)	(58.9)	100.0	2
Primary	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
Secondary	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Higher	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
Wealth index quintile												
Poorest	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Second	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Middle	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	
Fourth	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	1
Richest	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	2
Ethnicity of household he	ead											
Hausa	49.3	42.7	5.9	2.1	100.0	26.1	29.0	2.5	8.4	34.0	100.0	5
Igbo												
Yoruba												
Other ethnics groups	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	100.0	

Table RH.17: Post-natal health checks for mothers and newborns

Percent distribution of women age 15-49 years with a live birth in the last two years by post-natal health checks for the mother and newborn, within two days of the most recent birth, Nigeria, 2016-17 Kano State

-	Post-natal	health checks w	ithin two days of	birth for:		Number of women		
	Both mothers and newborns	Mothers only	Newborns only	Neither mother nor newborn	Total	Number of women with a live birth in the last two years		
Total	13.1	4.3	4.4	78.3	100.0	1087		
Senatorial District								
Kano Central	21.6	7.9	4.7	65.8	100.0	393		
Kano North	7.9	1.9	5.5	84.7	100.0	314		
Kano South	8.5	2.5	3.2	85.8	100.0	380		
Residence								
Urban	31.8	10.7	2.8	54.7	100.0	239		
Rural	7.8	2.5	4.8	84.9	100.0	847		
Mother's age at birth								
Less than 20	9.4	3.5	2.9	84.3	100.0	190		
20-34	13.4	4.7	5.1	76.9	100.0	695		
35-49	15.5	3.8	3.4	77.3	100.0	202		
Place of delivery								
Home	3.9	3.1	4.7	88.4	100.0	913		
Health facility	62.5	11.0	2.9	23.6	100.0	170		
Public	57.9	12.1	3.6	26.4	100.0	136		
Private	(80.7)	(6.7)	(0.0)	(12.6)	100.0	34		
Other/Don't Know/Missing	0.0	0.0	0.0	100.0	100.0	3		
Type of delivery								
Vaginal birth	12.6	3.9	4.4	79.1	100.0	1076		
C-section	(*)	(*)	(*)	(*)	100.0	11		
Education								
None	6.4	2.0	4.4	87.3	100.0	196		
Non-formal	6.6	2.1	4.2	87.1	100.0	533		
Primary	13.6	2.7	5.9	77.8	100.0	165		
Secondary	30.1	16.0	3.5	50.3	100.0	162		
Higher	(77.5)	(3.9)	(4.0)	(14.7)	100.0	30		
Wealth index quintile								
Poorest	4.6	2.5	3.8	89.0	100.0	234		
Second	7.5	.8	4.9	86.8	100.0	228		
Middle	5.1	1.7	5.1	88.0	100.0	237		
Fourth	12.2	6.3	4.6	76.9	100.0	218		
Richest	44.5	12.5	3.2	39.8	100.0	169		
Ethnicity of household head	d							
Hausa	12.8	4.0	4.3	78.9	100.0	1066		
Igbo	(*)	(*)	(*)	(*)	100.0	2		
Yoruba	(*)	(*)	(*)	(*)	100.0	3		
Other ethnics groups	(*)	(*)	(*)	(*)	100.0	14		

Early Childhood Care and Education

Percentage of children age 36-59 more 2016-17 Kano State	nths who are attending an organized early childh	ood education programme, Nigeria,
	Percentage of children age 36-59 months	
	attending early childhood education ¹	Number of children age 36-59 months
Total	18.1	1023
i otai	10.1	1023
Senatorial District		
Kano Central	25.7	392
Kano North	14.8	259
Kano South	12.4	371
Sex		
Male	18.2	511
Female	18.0	512
Residence		
Urban	29.9	251
Rural	14.3	771
Age of child		
36-47 months	10.0	522
48-59 months	26.6	500
Mother's education		
None	11.9	188
Non-formal	14.7	535
Primary	17.7	123
Secondary	27.4	139
Higher	(65.4)	37
Wealth index quintile		
Poorest	11.2	223
Second	11.0	230
Middle	11.6	201
Fourth	21.1	182
Richest	39.2	187
Ethnicity of household head		
Hausa	18.0	1009
Igbo	(*)	2
Yoruba	(*)	
Other ethnic group	(*)	12

Quality of Care

Table CD.2: Support for learning

		Mean number	Percen children li the	iving with	of	Percentage of children with whom biological I fathers have engaged in four w or more activities ²	Moon number /	Number of	Percentage of children with		Number of children age 36-
	household members have engaged in four or more activities ¹	of activities with adult household members	Biological father	Biological mother	children age 36- 59 months		of activities with biological	59 months living	whom biological mothers have engaged in four or more activities ³	of activities with biological	59 months living with their biological mothers
Total	62.6	3.8	92.6	95.0	1023	7.8	0.9	947	20.4	1.7	972
Senatorial District											
Kano Central	70.9	4.2	91.3	96.2	392	7.1	0.8	358	22.7	1.9	378
Kano North	54.4	3.5	96.6	96.5	259	11.2	1.2	2 250	18.9	1.7	250
Kano South	59.6	3.7	91.3	92.8	371	6.2	0.7	339	18.9	1.5	345
Sex											
Male	61.7	3.8	93.5	95.0	511	8.3	0.9	9 477	16.9	1.5	485
Female	63.5	3.9	91.7	95.1	512	7.3	0.9	9 470	23.8	1.9	487
Residence											
Urban	73.2	4.4	92.6	96.9	251	6.2	0.9	233	29.4	2.4	243
Rural	59.2	3.7	92.6	94.4	771	8.3	0.9	714	17.4	1.5	728
Age (Months)											
36-47	64.1	3.9	92.8	95.5	522	8.5	0.9	485	20.8	1.7	499
48-59	61.1	3.8	92.4	94.5	500	7.1	0.8	3 462	19.9	1.7	473
Mother's education ^a											
None	48.3	3.3	92.3	94.3	188	5.2	0.7	7 174	21.4	1.6	5 177
Non-formal	62.0	3.8	92.0	94.1	535	7.9	0.8	3 492	15.6	1.4	503
Primary	60.3	3.7	94.7	97.0	123	3.3	0.9) 117	18.0	1.7	120
Secondary	78.3	4.6	91.7	97.5	139	10.6	1.0) 128	30.2	2.3	136
Higher	(94.2)	5.3	(100.0)	(97.0)	37	(25.2)	1.7	37	(54.2)	3.5	36

	Percentage of children with whom adult	Mean number	childre	ntage of en living their:	Number of	Percentage of children with		Number of	Percentage of children with		Number of children age 36
	household members have engaged in four or more activities ¹	of activities with adult household members	Biologic al father	Biological mother	children age 36- 59 months	whom biological fathers have engaged in four or more activities ²	of activities with biological	children age 36- 59 months living with their biological fathers	whom biological mothers have engaged in four or more activities ³	of activities with biological	59 months livin with their biological mothers
ather's education											
None	45.3		100.0		76	4.8			17.6		
Non-formal	59.3		100.0	-	457	6.5			18.7	-	
Primary	56.3		100.0		131	6.4	-		26.9	-	
Secondary	66.8		100.0	-	161	12.5		-	18.9		
Higher	84.8	4.8	100.0	96.9	117	13.1	1.3	117	29.8	2.4	11
Missing/Don't Know	75.1	4.2	100.0	100.0	5	0.0	0.2	5	23.8	2.1	
Vealth index quintile											
Poorest	48.4	3.3	93.2	93.3	223	6.0	0.7	208	15.1	1.3	20
Second	55.0	3.4	89.9	96.4	230	6.4	0.8	206	14.7	1.3	
Middle	60.9	3.7	90.7	93.8	201	5.9	0.8	182	14.6	1.4	18
Fourth	67.3	4.2	96.9	96.2	182	9.0	1.0	176	23.3	1.9	17
Richest	86.3	4.9	93.1	95.8	187	12.7	1.1	174	37.1	2.8	17
thnicity of household	l head										
Hausa	62.5	3.8	92.8	95.0	1009	7.8	0.9	935	20.2	1.7	95
Igbo	(*)	6.0	(*)	(*)	2	(*)	1.2	2	(*)	2.4	
Yoruba	(*)	6.0	(*)	(*)	1	(*)	5.5		(*)	4.5	
Other ethnic group	(*)	4.0	(*)	(*)	12	(*)	0.7	9	(*)	1.8	1

¹ MICS indicator 6.2 - Support for learning

² MICS Indicator 6.3 - Father's support for learning

³ MICS Indicator 6.4 - Mother's support for learning

na: not applicable

^a The background characteristic "Mother's education" refers to the education level of the respondent to the Questionnaire for Children Under Five, and covers both mothers and primary caretakers, who are interviewed when the mother is not listed in the same household. Since indicator 6.4 reports on the biological mother's support for learning, this background characteristic refers to only the educational levels of biological mothers when calculated for the indicator in question.

() Sample data are based on 25-49 unweighted cases

Table CD.3: Learning materials

Percentage of children under age 5 by numbers of children's books present in the household, and by playthings that child plays with, Nigeria, 2016-17 Kano State

_	Percentage of ch in households th the chil	hat have for		Percentage of chil	dren who play	with:	
	3 or more children's books ¹	10 or more children's books	Hom emad e toys	Toys from a shop /manufactured toys	Household objects/obje cts found outside	Two or more types of playthings ²	Number of children under age 5
Total	1.6	0.1	54.1	30.2	65.1	52.7	2559
Senatorial District							
Kano Central	3.9	0.1	60.0	43.8	63.5	58.3	962
Kano North	0.4	0.0	53.2	21.3	66.0	52.2	693
Kano South	0.3	0.0	48.5	22.5	66.2	47.1	904
Sex							
Male	1.6	0.1	54.0	29.8	66.0	53.4	1293
Female	1.7	0.1	54.2	30.6	64.2	52.0	1266
Residence							
Urban	5.9	0.2	59.8	51.2	60.4	58.5	603
Rural	0.3	0.0	52.3	23.7	66.6	50.9	1956
Age (Months)							
0-23	0.3	0.0	35.0	20.0	44.1	32.2	1052
24-59	2.6	0.1	67.4	37.3	79.8	67.0	1507
Mother's education							
None	0.0	0.0	48.8	15.0	63.4	45.5	452
Non-formal	0.4	0.0	54.6	24.3	68.0	52.9	1298
Primary	1.3	0.0	50.2	30.5	61.9	48.9	352
Secondary	5.9	0.2	61.7	57.6	62.7	61.4	379
Higher	13.1	0.9	61.1	82.1	52.6	65.8	77
Missing/Don't	0.0	0.0	100.0	0.0	100.0	100.0	1
Know Wealth index quintil							
Poorest	0.0	0.0	43.9	13.5	65.1	41.6	530
Second	0.0	0.0	43.9 51.4	16.2	65.9	41.0	559
Middle	0.2	0.0	55.7	25.8	67.3	43.4 54.1	529
Fourth	0.4	0.0	58.6	37.7	64.3	56.5	487
Richest	7.8	0.0	62.7	64.0	62.4	63.9	455
Ethnicity of househousehousehousehousehousehousehouse		0.0	52.1	04.0	02.4	00.9	-00
Hausa	1.5	0.1	54.3	30.0	65.2	52.7	2514
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	9
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	4
Other ethnic group	(*)	(0.0)	() (43.6)	(33.5)	(56.3)	(48.5)	31
	¹ N			lity of children's boo ability of playthings			

() Sample data are based on 25-49 unweighted cases

Table CD.4: Inadequate care

Percentage of children under age 5 left alone or left in the care of another child younger than 10 years of age for more than one hour at least once during the past week, Nigeria, 2016-17 Kano State

		Percentage of children under age 5	:	
	Left alone in the	Left in the care of another child younger than 10 years of age in the	Left with inadequate care in the past	Number of children under
	past week	past week	week ¹	age 5
Total	19.1	16.9	21.9	255
Senatorial District				
Kano Central	21.4	18.0	24.1	962
Kano North	15.5	14.9	17.8	693
Kano South	19.5	17.3	22.7	904
Sex				
Male	20.4	18.1	23.4	1293
Female	17.8	15.6	20.3	126
Residence				
Urban	19.5	14.4	20.6	603
Rural	19.0	17.7	22.3	1950
Age (Months)				
0-23	8.3	7.8	9.7	1052
24-59	26.7	23.3	30.4	150
Mother's education				
None	22.0	18.8	24.5	452
Non-formal	19.4	18.7	23.1	1298
Primary	14.6	10.2	15.3	352
Secondary	18.5	14.2	20.4	379
Higher	21.4	19.9	23.6	7
Missing/Don't Know Wealth index quintile	0.0	0.0	0.0	
Poorest	19.2	16.4	21.6	530
Second	17.4	18.6	21.3	559
Middle	15.7	15.1	19.0	529
Fourth	20.3	16.3	23.3	48
Richest	23.9	18.1	24.9	45
Ethnicity of household head				
Hausa	19.1	16.9	21.7	251
Igbo	(*)	(*)	(*)	9
Yoruba	(*)	(*)	(*)	
Other ethnic group	(22.7)	(16.5)	(33.5)	3

¹ MICS indicator 6.7 - Inadequate care

() Sample data are based on 25-49 unweighted cases

Developmental Status of Children

Table CD.5: Early child development index

Percentage of children age 36-59 months who are developmentally on track in literacy-numeracy, physical, social-emotional, and learning domains, and the early child development index score, Nigeria, 2016-17 Kano State

			e 36-59 months for indicated de		Early child	Number of children age
	Literacy- numeracy	Physical	Social- Emotional	Learning	development index score ¹	36-59 months
Total	15.6	91.0	76.0	81.4	61.0	102
Senatorial District						
Kano Central	21.2	93.2	78.8	82.9	68.6	39
Kano North	12.3	89.7	76.1	68.0	51.3	25
Kano South	12.1	89.5	72.9	89.1	59.9	37
Sex						
Male	14.8	89.9	73.7	82.8	60.0	51
Female	16.4	92.1	78.2	80.0	62.0	51
Residence						
Urban	27.4	95.4	79.9	85.2	75.2	25
Rural	11.8	89.5	74.7	80.2	56.4	77
Age (Months)						
36-47	8.3	90.3	78.3	77.2	58.0	52
48-59	23.3	91.7	73.6	85.8	64.2	50
Attendance to early childhood educa	ntion					
Attending	47.4	91.9	64.6	92.9	72.0	18
Not attending	8.6	90.8	78.5	78.9	58.6	83
Mother's education						
None	8.9	84.8	79.0	74.9	51.7	18
Non-formal	11.1	90.5	72.6	82.0	56.5	53
Primary	15.6	93.0	82.1	81.8	70.5	12
Secondary	33.3	97.1	76.9	85.6	76.5	13
Higher	(49.5)	(100.0)	(84.8)	(89.1)	(83.9)	3
Wealth index quintile						
Poorest	6.6	89.5	71.4	74.5	45.8	22
Second	6.6	89.3	72.7	78.9	53.7	23
Middle	13.8	91.2	83.0	82.8	67.5	20
Fourth	17.2	91.4	75.1	85.5	65.9	18
Richest	37.9	94.2	78.6	87.3	76.5	18
Ethnicity of household head						
Hausa	15.5	90.9	76.3	81.3	61.0	100
Igbo	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(*)	(*)	(*)	(*)	(*)	1

() Sample data are based on 25-49 unweighted cases

Literacy and Education Χ.

Literacy among Young Women and Men

Percentage of women age 15-24 ye	Percentage literate ¹	Percentage not known	Number of women age 15-24 years
Total	46.1	4.6	1017
Senatorial District			
Kano Central	72.3	3.6	465
Kano North	72.3 26.1	3.6 0.9	400
Kano South	20.1	0.9 8.5	323
Residence	22.0	0.0	523
Urban	89.7	0.0	328
Rural	25.4	6.7	689
Education	20.1	0.1	
None	0.0	0.0	116
Non-formal	0.3	12.6	336
Primary	14.7	3.6	114
Secondary	100.0	0.0	421
Higher	(100.0)	(*)	31
Age (Years)			
15-19	55.3	5.3	586
20-24	33.7	3.6	431
Wealth index quintile			
Poorest	3.4	4.8	143
Second	11.4	11.9	158
Middle	22.4	5.8	212
Fourth	63.8	3.2	257
Richest	95.4	0.0	245
Ethnicity of household head			
Hausa	44.7	4.7	983
Igbo	(*)	(*)	2
Yoruba	(*)	(*)	2
Other ethnic group	(*)	(*)	26

Table ED.1M: Literacy (young men)

	Percentage literate ¹	Percentage not known	Number of men age 15-24 years
Total	72.5	10.4	483
Senatorial District			
Kano Central	87.4	1.2	267
Kano North	69.4	4.6	88
Kano South	43.7	33.3	128
Residence			
Urban	93.3	1.1	205
Rural	57.2	17.2	278
Education			
None	(*)	(*)	3
Non-formal	4.6	51.8	85
Primary	13.9	9.0	57
Secondary	100.0	0.0	302
Higher	(100.0)	(0.0)	37
Age (Years)			
15-19	68.0	11.7	290
20-24	79.4	8.3	193
Wealth index quintile			
Poorest	30.7	41.0	70
Second	58.6	13.7	64
Middle	61.5	9.1	87
Fourth	87.3	3.8	118
Richest	93.8	0.0	143
Ethnicity of household head			
Hausa	72.2	10.5	477
Igbo			
Yoruba			
Other ethnic group	(*)	(*)	5

School Readiness

Table ED.2: School readiness

Percentage of children attending first grade of primary school who attended pre-school the previous year, Nigeria, 2016-17 Kano State

	Percentage of children attending first grade who attended preschool in previous year ¹	Number of children attending first grade of primary school
Total	23.8	320
Senatorial District		
Kano Central	27.8	144
Kano North	17.5	86
Kano South	23.3	91
Sex		
Male	23.9	160
Female	23.6	160
Residence		
Urban	36.1	84
Rural	19.4	237
Mother's education		
None	(5.3)	46
Non-formal	27.0	172
Primary	24.7	50
Secondary	(26.9)	45
Higher	(*)	7
Wealth index quintile		
Poorest	(18.4)	43
Second	12.2	58
Middle	30.3	74
Fourth	19.8	80
Richest	35.2	65
Ethnicity of household head		
Hausa	24.0	317
Igbo	(*)	2
Yoruba		
Other ethnic group	(*)	2

Primary and Secondary School Participation

Table ED.3: Primary school		
Percentage of children of primary sc	hool entry age entering grade 1 (net intake rate), Nigeria, 2	2016-17 Kano State
	Percentage of children of primary school entry age entering grade 1 ¹	Number of children of primary school entry age
Total	35.4	543
Senatorial District		
Kano Central	45.4	207
Kano North	29.1	156
Kano South	29.3	180
Sex		
Male	34.3	275
Female	36.5	268
Residence		
Urban	34.3	275
Rural	36.5	268
Mother's education		
None	26.8	98
Non-formal	31.7	293
Primary	39.7	77
Secondary	54.4	61
Higher	(*)	13
Wealth index quintile		
Poorest	14.0	116
Second	31.7	131
Middle	36.9	110
Fourth	44.9	97
Richest	56.3	89
Ethnicity of household head		
Hausa	35.6	534
Igbo		
Yoruba		
Other ethnic group	(*)	9

Table ED.4: Primary school attendance and out of school children

Percentage of children of primary school age attending primary or secondary school (adjusted net attendance ratio), percentage attending preschool, and percentage out of school, Nigeria, 2016-17 Kano State

_			Male				Female						Total					
	e G	Perce	entage of	children:			e 	Perc	entage of	f children	<u> </u>		e —	Perc	centage of	of children:	<u>. </u>	
	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted) Not	attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted) ¹	attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of
Total	56.7	16.9	5.1	21.3	22.0	1320	53.0	16.3	3.2	27.4	19.6	1367	54.8	16.6	4.1	24.4	20.8	268
Senatorial District																		
Kano Central	67.1	12.1	8.9	12.0	21.0	526	68.8	11.7	3.9	15.6	15.6	549	67.9	11.9	6.3	13.8	18.3	107
Kano North	53.3	22.6	3.1	20.9	25.7	373	44.3	23.7	3.5	28.4	27.2	376	48.8	23.2	3.3	24.7	26.5	74
Kano South	46.7	17.9	2.0	33.3	20.0	420	40.9	15.8	2.1	41.2	17.9	442	43.7	16.8	2.1	37.4	18.9	86
Residence																		
Urban	69.6	12.4	11.2	6.9	23.5	332	76.1	11.5	4.1	8.3	15.6	339	72.9	11.9	7.6	7.6	19.5	67
Rural	52.4	18.5	3.0	26.1	21.5	988	45.4	17.9	2.9	33.7	20.9	1028	48.8	18.2	3.0	30.0	21.2	201
Age at beginning of so	hool year																	
6	35.7	25.5	12.6	26.2	38.1	275	37.3	20.8	11.5	30.4	32.3	268	36.5	23.2	12.0	28.2	35.2	54
7	44.8	21.9	8.0	25.3	29.9	264	49.5	19.8	4.0	26.7	23.8	239	47.1	20.9	6.1	25.9	27.0	50
8	64.9	11.2	3.3	20.5	14.6	225	59.6	12.5	1.1	26.8	13.5	235	62.2	11.9	2.2	23.7	14.0	46
9	74.0	10.6	0.0	15.4	10.6	195	59.7	16.8	0.0	23.4	16.8	196	66.9	13.7	0.0	19.4	13.7	39
10	63.4	14.6	1.2	20.8	15.8	237	54.0	13.4	0.4	32.3	13.7	265	58.4	14.0	0.7	26.9	14.7	50
11	73.6	12.0	0.7	13.6	12.8	124	64.7	13.9	0.0	21.4	13.9	164	68.6	13.1	0.3	18.0	13.4	28
Mother's education																		
None	47.9	35.1	4.3	12.7	39.4	284	36.2	43.3	1.6	18.9	44.9	267	42.2	39.1	3.0	15.7	42.1	55
Non-formal	52.6	12.0	2.8	32.6	14.8	695	48.0	11.0	2.4	38.6	13.4	755	50.2	11.5	2.6	35.7	14.0	145
Primary	67.7	16.7	6.2	9.4	22.9	170	70.0	11.3	4.8	13.9	16.1	179	68.9	13.9	5.5	11.7	19.4	35
Secondary	77.3	8.1	13.1	1.4	21.2	146	84.0	3.4	7.4	5.1	10.9	138	80.6	5.9	10.4	3.2	16.2	28
Higher	(76.4)	(0.0)	(23.6)	(0.0)	(23.6)	23	(89.1)	(0.0)	(10.9)	(0.0)	(10.9)	26	83.1	0.0	16.9	0.0	16.9	4

Table ED.4: Primary school attendance and out of school children (continued)

Percentage of children of primary school age attending primary or secondary school (adjusted net attendance ratio), percentage attending preschool, and percentage out of school, Nigeria, 2016-17 Kano State

_			Male						Female						Total			
	e fi	Perc	centage o	of children	:		e 🙃	Perce	ntage of	children	:		8. []-	Perc	entage of	children:		
	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted)	attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted) ¹	Not attending school or preschool	Attending preschool	Attending non formal education	Out of school ^a	Number of
Fotal	56.7	7 16.9	5.1	21.3	22.0	1320	53.0	16.3	3.2	27.4	19.6	1367	54.8	16.6	4.1	24.4	20.8	268
Wealth index quintile																		
Poorest	29.0) 31.9	1.2	37.9	33.1	276	22.0	28.6	2.0	47.4	30.6	301	25.4	30.2	1.6	42.8	31.8	57
Second	50.9	9 15.0	2.7	31.4	17.7	283	43.2	16.7	1.6	38.4	18.3	304	46.9	15.9	2.1	35.1	18.0	58
Middle	61.4	16.2	3.0	19.4	19.2	280	52.0	14.7	3.6	29.7	18.2	272	56.8	15.4	3.3	24.5	18.7	55
Fourth	71.2	2 13.3	5.3	10.2	18.7	252	68.4	15.8	3.7	12.1	19.5	249	69.8	14.5	4.5	11.1	19.1	50
Richest	75.7	6.1	14.9	3.3	21.0	228	89.3	3.1	5.8	1.8	8.9	241	82.7	4.6	10.2	2.5	14.8	46
Ethnicity of household he	ad																	
Hausa	57.0) 17.0	4.9	21.1	21.9	1294	53.1	16.4	3.1	27.4	19.5	1347	55.0	16.7	4.0	24.3	20.7	264
Igbo	(*)) (*)	(*)	(*)	(*)	3	(*)	(*)	(*)	(*)	(*)	2	(*)	(*)	(*)	(*)	(*)	1
Yoruba	(*)) (*)	(*)	(*)	(*)	1	(*)	(*)	(*)	(*)	(*)	1	(*)	(*)	(*)	(*)	(*)	-
Other ethnic group	(33.5)) (12.6)	(18.1)	(35.8)	(30.7)	21	(*)	(*)	(*)	(*)	(*)	17	(40.2)	(14.7)	(13.9)	(31.2)	(28.6)	39

^a The percentage of children of primary school age out of school are those not attending school and those attending preschool

() Sample data are based on 25-49 unweighted cases

Table ED.5: Secondary school attendance and out of school children

Percentage of children of secondary school age attending secondary school or higher (adjusted net attendance ratio), percentage attending primary school, and percentage out of school, Nigeria, 2016-17 Kano State

			Male					Female					Total		
	Net attendance ratio (adjusted)	Perce Attending primary school	ntage of child Percentage of children: Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted)	Perce Attending primary school	ntage of child Percentage of children: Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted) ¹	Perce Attending primary school	ntage of child Percentage of children: Attending non formal education	Iren: Out of school ^a	- Number of children
Total	45.3	20.3	16.6	17.8	954	39.3	16.4	18.9	25.2	967	42.3	18.3	17.7	21.5	1922
Senatorial District															
Kano Central	55.9	19.5	10.6	14.0	458	56.5	17.4	11.7	14.4	488	56.2	18.4	11.2	14.2	947
Kano North	39.5	24.4	13.5	22.6	218	20.2	14.1	23.8	40.8	211	30.0	19.3	18.6	31.6	429
Kano South	32.4	18.5	28.7	20.4	279	22.9	16.4	28.0	32.3	268	27.7	17.5	28.4	26.2	546
Residence															
Urban	64.7	18.7	4.5	12.1	328	69.2	15.1	4.6	11.0	338	67.0	16.9	4.5	11.5	666
Rural	35.1	21.1	22.9	20.8	627	23.1	17.1	26.5	32.7	629	29.1	19.1	24.7	26.8	1256
Age at beginning of scho	ol year														
12	29.4	43.7	14.2	12.7	209	20.5	38.8	25.6	15.1	219	24.9	41.2	20.0	13.9	428
13	34.2	31.7	21.9	12.2	168	37.9	19.2	22.9	19.2	186	36.1	25.1	22.4	15.9	354
14	53.3	13.5	13.5	19.8	165	40.5	12.1	21.8	25.2	171	46.8	12.8	17.7	22.5	336
15	50.2	9.4	18.1	22.4	181	43.5	6.0	16.7	33.8	152	47.1	7.8	17.5	27.6	333
16	56.2	7.0	15.4	21.5	113	57.3	4.5	9.3	28.8	115	56.7	5.7	12.3	25.2	228
17	60.4	1.7	16.2	21.7	117	50.9	2.5	8.3	37.7	124	55.5	2.1	12.1	29.9	241
Mother's education															
None	32.7	25.8	14.3	27.2	177	34.1	19.8	11.9	33.1	159	33.3	23.0	13.1	30.0	335
Non-formal	38.0	20.5	25.2	16.3	467	32.0	19.1	33.0	16.0	417	35.2	19.8	28.9	16.1	884
Primary	54.5	27.6	1.5	16.4	116	56.4	21.3	6.8	14.9	108	55.4	24.5	4.1	15.7	224
Secondary	75.0	10.4	3.3	11.3	84	76.6	15.9	.9	6.6	99	75.8	13.4	2.0	8.8	183
Higher	(87.8)	(10.0)	(0.0)	(2.2)	32	(56.1)	(17.9)	(6.7)	(19.3)	25	73.9	13.5	2.9	9.7	57
Cannot be determined ^b	54.3	11.1	13.4	21.1	78	26.2	2.8	10.0	60.6	160	35.4	5.5	11.1	47.6	238

Table ED.5: Secondary school attendance and out of school children (continued)

Percentage of children of secondary school age attending secondary school or higher (adjusted net attendance ratio), percentage attending primary school, and percentage out of school, Nigeria, 2016-17 Kano State

			Male					Female					Total		
		Perce	ntage of child	lren:			Perce	ntage of child	ren:	-		Perce	ntage of child	Iren:	-
	Net attendance ratio (adjusted)	Attending primary school	Percentage of children: Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted)	Attending primary school	Percentage of children: Attending non formal education	Out of school ^a	Number of children	Net attendance ratio (adjusted) ¹	Attending primary school	Percentage of children: Attending non formal education	Out of school ^a	Number of children
Total	45.3	20.3	16.6	17.8	954	39.3	16.4	18.9	25.2	967	42.3	18.3	17.7	21.5	1922
Wealth index quintile															
Poorest	15.3	16.2	36.7	31.7	182	2.6	9.5	42.6	44.5	159	9.4	13.1	39.5	37.7	341
Second	30.4	25.1	22.4	22.0	165	11.3	20.1	35.7	31.9	173	20.6	22.6	29.2	27.1	338
Middle	43.3	24.5	16.3	15.9	188	29.7	16.7	23.0	30.6	165	36.9	20.9	19.4	22.8	354
Fourth	54.2	23.3	7.4	15.1	214	53.4	19.5	5.3	21.5	212	53.8	21.4	6.4	18.3	426
Richest	76.4	13.1	3.7	6.7	205	75.3	15.4	1.2	8.2	258	75.8	14.4	2.3	7.5	463
Ethnicity of household	head														
Hausa	44.9	20.4	16.6	18.0	932	38.5	16.8	19.0	25.5	931	41.7	18.6	17.8	21.7	1863
Igbo	(*)	(*)	(*)	(*)	5	(*)	(*)	(*)	(*)	4	(*)	(*)	(*)	(*)	10
Yoruba	(*)	(*)	(*)	(*)	3	(*)	(*)	(*)	(*)	3	(*)	(*)	(*)	(*)	6
Other ethnic group	(*)	(*)	(*)	(*)	14	(59.3)	(5.4)	(13.6)	(21.7)	29	(61.5)	(7.9)	(13.1)	(17.5)	43

¹ MICS indicator 7.5 - Secondary school net attendance ratio (adjusted)

^a The percentage of children of secondary school age out of school are those who are not attending primary, secondary, or higher education

^b Children age 15 or higher at the time of the interview whose mothers were not living in the household

() Sample data are based on 25-49 unweighted cases

Table ED.6: Children re			ast grade of primary schoo	l (Survival rate to last grade of r	rimary school), Nigeria, 2016-17	Kano State
		Percent attending grade 2 last school year who are attending grade 3 this school year	Percent attending grade 3	Percent attending grade 4 last	Percent attending grade 5 last school year who are attending grade 6 this school year	Percent who reach grade 6 of those who enter grade 1 ¹
Total	98.7	99.8	98.3	97.9	98.6	93.
Senatorial District						
Kano Central	98.5	100.0	98.2	2 100.0	98.1	94.
Kano North	100.0		97.5			
Kano South	98.0	99.3	99.2	2 97.1	100.0	
Sex						
Male	98.7	100.0	98.9	98.4	100.0	96.
Female	98.8		97.6			
Residence						
Urban	97.6	100.0	96.7	7 98.9	97.2	90.
Rural	99.4		99.3			
Mother's education						
None	100.0	100.0	98.2	2 89.7	100.0	88.
Non-formal	98.7		100.0		100.0	
Primary	96.1	100.0	95.3	3 100.0	90.8	
Secondary	100.0		97.0			
Higher	100.0	100.0	100.0) 100.0	100.0	100.
Wealth index quintile						
Poorest	100.0	100.0	94.4	4 89.0	100.0	84.
Second	97.8	100.0	100.0) 97.7	100.0	95.
Middle	96.4	100.0	94.7	7 100.0	100.0	91.3
Fourth	100.0	99.2	100.0	97.5	95.6	92.4
Richest	100.0	100.0	100.0) 100.0	100.0	100.
Ethnicity of household head						
Hausa	98.7	99.8	98.3	3 97.9	98.6	93.
Igbo						
Yoruba						
Other ethnic group	100.0	100.0	100.0) 100.0	100.0	100.
		¹ MICS indicator 7.6.1	MDG indicator 2.2 - Childre	n reaching last grade of primary		

	Primary school completion rate ¹	Number of children of primary school completion age	Transition rate to secondary school ²	Number of children who were in the last grade of primary school the previous year	Effective transition rate to secondary school	Number of children who were in the las grade of primary school the previous year and are not repeating that grade in the current school year
Total	56.9	288	39.7	196	57.4	13
Senatorial District						
Kano Central	60.1	137	39.0	118	51.3	8
Kano North	67.7	70	44.5		(78.6)	
Kano South	42.1	81	(36.5)		(*)	
Sex			. ,			
Male	66.5	124	39.3	103	56.7	7
Female	49.7	164	40.2		58.1	
Residence						
Urban	57.5	96	37.5	92	48.9	7
Rural	56.6	191	41.7	104	66.4	
Mother's education						
None	36.6	66	(*)	23	(*)	1
Non-formal	59.0	140	48.7		65.7	6
Primary	(50.3)	44	(29.0)	33	(*)	1
Secondary	(67.7)	34	(*)	29	(*)	
Higher	(*)	4	(*)	3	(*)	
Wealth index quintile						
Poorest	(30.7)	44	(*)	9	(*)	1
Second	52.9	62	(30.1)		(*)	1
Middle	59.0	54	(46.0)		(61.9)	3
Fourth	76.2	64	39.3		(59.4)	
Richest	57.8	64	44.3	58	(56.6)	4
Ethnicity of household he						
Hausa	57.5	281	39.5	194	57.0	13
Igbo						
Yoruba						
Other ethnic group	(*)	7	(*)	2	(*)	

		Primary school			Secondary school	
	Primary school	Primary school		Secondary school	Secondary school	
	adjusted net attendance ratio (NAR), girls	adjusted net attendance ratio (NAR), boys	Gender parity index (GPI) for primary school adjusted NAR ¹	adjusted net attendance ratio (NAR), girls	adjusted net attendance ratio (NAR), boys	Gender parity index (GPI) for secondary school adjusted NAR
Fotal	53.0	56.7	0.93	39.3	45.3	3.0
Senatorial District						
Kano Central	68.8	67.1	1.03	56.5	55.9	1.0
Kano North	44.3	53.3	0.83	20.2	39.5	0.5
Kano South	40.9	46.7	0.87	22.9	32.4	0.7
Residence						
Urban	76.1	69.6	1.09	69.2	64.7	1.0
Rural	45.4	52.4	0.87	23.1	35.1	0.0
Nother's education						
None	36.2	47.9	0.75	34.1	32.7	1.(
Non-formal	48.0	52.6	0.91	32.0	38.0	0.8
Primary	70.0	67.7	1.03	56.4	54.5	1.(
Secondary	84.0	77.3	1.09	76.6	75.0	1.0
Higher	89.1	76.4	1.17	56.1	87.8	0.0
Cannot be determined ^a	54.9	na	na	26.2	54.3	0.4
Nealth index quintile						
Poorest	22.0	29.0	0.76	2.6	15.3	0.1
Second	43.2	50.9	0.85	11.3	30.4	0.3
Middle	52.0	61.4	0.85	29.7	43.3	0.
Fourth	68.4	71.2	0.96	53.4	54.2	0.
Richest	89.3	75.7	1.18	75.3	76.4	0.
Ethnicity of household head						
Hausa	53.1	57.0	0.93	38.5	44.9	0.8
Igbo	50.0	100.0	0.50	75.0	46.6	1.
Yoruba	0.0	100.0	0.00	40.3	70.7	0.
Other ethnic group	48.5	33.5	1.44	59.3	66.1	0.1
	¹ MICS	indicator 7.9; MDG indic	cator 3.1 - Gender parity index ator 3.1 - Gender parity index			

Table ED.9: Out of school gender parity

Percentage of girls in the total out of school population, in primary and secondary school, Nigeria, 2016-17 Kano State

		Prin	nary school			Seco	ondary school	
		Number of	Percentage of girls in the total out of school	Number of	Percentage	Number of	Percentage of girls in	Number of children of
	Percentage of out of school		population of primary	children of primary school	of out of school	children of secondary	the total out of school population of	secondary school age or
	children	school age	school age	age out of school	children	school age	secondary school age	of school
Total	20.8	2687	48.0	558	21.5	1922	58.9	41
Senatorial District								
Kano Central	18.3	1075	43.7	196	14.2	947	52.3	13
Kano North	26.5	749	51.6	198	31.6	429	63.7	13
Kano South	18.9	862	48.6	163	26.2	546	60.4	14
Residence								
Urban	19.5	671	40.4	131	11.5	666	48.6	7
Rural	21.2	2015	50.3	427	26.8	1256	61.2	33
Nother's education								
None	42.1	551	51.7	232	30.0	335	52.2	10
Non-formal	14.0	1450	49.6	204	16.1	884	46.7	14
Primary	19.4	350	42.5	68	15.7	224	(45.7)	3
Secondary	16.2		(32.5)		8.8	183		1
Higher	16.9		(*)	8	9.7	57	(*)	
Cannot be determined ^a	(*)	3			47.6	238	85.4	11
Nealth index quintile								
Poorest	31.8	577	50.2	183	37.7	341	55.2	12
Second	18.0	587	52.7	106	27.1	338	60.3	ç
Middle	18.7	552	48.0	103	22.8	354	62.8	8
Fourth	19.1		50.7		18.3	426	58.3	
Richest	14.8	469	31.0	69	7.5	463	(60.4)	3
Ethnicity of household hea	ad							
Hausa	20.7	2641	48.0	546	21.7	1863	58.5	40
Igbo	(*)	5	(*)	1	(*)	10	(*)	
Yoruba	(*)	3			(*)	6		
Other ethnic group	(28.6)	39	(*)	11	(17.5)	43	(*)	

() Sample data are based on 25-49 unweighted cases

XI.Child Protection

Birth Registration

Table CP.1: Birth registration

Percentage of children under age 5 by whether birth is registered and percentage of children not registered whose mothers/caregivers know how to register birth, Nigeria, 2016-17 Kano State

		ildren under a egistered witl			Number	Children under age 5 whose birth not registered		
	Has bir Seen	th certificate	No birth certificate	Total registered ¹	of children under age 5	Percent of children whose mother /caretaker knows how to register birth	Number of children under age 5 without birth registratior	
Total	19.2	12.4	3.7	35.3	2559	22.0	1656	
Senatorial District								
Kano Central	30.9	17.7	6.4	55.1	962	30.9	432	
Kano North	11.6	10.7	2.0	24.3	693	22.3	525	
Kano South	12.6	8.2	2.0	22.7	904	16.3	699	
Sex	12.0	0.2	2.0		001	10.0	000	
Male	19.6	14.2	3.4	37.1	1293	21.7	813	
Female	18.8	10.7	4.0	33.4	1266	22.4	842	
Residence	10.0	10.7	4.0	00.4	1200	22.7	0-12	
Urban	36.1	22.4	7.8	66.3	603	38.9	203	
Rural	14.0	9.4	2.4	25.7	1956	19.7	1453	
Age (Months)	11.0	0.1	2	20.7	1000	10.1		
0-11	13.6	10.3	5.3	29.1	514	23.3	364	
12-23	18.4	14.2	3.7	36.3	538	22.3	342	
24-35	25.5	11.2	2.6	39.2	485	22.4	29	
36-47	18.6	13.6	3.0	35.2	522	20.2	339	
48-59	20.5	12.8	3.7	36.9	500	22.0	310	
Mother's education	20.0	12.0	0.7	00.0	000	22.0	010	
None	7.5	11.3	3.7	22.4	452	20.7	35'	
Non-formal	12.6	9.5	1.5	23.6	1298	19.7	99 [.]	
Primary	26.0	11.7	6.2	43.8	352	24.4	198	
Secondary	40.4	23.3	7.9	71.6	379	40.8	10	
Higher	63.8	18.3	7.4	89.5	77	(*)		
Missing/Don't Know	12.6	9.5	1.5	23.6	1298	19.7	99 [.]	
Wealth index quintile	12.0	0.0	1.0	20.0	1200	10.1		
Poorest	3.5	6.3	1.0	10.8	530	12.8	472	
Second	9.0	6.8	1.9	17.8	559	20.1	46	
Middle	12.6	11.4	3.8	27.8	529	22.3	38	
Fourth	30.7	14.9	4.2	49.8	487	33.1	24	
Richest	45.3	25.0	8.2	78.6	455	47.6	97	
Ethnicity of household hea		20.0	0.2				0.	
Hausa	19.2	12.4	3.4	35.1	2514	22.1	163	
Igbo	(*)	(*)	(*)	(*)	9	(*)		
Yoruba	(*)	(*)	(*)	(*)	4	(*)		
Other ethnic group	(12.2)	(4.9)	(28.5)	(45.6)	31	(15.9)	17	

() Sample data are based on 25-49 unweighted cases

Child Labour

Table CP.2: Children's involvement in economic activities

Percentage of children by involvement in economic activities during the last week, according to age groups, Nigeria, 2016-17 Kano State

	Percentage of children age 5- 11 years	Number	Percentage age 12-1 involv	4 years ed in:	Number		of children age involved in:	
	involved in economic activity for at least one hour	of children age 5-11 years	Economic activity less than 14 hours	Economic activity for 14 hours or more		Economic activity less than 43 hours	Economic activity for 43 hours or more	Number of children age 15-17 years
Total	45.2	3318	59.5	12.2	1115	71.4	0.6	81
Senatorial District								
Kano Central	31.8	1450	53.4	6.7	487	63.0	0.0	41
Kano North	49.6	842	59.3	17.7	272	69.1	2.6	180
Kano South	60.5	1026	68.0	15.6	355	89.4	0.0	21
Sex								
Male	47.5	1634	62.0	10.0	489	74.2	0.8	39
Female	43.0		57.5				0.3	41
Residence				-				
Urban	20.2	880	51.0	1.8	328	66.5	0.0	33
Rural	54.2		63.0	-			1.0	484
School attendance	0.12		0010					10
Yes	48.2	2608	60.6	11.4	969	72.6	0.2	550
No	34.0		52.3				1.4	26
Mother's education	04.0	110	02.0	17.0	140	00.0	1.4	200
None	47.6	626	79.0	6.5	192	79.1	0.0	132
Non-formal	51.0		58.7				1.0	333
Primary	48.8		63.2		-		0.0	60
Secondary	14.3		37.6				0.0	78
Higher	(14.8)		44.7				(0.0)	29
Cannot be						. ,	(0.0)	2.
determined ^a	na	na	na	na	na			
Wealth index quintile								
Poorest	54.2	731	70.4	13.0	196	90.8	1.2	11(
Second	62.3	-	60.4				1.4	170
Middle	54.3		61.8				0.5	15
Fourth	36.0		68.5			-	0.0	16
Richest	16.5	607	41.6	0.0	276	41.7	0.0	21(
Ethnicity of household								
head								
Hausa	44.9		59.9				0.6	792
Igbo	(*)				3		na	(
Yoruba	(*)		()	(*)	2	()	(*)	:
Other ethnic group	79.5	45	(39.6)	(38.5)	28	(*)	(*)	2
na: not applicable	19.5	<u> </u>	(00.0)	(00.0)	20	()		

Table CP.3: Children's involvement in household chores

	Percentage age 5-1 involv	1 years	Number of	age 12-	of children 14 years ved in:	Number of	•	of children I7 years ved in:	Numbe of
	Household	Household	children	Household	Household	children	Household	Household	childrer
	chores	chores for	age 5-	chores	chores for	age 12-	chores	chores for	age 15
	less than	28 hours	11	less than	28 hours	14	less than	43 hours	17
	28 hours	or more	years	28 hours	or more	years	43 hours	or more	years
Total	81.5	5.5	3318	81.6	3.8	1115	83.5	1.9	81
Senatorial District									
Kano Central	82.2	2.9	1450	78.8	1.4	487	76.6	0.5	418
Kano North	80.3	5.9	842	72.8	5.6	272	89.3	0.0	180
Kano South	81.5	8.9	1026	92.4	5.6	355	91.9	6.3	21
Sex	01.0	0.0	1020	02.1	0.0	000	0110	0.0	2.1
Male	81.9	4.1	1634	80.3	4.3	489	84.8	1.8	39
Female	81.1	6.9	1684	82.7	3.4	626	82.3	2.1	41
Residence	01.1	0.5	1004	02.7	0.4	020	02.0	2.1	
Urban	80.8	2.3	880	79.5	2.1	328	76.0	0.0	33
Rural	80.8 81.7	2.3 6.7	2439	79.5 82.6	4.5	526 786	88.6	3.2	48
School attendance	01.7	0.7	2400	02.0	4.5	700	00.0	5.2	40
	01 5	6.9	2600	82.1	2.4	060	00.4	1.0	
Yes No	81.5 81.6	6.9 .5	2608 710	78.6	3.1 8.1	969 146	82.4 85.8	1.3 3.2	55
	01.0	.5	710	70.0	0.1	140	00.0	3.2	26
Mother's education	04.0	5.0	000	00.0	0.0	400	70.0	0.0	40
None	84.3	5.2	626	92.0	6.0	192	76.8	0.0	13
Non-formal	80.0	6.3	1806	80.0	3.7	644	89.6	2.8	33
Primary	82.3	7.8	438	92.7	7.3	94	100.0	0.0	6
Secondary	84.0	.5	398	70.3	0.0	121	58.1	0.0	7
	(73.7)	(0.0)	47	72.5	0.0	64	(29.2)	(0.0)	2
Cannot be determined ^a	na	na	na	na	na	na	91.2	3.6	17
Wealth index quintile									
Poorest	74.1	7.9	731	81.7	5.8	196	94.2	0.0	11
Second	84.9	7.7	639	75.4	10.1	168	89.0	0.0	17
Middle	86.0	4.1	665	90.8	2.7	245	85.2	8.6	15
Fourth	82.1	5.1	676	89.9	3.0	230	90.5	1.3	16
Richest	81.2	2.5	607	70.3	0.0	276	66.5	0.0	21
Ethnicity of household head									
Hausa	81.7	5.5	3255	81.5	3.8	1083	83.2	2.0	79
Igbo	(*)	(*)	16	(*)	(*)	3			
Yoruba	(*)	(*)	2	(*)	(*)	2	(*)	(*)	
Other ethnic group	87.3	6.0	45	(94.5)	(0.0)	28	(*)	(*)	2
^a Children age 15 or higher at th	e time of the i	nterview whos	e mothers	were not living	in the house	nold			
na: not applicable				-					

 Table CP.4: Child labour

 Percentage of children age 5-17 years by involvement in economic activities or household chores during the last week, percentage working under hazardous conditions during the last week, and percentage engaged in child labour during the last week, Nigeria, 2016-17 Kano State

week, Nigelia, 2016-17 Kal	Children in economic act total numbe during las	ivities for a r of hours	Children in household cho number of hou wee	res for a total rs during last			
	Below the age specific threshold	At or above the age specific threshold	Below the age specific threshold	At or above the age specific threshold	working under hazardous conditions	Total child labour ¹	Number of children age 5-17 years
Total	37.5	31.3	81.8	4.6	6 44.4	53.6	5248
Senatorial District							
Kano Central	35.8	21.0	80.5	2.2	29.5	38.2	2355
Kano North	35.1	36.3	80.0	5.0	48.6	57.3	1295
Kano South	41.9	42.3	85.3	7.8	62.8	73.3	1598
Sex							
Male	37.4	32.8	82.1	3.7	48.8	57.2	2522
Female	37.5	29.8	81.6	5.4	40.3	50.3	2726
Residence							
Urban	37.0	11.9	79.5	1.8	19.4	26.2	1539
Rural	37.6	39.3	82.8	5.7	54.7	65.0	3709
Age (Years)							
5-11	21.7	45.2	81.5	5.5	44.2	57.5	3318
12-14	59.5	12.2	81.6	3.8	42.8	46.5	1115
15-17	71.4	0.6	83.5	1.9	47.0	47.8	815
School attendance							
Yes	36.9	33.2	81.8	5.3	44.6	54.4	4127
No	39.4	24.2	82.2	2.1	43.4	50.9	1121
Mother's education							
None	50.4	32.7	84.8	4.6	59.8	70.7	950
Non-formal	34.9	36.9	81.1	5.3	48.1	57.9	2782
Primary	32.2	38.9	85.7	6.9	44.7	54.3	592
Secondary	31.5	9.5	77.8	0.3	11.6	18.6	597
Higher	24.8	8.6	63.9	0.0) 11.1	13.7	140
Cannot be determined ^a	56.0	0.8	91.2	3.6	40.2	42.6	179

Table CP.4: Child labour (continued)

Percentage of children age 5-17 years by involvement in economic activities or household chores during the last week, percentage working under hazardous conditions during the last week, and percentage engaged in child labour during the last week, Nigeria, 2016-17 Kano State

	Children in economic act total numbe during las	tivities for a or of hours	Children ir household o total numbe during la	Children			
	Below the age specific threshold	At or above the age specific threshold	Below the age specific threshold	At or above the age specific threshold	working under hazardous conditions		Number of children age 5-17 years
Total	37.5	31.3	81.8	4.0	6 44.4	53.6	5248
Wealth index quintile							
Poorest	42.2	40.8	77.7	6.6	59.8	70.1	1038
Second	36.1	45.9	84.0	6.8	3 57.5	71.0	977
Middle	42.1	37.6	87.0	4.4	4 62.1	68.6	1067
Fourth	37.8	24.9	85.1	4.0	33.5	44.1	1074
Richest	29.4	9.1	75.6	1.4	4 11.3	17.2	1092
Ethnicity of household head	d						
Hausa	37.9	31.0	81.9	4.6	6 44.5	53.8	5130
Igbo	(*)	(*)	(*)	(*) (*)	(*)	19
Yoruba	(*)	(*)	(*)	(*) (*)	(*)	6
Other ethnic group	20.0	49.5	92.3	2.9		53.4	93

MICS indicator 8.2 - Child labour

^a Children age 15 or higher at the time of the interview whose mothers were not living in the household (*) Sample data are fewer than 25 unweighted cases
Child Discipline

Table CP.5: Child discipline

Percentage of children age 1-14 years by child disciplining methods experienced during the last one month, Nigeria, 2016-17 Kano State

	Perc	entage of childre	en age 1-14 ye	ears who expe	erienced:	Number of
	Only non-		Physical pu		Any violent	children
	violent	Psychological			discipline	age 1-14
	discipline	aggression	Any	Severe	method ¹	years
Total	11.2	74.1	67.7	26.2	82.5	6269
Senatorial District						
Kano Central	13.7	68.6	68.2	23.8	80.0	2566
Kano North	11.5	75.6	64.7	26.1	81.1	1682
Kano South	7.8	79.7	69.5	29.2	86.9	2021
Sex						
Male	11.3	73.9	69.9	27.7	83.7	3085
Female	11.2	74.2	65.6	24.6	81.4	3185
Residence						
Urban	17.0	60.9	60.2	15.8	74.4	1614
Rural	9.2	78.7	70.3	29.8	85.4	4655
Age (Years)	0.2		1010	2010		
1-2	14.7	64.6	48.9	14.2	70.6	890
3-4	9.6	79.8	71.9	26.4	86.3	946
5-9	12.0	74.6	70.1	29.4	83.8	2523
10-14	9.5	75.0	71.1	27.3	84.5	1910
Education of household head					••	
None	21.1	65.3	59.7	23.5	71.8	536
Non-formal	8.3	77.9	72.4	29.1	86.3	3109
Primary	12.1	73.9	61.4	24.7	80.7	785
Secondary	13.6	68.6	67.6	24.4	78.3	1089
Higher	12.3	71.9	61.2	20.1	82.1	711
Cannot be determined ^a	4.9	87.9	51.8	18.1	87.9	39
Wealth index quintile						
Poorest	10.0	77.6	68.1	29.6	82.5	1308
Second	7.3	79.3	70.8	32.1	85.8	1284
Middle	10.0	78.7	71.2	31.4	86.0	1261
Fourth	15.7	67.4	62.0	20.3	78.1	1233
Richest	13.5	66.5	66.2	16.4	79.9	1183
Ethnicity of household head						
Hausa	11.1	74.2	67.9	26.2	82.7	6146
labo	(*)	(*)	(*)	(*)	(*)	24
Yoruba	(*)	(*)	(*)	(*)	(*)	10
Other ethnic group	4.8	89.0	70.0	28.7	93.5	89

	Respondent believes that a child needs to be physically punished	Number of respondents to the child discipline module
Total	44.6	1455
Senatorial District		
Kano Central	39.6	610
Kano North	38.8	395
Kano South	56.4	450
Sex		
Male	41.7	557
Female	46.4	899
Residence		
Urban	34.7	380
Rural	48.1	1076
Age (Years)		
<25	42.6	192
25-39	46.2	605
40-59	44.8	504
60+	39.8	154
Respondent's relationship to selected child		
Mother	46.7	656
Father	40.6	484
Other	46.1	316
Respondent's education		
None	46.3	205
Non-formal	46.1	704
Primary	49.5	189
Secondary	36.9	246
Higher	40.1	107
Wealth index quintile		
Poorest	48.8	300
Second	47.1	308
Middle	42.4	296
Fourth	47.9	279
Richest	36.0	273
Ethnicity of household head		
Hausa	44.3	1420
Igbo	(*)	-
Yoruba	(*)	4
Other ethnic group	(55.2)	24

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Early Marriage and Polygyny

Table CP.7: Early marriage and polygyny (women)

Percentage of women age 15-49 years who first married or entered a marital union before their 15th birthday, percentages of women age 20-49 years who first married or entered a marital union before their 15th and 18th birthdays, percentage of women age 15-19 years currently married or in union, and the percentage of women who are in a polygynous marriage or union, Nigeria, 2016-17 Kano State

	Women age	15-49 years	Wom	en age 20-49 y	ears	Women age 1	5-19 years	Women age	15-49 years
	Percentage married before age 151	Number of women age 15-49 years	Percentage married before age 15	Percentage married before age 18 ²	Number of women age 20-49 years	Percentage currently married/in union ³	Number of women age 15-19 years	Percentage in polygynous marriage/ union ⁴	Number of women age 15-49 years
Total	30.8	2500	35.9	69.7	1914	30.8	586	48.2	194
Senatorial District									
Kano Central	20.7	1093	27.1	59.3	794	12.3	299	39.4	72:
Kano North	43.9	603	47.0	77.8	493	53.0	110	56.0	
Kano South	34.6	803	38.3	76.6		48.2	177	51.5	
Residence									
Urban	16.2	731	22.4	52.4	515	5.3	216	37.7	43
Rural	36.8	1769	40.9	76.1	1399	45.6	370	51.3	1512
Age (Years)									
15-19	14.1	586	na	na	na	30.8	586	37.2	180
20-24	27.6	431	27.6	69.0	431	na	na	38.5	364
25-29	35.4	432	35.4	75.1	432	na	na	43.0	410
30-34	41.7	354	41.7	73.3	354	na	na	53.8	330
35-39	39.7	286	39.7	69.3	286	na	na	54.7	27
40-44	37.1	222	37.1	60.0	222	na	na	58.1	212
45-49	37.7	190	37.7	64.6	190	na	na	59.6	170
Mother's education									
None	46.6	419	48.3	79.3	371	(80.3)	47	56.6	392
Non-formal	39.6	1081	41.0	76.5	919	56.3	162	53.2	985
Primary	32.1	294	34.8	78.1	230	51.4	63	44.4	252
Secondary	8.1	608	15.8	47.9	304	6.0	304	26.1	260
Higher	2.2	99	2.4	13.0	89	(*)	9	24.1	60

Table CP.7: Early marriage and polygyny (women) (continued)

Percentage of women age 15-49 years who first married or entered a marital union before their 15th birthday, percentages of women age 20-49 years who first married or entered a marital union before their 15th and 18th birthdays, percentage of women age 15-19 years currently married or in union, and the percentage of women who are in a polygynous marriage or union, Nigeria, 2016-17 Kano State

	Women age	15-49 years	Wom	en age 20-49 y	vears	Women age 1	5-19 years	Women age	15-49 years
	Percentage married before age 15 ¹	Number of women age 15-49 years	Percentage married before age 15	Percentage married before age 18 ²	Number of women age 20-49 years	Percentage currently married/in union ³	Number of women age 15-19 years	Percentage in polygynous marriage/ union ⁴	Number of womer age 15-49 years
Nealth index quintile									
Poorest	45.8	447	48.5	78.3	375	56.1	72	55.1	41
Second	39.4	484	42.5	77.7	394	44.3	90	53.8	42
Middle	34.3	479	38.0	76.4	369	50.1	110	49.7	40
Fourth	26.5	530	34.4	74.1	375	21.5	155	45.2	37
Richest	12.4	560	16.9	43.6	401	7.3	159	34.5	34
Ethnicity of household head									
Hausa	30.9	2429	35.9	70.2	1863	31.4	566	48.7	190
Igbo	(*)	9	25.4	(*)	7	(*)	2	(*)	
Yoruba	(*)	8	7.0	(*)	5	(*)	2	(*)	
Other ethnic group	29.2	55	38.7	(61.9)	38	(*)	16	(27.8)	3
			¹ MICS inc	licator 8.4 - Ma	rriage before ag	e 15			
			² MICS inc	licator 8.5 - Ma	rriage before ag	e 18			
		³ MICS indi				ntly married or in unio	on		
			⁴ M	ICS indicator 8	.7 - Polygyny	-			
na: not applicable					, , , ,				

() Sample data are based on 25-49 unweighted cases

Table CP.7M: Early marriage and polygyny (men)

Percentage of men age 15-49 years who first married or entered a marital union before their 15th birthday, percentages of men age 20-49 years who first married or entered a marital union before their 15th and 18th birthdays, percentage of men age 15-19 years currently married or in union, and the percentage of men who are in a polygynous marriage or union, Nigeria, 2016-17 Kano State

	Men age 1	5-49 years	Me	n age 20-49 yea	ars	Men age 15-1	9 years	Men age 15	-49 years
	Percentage married before age 15 ¹	Number of men age 15-49 years	Percentage married before age 15	Percentage married before age 18 ²	Number of men age 20-49 years	Percentage currently married/in union ³	Number of men age 15-19 years	Percentage in polygynous marriage/ union⁴	Number of men age 15-49 years currently married/in union
Total	1.9	1099	2.5	4.1	809	0.0	290	34.7	474
Senatorial District									
Kano Central	1.1	538	1.3	2.3	387	0.0	151	0.0	151
Kano North	5.2	228	6.7	9.2	177	0.0	51	0.0	51
Kano South	1.0	333	1.4	3.1	245	0.0	88	0.0	88
Residence									
Urban	2.1	394	2.5	2.5	280	0.0	113	0.0	113
Rural	1.9	705	2.5	4.9	529	0.0	176	0.0	176
Age (Years)									
15-19	0.4	290	na	na	na	0.0	290	(*)	2
20-24	0.5	193	0.5	0.9	193	na	na	(*)	5
25-29	3.1	163	3.1	4.2	163	na	na	2.8	65
30-34	3.8	128	3.8	8.0	128	na	na	25.1	88
35-39	3.4	97	3.4	5.9	97	na	na	32.9	90
40-44	3.7	130	3.7	4.4	130	na	na	44.1	124
45-49	1.2	99	1.2	2.9	99	na	na	56.2	99
Education									
None	(7.4)	33	(7.6)	(9.8)	32	(*)	1	(28.0)	26
Non-formal	2.7	329	3.3	5.3	272	0.0	56	37.8	217
Primary	2.4	144	2.2	6.2	102	(.0)	42	41.5	76
Secondary	1.0	461	1.6	2.2	277	0.0	184	26.0	108
Higher	1.5	133	1.6	2.4	126	(*)	7	(33.1)	47

Table CP.7M: Early marriage and polygyny (men) (continued)

Percentage of men age 15-49 years who first married or entered a marital union before their 15th birthday, percentages of men age 20-49 years who first married or entered a marital union before their 15th and 18th birthdays, percentage of men age 15-19 years currently married or in union, and the percentage of men who are in a polygynous marriage or union, Nigeria, 2016-17 Kano State

	Men age 1	5-49 years	Me	n age 20-49 yea	ars	Men age 15-1	9 years	Men age 1	5-49 years
	Percentage married before age 15 ¹	Number of men age 15-49 years	Percentage married before age 15	Percentage married before age 18 ²	Number of men age 20-49 years	Percentage currently married/in union ³	Number of men age 15-19 years	Percentage in polygynous marriage/ union ⁴	Number of men age 15-49 years currently married/in unior
Total	1.9	1099	2.5	4.1	809	0.0	290	34.7	47
Wealth index quintile									
Poorest	1.6	172	2.2	5.5	126	0.0	46	39.7	9
Second	3.4	175	4.4	6.2	134	(0.0)	40	40.2	90
Middle	3.4	209	4.5	8.6	154	0.0	54	42.5	10
Fourth	0.9	241	0.6	0.6	173	0.0	68	25.6	8
Richest	1.1	303	1.5	1.5	222	0.0	81	25.5	10
Ethnicity of household head									
Hausa	2.0	1072	2.6	4.2	785	0.0	287	34.5	45
Igbo	(*)	2	(*)	(*)	2	na	0	(*)	:
Yoruba	(*)	3	(*)	(*)	3	na	0	(*)	;
Other ethnic group	(*)	22	(*)	(*)	19	(*)	3	(*)	1:
			¹ MICS i	ndicator 8.4 - Ma	arriage before ag	je 15 ^{™]}			
					arriage before ag				
		³ MICS				tly married or in union [™]	I		
					8.7 - Polygyny ^[M]				

na: not applicable

() Sample data are based on 25-49 unweighted cases

Table CP.8: Trends in early marriage (women)

Percentage of women who were first married or entered into a marital union before age 15 and 18, by area and age groups, Nigeria, 2016-17 Kano State

	·	Urt	ban			Ru	ral			Α	11	
	women married	women age	Percentage of women married before age 18	women age	women married	women age	Percentage of women married before age 18	women age	women married	women age	Percentage of women married before age 18	women ag
Total	16.2	731	52.4	515	36.8	1769	76.1	1399	30.8	2500	69.7	19
Age (Years)												
15-19	1.4	216	na	na	21.6	370	na	na	14.1	586	na	na
20-24	7.9	112	43.8	112	34.5	319	77.8	319	27.6	431	69.0	2
25-29	18.6	118	56.8	118	41.6	314	81.9	314	35.4	432	75.1	2
30-34	34.6	92	52.6	92	44.3	261	80.7	261	41.7	354	73.3	:
35-39	27.0	84	48.6	84	44.9	202	78.0	202	39.7	286	69.3	2
40-44	(28.4)	55	(57.1)	55	40.0	167	60.9	167	37.1	222	60.0	2
	(25.9)	54	(61.3)	54	42.3	136	66.0	136	37.7	190	64.6	

() Sample data are based on 25-49 unweighted cases

Table CP.8M: Trends in early marriage (men)

Percentage of men who were first married or entered into a marital union before age 15 and 18, by area and age groups, Nigeria, 2016-17 Kano State

		Urk	ban			Ru	ral			Α	ll	
	Percentage of men married before age 15	Number of men age 15-49 years	Percentage of men married before age 18	Number of men age 20-49 years	Percentage of men married before age 15	Number of men age 15-49 years	Percentage of men married before age 18	Number of men age 20-49 years	Percentage of men married before age 15	Number of men age 15-49 years	Percentage of men married before age 18	Number of men age 20-49 years
Total	2.1	394	2.5	5 280	1.9	705	4.9	9 529	1.9) 1099	4.1	80
Age (Years)												
15-19	1.1	113	na	na	0.0	176	na	na	0.4	290	na	na
20-24	1.1	91	1.1	91	0.0	101	0.7	7 101	0.5	5 193	0.9) 19
25-29	(0.0)	51	(0.0)	51	4.5	5 112	6.1	112	3.1	163	4.2	2 16
30-34	(5.2)	38	(5.2)	38	3.2	90	9.1	90	3.8	8 128	8.0) 12
35-39	(4.8)	32	(4.8)	32	2.7	65	6.5	65	3.4	97	5.9) 91
40-44	(2.8)	44	(2.8)	44	4.3	86	5.2	2 86	3.7	7 130	4.4	13
45-49	(*)	25	(*)	25	0.0	75	2.2	2 75	1.2	2 99	2.9) 9

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

	Percen				n union women age 1 I or partner is:	5-19	Number of women age	Percen				n union women age 2 d or partner is:	20-24	Number of women age
	Younger	0-4 years older	5-9 years older	10+ years older ¹	Husband/Partner's age unknown	Total	15-19 years currently married / in union	Younger	0-4 years older	5-9 years older	10+ years older ²	Husband/Partner's age unknown	Total	20-24 years currently married / in union
Total	6.0	4.2	27.8	56.8	5.2	100.0	180	2.9	5.1	31.8	57.1	3.1	100.0	364
Senatorial District														
Kano Central	(8.5)	(5.7)	(24.9)	(57.6)	(3.3)	100.0	37	2.0	8.3	32.8	56.9	0.0	100.0	113
Kano North	10.2	4.9	24.1	52.3	8.6	100.0	58	5.3	2.2	24.2	61.6	6.8	100.0	111
Kano South	2.1	3.0	31.6	59.6	3.7	100.0	85	1.8	4.8	37.0	53.7	2.7	100.0	141
Residence					-			_	-					
Urban	(*)	(*)	(*)	(*)	(*)	100.0	11	1.9	9.0	27.6	60.3	1.2	100.0	67
Rural	6.0	4.5	27.8	56.2	5.6	100.0	169	3.1	4.2	32.7	56.4	3.5	100.0	297
Age (Years)	0.0	1.0	27.0	00.2	0.0	100.0	100	0.1		02.1	00.1	0.0	100.0	201
15-19	6.0	4.2	27.8	56.8	5.2	100.0	180	0.0	0.0	0.0	0.0	0.0	0.0	(
20-24	0.0	0.0	0.0	0.0	0.0	0.0	0	2.9	5.1	31.8	57.1	3.1	100.0	364
Education	0.0	0.0	0.0	0.0	0.0	0.0	Ŭ	2.0	0.1	01.0	0111	0.1	100.0	
None	(21.0)	(5.7)	(10.0)	(63.4)	(0.0)	100.0	38	5.3	1.3	25.2	67.2	1.1	100.0	67
Non-formal	0.7	4.2	33.6	(00.4) 51.2	(0.0)	100.0	91	2.5	5.6	37.0	50.5	4.5	100.0	168
Primary	(2.4)	(4.8)	(28.9)	(64.0)	(0.0)	100.0	33	(6.3)	(6.4)	(31.4)	(54.1)	(1.7)	100.0	46
Secondary	(*)	(*)	(*)	(*)	(*)	100.0	18	0.0	6.7	25.3	65.1	2.9	100.0	79
Higher	0.0	0.0	0.0	0.0	0.0	0.0	0	(*)	(*)	(*)	(*)	(*)	100.0	4
Wealth index quintile	010	0.0	0.0	0.0	0.0	0.0	Ũ		()	()	()			
Poorest	(7.9)	(3.9)	(31.9)	(50.8)	(5.4)	100.0	40	2.1	8.3	29.9	54.5	5.2	100.0	69
Second	(9.5)	(3.6)	(24.8)	(51.1)	(11.0)	100.0	40	8.3	1.1	32.1	54.7	3.8	100.0	66
Middle	4.5	2.9	30.1	59.8	2.9	100.0	55	0.0	4.7	35.2	56.9	3.2	100.0	96
Fourth	4.3	8.7	25.4	57.9	3.7	100.0	33	4.4	4.5	30.2	58.4	2.6	100.0	83
Richest	(*)	(*)	(*)	(*)	(*)	100.0	12	0.0	7.6	30.2	62.2	0.0	100.0	50
Ethnicity of household head		()	()	()	()				-					
Hausa	6.1	4.2	27.9	56.8	4.9	100.0	177	3.0	5.2	32.4	56.4	3.1	100.0	358
Igbo	0.0	0.0	0.0	0.0	0.0	0.0	0	(*)	(*)	(*)	(*)	(*)	100.0	2
Other ethnic group	(*)	(*)	(*)	(*)	(*)	100.0	3	(*)	(*)	(*)	(*)	(*)	100.0	- 4

² MICS indicator 8.8b - Spousal age difference (among women age 20-24)

na: not applicable () Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Female Genital Mutilation/Cutting

Percentage of women age 15-49 yea	Percentage of	Number of			age 15-49 years wh			Number of women
	women who had any	women age				Form of FGM/C not		age 15-49 years who
	form of FGM/C ¹		Had flesh removed	Were nicked	Were sewn closed	determined	Total	had FGM/C
Total	30.9	2500	55.6	13.2	0.8	30.4	100.0	77
Senatorial District								
Kano Central	26.6	1093	52.0	7.1	1.4	39.5	100.0	29
Kano North	22.9	603	31.1	48.9	0.4	19.6	100.0	13
Kano South	42.9	803	68.6	4.0	0.4	27.0	100.0	34
Residence								
Urban	17.5	731	49.9	5.4	1.2	43.5	100.0	12
Rural	36.5	1769	56.8	14.7	0.7	27.8	100.0	64
Age (Years)								
15-19	27.9	586	56.9	11.8	0.5	30.7	100.0	16
20-24	30.3	431	56.9	14.4		27.5	100.0	
25-29	32.3	432		13.1	1.1	28.7	100.0	
30-34	33.1	354		16.1	1.0	35.8	100.0	
35-39	29.5	286		11.9		25.6	100.0	
40-44	29.6	222	48.4	12.7	0.0	38.9	100.0	
45-49	38.2	190	60.2	11.5	1.3	26.9	100.0	7
Education								
None	27.9	419		34.9	0.5	16.2	100.0	
Non-formal	39.7	1081	57.5	7.8	0.7	34.0	100.0	
Primary	29.8	294		16.7		22.7	100.0	
Secondary	21.6	608		9.9		33.2	100.0	
Higher	8.1	99	(*)	(*)	(*)	(*)	100.0	
Wealth index quintile								
Poorest	38.1	447	65.4	12.3	0.5	21.8	100.0	
Second	40.5	484	57.1	12.5	0.9	29.5	100.0	19
Middle	36.1	479		14.6	0.9	32.8	100.0	
Fourth	25.6	530	53.9	19.5	0.0	26.6	100.0	
Richest	17.5	560	45.2	5.0	2.1	47.8	100.0	9
Ethnicity of household head								
Hausa	31.4	2429	55.7	13.4	0.7	30.2	100.0	76
Igbo	(*)	9	(*)	(*)	(*)	(*)	100.0	
Yoruba	(*)	8	(*)	(*)	(*)	(*)	100.0	
Other ethnic group	13.7	55		(*)	(*)	(*)	100.0	

Table CP.11: Female genital mutilation/cutting (FGM/C) among girls

	Percentage of	Number of	Percent distri	bution of daughte	ers age 0-14 years v	vho had FGM/C:		Number of daughters
	daughters who had	daughters age 0-				Form of FGM/C not		age 0-14 years who
	any form of FGM/C ¹	14 years	Had flesh removed	Were nicked	Were sewn closed	determined	Total	had FGM/C
Total	71.0	1488	71.8	21.4	0.8	6.0	100.0	105
Senatorial District								
Kano Central	57.0	637	86.8	4.9	0.0	8.4	100.0	36
Kano North	84.9	284	32.8	56.6	0.0	10.6	100.0	24
Kano South	79.6	567	80.7	15.8	1.9	1.6	100.0	45
Residence								
Urban	37.0	382	68.8	18.3	0.0	12.9	100.0	14
Rural	82.7	1106	72.3	21.9	0.9	4.9	100.0	91
Age (Years)								
0-4	72.4	623	71.9	19.9	0.8	7.4	100.0	45
5-9	72.5			23.0	1.1	4.4	100.0	35
10-14	66.6	372	72.1	21.8	0.5	5.7	100.0	24
Mother's Education								
None	86.7	235	39.8	47.7	0.9	11.6	100.0	20
Non-formal	78.5			11.7		3.7	100.0	
Primary	76.9	193	77.3	18.3	0.0	4.5	100.0	
Secondary	40.1	231	57.2	32.8	0.0	10.0	100.0	9
Higher	4.1	54	. (*)	(*)	(*)	(*)	100.0	
Mother's FGM/C experience								
No FGM/C	31.9	502	31.2	51.0	1.5	16.3	100.0	16
Had FGM/C	90.8	986	79.1	16.1	0.7	4.1	100.0	89
Wealth index quintile								
Poorest	82.6	295	67.6	26.9	1.4	4.1	100.0	24
Second	85.3	316	74.2	18.9	0.3	6.5	100.0	27
Middle	87.8	291	74.4	18.2	1.2	6.3	100.0	25
Fourth	67.5	270	67.9	27.9	0.7	3.6	100.0	18
Richest	33.1	316	76.2	11.5	0.0	12.3	100.0	10
Ethnicity of household head								
Hausa	71.0	1469	72.2	21.0	0.8	6.0	100.0	104
Igbo	(*)	7	· (*)	(*)	(*)	(*)	100.0	
Yoruba	(*)	1	(*)	(*)		(*)	100.0	
Other ethnic group	(*)	12		(*)	(*)	(*)	100.0	

Percentage of daughters age 0-14 years by FGM/C status and percent distribution of daughters who had FGM/C by type of FGM/C, Nigeria, 2016-17 Kano State

Table CP.12: Approval of female genital mutilation/cutting (FGM/C)

Percentage of women age 15-49 years who have heard of FGM/C, and percent distribution of women according to attitudes towards whether the practice of FGM/C should be continued, Nigeria, 2016-17 Kano State

	Percentage of		Percent distrib	oution of women who	believe the pra	ctice of FGM/C sho	ould be:	Number of women
	women who have heard of	Number of women age 15-49				Don't		age 15-49 years who have heard of
	FGM/C	years	Continued ¹	Discontinued	Depends	Know/Missing	Total	FGM/C
Total	48.3	2500	59.0	34.1	5.9	1.1	100.0	1208
Senatorial District								
Kano Central	51.9	1093	44.5	49.8	4.2	1.5	100.0	568
Kano North	33.4	603	71.5	17.3	9.3	1.9	100.0	201
Kano South	54.7	803	72.0	21.4	6.5	0.1	100.0	440
Residence								
Urban	49.8	731	26.4	65.9	5.3	2.4	100.0	364
Rural	47.7	1769	73.1	20.3	6.1	0.5	100.0	844
Age (Years)								
15-19	44.0	586	52.1	40.2	6.8	0.8	100.0	258
20-24	45.9	431	60.5	31.8	6.6	1.1	100.0	198
25-29	50.8	432	64.5	27.1	7.0	1.4	100.0	220
30-34	52.6	354	62.8	31.6	4.3	1.3	100.0	186
35-39	47.6	286	61.7	34.4	3.3	0.5	100.0	136
40-44	49.9	222	49.8	39.9	8.3	2.0	100.0	111
45-49	52.9	190	61.3	35.2	3.5	0.0	100.0	100
Education								
None	43.1	419	74.0	18.3	6.8	0.8	100.0	180
Non-formal	48.8	1081	74.3	20.8	4.4	0.5	100.0	527
Primary	48.7	294	54.2	31.6	12.6	1.6	100.0	143
Secondary	49.2	608	36.1	58.2	5.0	0.8	100.0	299
Higher	59.8	99	4.3	84.5	4.8	6.4	100.0	59
FGM/C experience								
No FGM/C	25.2	1727	21.8	65.6	10.0	2.6	100.0	435
Had FGM/C	100.0	773	80.0	16.3	3.5	0.2	100.0	773
Wealth index guintile								
Poorest	45.7	447	73.6	21.9	4.4	0.0	100.0	204
Second	50.1	484	80.2	13.0	6.2	0.6	100.0	243
Middle	46.7	479	75.3	19.2	5.2	0.3	100.0	224
Fourth	44.4	530	50.1	37.9	10.6	1.4	100.0	236
Richest	54.0	560	27.0	67.2	3.4	2.4	100.0	302
Ethnicity of household head								
Hausa	48.8	2429	59.8	33.4	5.9	0.9	100.0	1185
Igbo	(*)	9	(*)	(*)	(*)	(*)	100.0	4
Yoruba	(*)	8	(*)	(*)	(*)	(*)	100.0	3
Other ethnic group	31.4	55	(*)	(*)	(*)	(*)	100.0	17
		¹ MICS	indicator 8.9 - Appr	oval for FGM/C				

Attitudes toward Domestic Violence

Table CP.13: Attitudes toward domestic violence (women)

Percentage of women age 15-49 years who believe a husband is justified in beating his wife in various circumstances, Nigeria, 2016-17 Kano State

	Percentage	of women ag	e 15-49 years in beating h	who believe	a husband	is justified	
	If she goes out without telling him	If she neglects the children	If she argues with him	If she refuses sex with him	If she burns the food	For any of these five reasons ¹	Number of women age 15-49 years
Total	18.8	19.5	24.1	25.8	18.2	34.7	2500
Senatorial District							
Kano Central	15.4	16.6	19.9	19.3	13.1	29.6	1093
Kano North	30.8	31.7	40.8	42.5	33.9	52.6	603
Kano South	14.4	14.3	17.2	22.1	13.4	28.2	803
Residence							
Urban	12.7	13.6	16.6	16.0	11.6	26.9	731
Rural	21.4	21.9	27.2	29.9	21.0	37.9	1769
Age (Years)							
15-19	13.8	14.7	19.9	19.0	13.2	27.9	586
20-24	20.6	21.5	23.8	26.0	21.0	37.4	431
25-29	20.3	21.6	26.5	30.2	20.4	36.5	432
30-34	22.7	25.2	28.1	30.3	23.5	39.6	354
35-39	19.0	20.9	25.6	28.3	19.2	35.2	286
40-44	18.3	15.4	23.8	25.0	15.2	34.5	222
45-49	19.4	17.1	22.8	25.3	15.0	35.6	190
Marital/Union status							
Currently married/in union	20.7	21.2	25.9	28.7	20.5	37.0	1949
Formerly married/in union	18.6	23.3	26.7	23.6	9.5	39.1	65
Never married/in union	11.2	12.4	16.8	14.4	10.3	25.1	482
Missing	0.0	0.0	0.0	0.0	0.0	0.0	2
Education							
None	21.5	24.0	27.5	28.9	21.3	35.8	419
Non-formal	21.8	21.4	27.6	30.9	21.3	40.0	1081
Primary	19.2	20.4	23.3	24.7	19.3	34.0	294
Secondary	13.3	13.9	18.7	16.7	11.8	26.7	608
Higher	7.7	11.0	7.5	16.7	7.9	23.0	99
Wealth index quintile							
Poorest	23.4	23.5	28.0	33.0	21.1	43.8	447
Second	21.9	21.6	28.4	30.8	22.0	37.6	484
Middle	25.0	26.3	32.5	35.4	26.8	42.5	479
Fourth	15.8	17.5	20.9	18.7	14.8	30.4	530
Richest	10.0	10.6	13.2	14.2	8.6	22.2	560
Ethnicity of household head							
Hausa	18.9	19.5	24.1	25.8	18.3	34.6	2429
lgbo	(*)	(*)	(*)	(*)	(*)	(*)	ç
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	8
Other ethnic group	20.0	20.0	30.0	34.6	19.3	47.3	55

Table CP.13M: Attitudes toward domestic violence (men)

Percentage of men age 15-49 years who believe a husband is justified in beating his wife in various circumstances, Nigeria, 2016-17 Kano State

	Percentage	of men age	5-49 years w beating h		nuspand is	justinea in	
	If she goes out without telling him	If she neglects the children	If she argues with him	lf she	If she burns the food	For any of these five reasons ¹	Number of men age 15- 49 years
Total	13.6			13.9	13.2	22.0	
Senatorial District							
Kano Central	13.6	13.7	12.9	12.1	11.8	22.2	538
Kano North	1.4	2.5	2.1	6.4	2.8	9.4	228
Kano South	22.1	20.6	18.0	22.0	22.7	30.3	333
Residence							
Urban	13.8	14.0	12.6	12.3	12.4	22.8	394
Rural	13.5	13.2	12.0	14.9	13.7	21.5	705
Age (Years)							
15-19	19.0	21.5	18.6	21.5	19.8	29.7	290
20-24	14.5	14.8	14.0	19.0	16.8	27.7	193
25-29	13.0	9.3	10.2	10.9	10.3	21.2	163
30-34	11.4	6.8	7.7	8.0	7.8	13.9	128
35-39	10.6	12.0	10.8	9.8	12.5	19.5	97
40-44	10.2	9.5	9.5	6.9	6.6	12.4	130
45-49	7.9	9.7	4.1	8.0	8.1	15.0	99
Marital/Union status							
Currently married/in union	9.1	8.4	6.5	7.2	7.5	13.8	474
Formerly married/in union	(*)	(*)	(*)	(*)	(*)	(*)	2
Never married/in union	17.2	17.4	16.7	19.2	17.7	28.4	620
Missing/ND	0.0	0.0	0.0	0.0	0.0	0.0	1
Education							
None	(12.6)	(9.9)	(14.2)	(12.6)	(12.6)	(14.2)	33
Non-formal	15.0	13.8	13.4	14.9	15.8	21.9	329
Primary	12.9	13.2	9.8	14.5	10.4	22.6	144
Secondary	13.5	15.2	12.7	14.7	13.9	22.6	461
Higher	11.8	8.2	9.5	8.6	7.9	21.5	133
Wealth index quintile							
Poorest	15.0	13.7	12.0	16.9	16.3	22.0	172
Second	16.5	17.6	17.8	19.7	18.0	25.7	175
Middle	13.0	10.9	10.1	12.8	11.2	18.8	209
Fourth	11.5	16.7	15.2	15.4	14.3	25.3	241
Richest	13.4	10.2	8.2	8.6	9.3	19.5	303
Ethnicity of household head							
Hausa	13.8	13.7	12.5	14.2	13.5	22.2	1072
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	2
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	22
	¹ MICS indicat	tor 8.12 - Attit	udes towards o	domestic viole	nce ^[M]		

cases

Children's Living Arrangements

Table CP.14: Children's living arrangements and orphanhood Percent distribution of children age 0-17 years according to living arrangements, percentage of children age 0-17 years not living with a biological parent and percentage of children who have one or both parents dead, Nigeria, 2016-17 Kano State Living with neither Living with Living with Number biological parent mother only Living father only of Living Missing with One or children both age 0with Only Only information neither father mother Both Both Father Father Mother Mother on father/ biological parents both 17 parent1 dead ² Total parents alive alive alive dead alive dead alive dead mother years Total 0.6 3.5 2.7 2.5 1.2 100.0 7660 86.2 0.8 1.1 1.4 0.0 6.0 6.4 Senatorial District Kano Central 85.2 0.6 0.9 3.5 1.3 1.3 4.4 2.0 0.8 0.0 100.0 6.3 8.0 3196 Kano North 88.5 0.7 0.5 3.1 1.3 0.3 1.5 1.8 2.2 0.0 100.0 5.6 6.3 2022 Kano South 85.6 0.4 1.0 3.8 0.7 2.6 3.8 0.9 0.0 100.0 5.8 4.3 2441 1.4 Sex 88.0 0.3 2.7 100.0 4.0 Male 0.7 2.0 1.1 1.3 2.7 1.2 0.0 6.0 3803 Female 84.4 0.9 1.0 4.9 1.2 1.5 2.6 2.3 1.2 0.0 100.0 7.9 6.8 3857 Residence Urban 84.7 0.8 1.3 4.0 1.1 1.2 4.6 1.1 1.1 0.0 100.0 7.3 8.9 2077 Rural 86.7 0.5 0.6 3.3 1.1 1.5 2.0 3.0 1.2 0.0 100.0 5.5 5.4 5582 Age (Years) 0-4 93.4 0.4 0.1 1.5 0.2 2.1 1.4 0.8 0.2 0.0 100.0 2.1 2.2 2555 5-9 87.4 0.4 0.8 2.7 1.1 1.2 2.0 3.5 1.0 0.0 100.0 4.9 5.3 2357 10-14 0.4 100.0 7.2 82.7 1.3 3.8 3.9 3.2 1.9 0.0 9.2 1930 1.7 1.1 15-17 68.7 2.1 2.2 11.1 2.8 0.9 5.6 3.4 3.2 0.0 100.0 18.1 15.9 818 Wealth index quintile 89.2 0.5 0.5 3.3 1.0 0.7 2.1 1.5 0.0 100.0 5.3 4.2 1544 Poorest 1.1 Second 84.9 0.5 0.9 3.3 1.3 2.6 2.5 3.2 0.8 0.0 100.0 6.0 6.0 1581 Middle 85.8 0.5 1.0 3.7 0.7 1.3 2.7 2.9 0.0 100.0 5.9 6.3 1539 1.4 Fourth 84.7 0.6 0.7 3.4 1.5 0.9 4.1 2.8 1.3 0.0 100.0 6.2 8.2 1508 86.4 1.2 100.0 7.2 Richest 0.8 0.8 3.6 1.1 3.5 1.6 1.0 0.0 6.3 1487 Ethnicity of household head Hausa 86.3 0.6 0.8 3.4 1.1 1.5 2.6 2.5 1.2 0.0 100.0 6.0 6.3 7502 (95.1) (0.0) (0.0) (0.0) (0.0) (4.9) (0.0)(0.0)(0.0)(0.0)100.0 (0.0)26 labo (4.9)Yoruba (*) (*) (*) (*) (*) (*) (*) (*) (*) (*) 100.0 (*) (*) 13 Other ethnic 79.9 119 0.0 0.0 3.8 0.0 0.3 11.2 4.2 0.0 0.6 100.0 3.8 11.2 group MICS indicator 8.13 - Children's living arrangements

²MICS indicator 8.14 - Prevalence of children with one or both parents dead

() Sample data are based on 25-49 unweighted cases

Table CP.15: Children with parents living abroad

Percent distribution of children age 0-17 years by residence of parents in another country, Nigeria, 2016-17 Kano State

	Per	cent distribu	ution of children	age 0-17 years	s:	Percentage of	
			nt living abroad Both mother and father abroad		Total	children age 0-17 years with at least one parent living abroad ¹	Number of children age 0-17 years
Total	0.1	0.0	0.0	99.9	100.0	0.1	766
Senatorial District							
Kano Central	0.1	0.0	0.0	99.9	100.0	0.1	319
Kano North	0.0				100.0	0.0	
Kano South	0.2				100.0	0.2	
Sex	-					-	
Male	0.1	0.0	0.0	99.9	100.0	0.1	380
Female	0.1	0.0	0.0	99.9	100.0	0.1	385
Residence					100.0		
Urban	0.2	0.0	0.0	99.8	100.0	0.2	207
Rural	0.1	0.0	0.0	99.9	100.0	0.1	558
Age (Years)					100.0		
0-4	0.0	0.0	0.0	100.0	100.0	0.0	255
5-9	0.0	0.0	0.0	100.0	100.0	0.0	235
10-14	0.2	0.0	0.0	99.8	100.0	0.2	193
15-17	0.6	0.0	0.1	99.3	100.0	0.7	81
Wealth index quintile					100.0		
Poorest	0.0	0.0	0.0	100.0	100.0	0.0	154
Second	0.2	0.0	0.0	99.7	100.0	0.3	158
Middle	0.0	0.0	0.0	100.0	100.0	0.0	153
Fourth	0.0	0.0	0.0	100.0	100.0	0.0	150
Richest	0.2	0.0	0.0	99.7	100.0	0.3	148
Ethnicity of household head					100.0		
Hausa	0.1	0.0	0.0	99.9	100.0	0.1	750
Igbo	(0.0)	(0.0)	(0.0)	(100.0)	100.0	(0.0)	2
Yoruba	(*)	(*)	(*)	(*)	100.0	(*)	1
Other ethnic group	0.0	0.0	0.0	100.0	100.0	0.0	11

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

XII. HIV/AIDS and Sexual Behaviour

Knowledge about HIV Transmission and Misconceptions about HIV

Table HA.1: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (women)

Percentage of women age 15-49 years who know the main ways of preventing HIV transmission, percentage who know that a healthy looking person can be HIV-positive, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, Nigeria, 2016-17 Kano State

		Percentage who be p	know transmiss revented by:	sion can	Percentage who know that		ge who know th be transmitted		Percentage who reject the two most common		
	Percentage who have heard of AIDS	Having only one faithful uninfected sex partner	Using a condom every time	Both	a healthy looking person can be HIV-positive	Mosquito bites	Supernatural means	Sharing food with someone with HIV	misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge ¹	Number of women age 15-49
Total	75.3	59.5	33.1	30.3	50.4	54.4	55.7	54.7	30.0	15.7	2500
Senatorial District											
Kano Central	85.6	72.1	47.8	44.4	61.0	66.7	68.5	66.4	40.9	26.3	1093
Kano North	68.4	50.8	16.8	14.8	40.8	39.5	44.3	46.5	22.1	6.4	603
Kano South	66.5	48.9	25.4	22.8	43.2	49.0	47.0	45.1	21.0	8.2	803
Residence											
Urban	88.5	74.8	51.4	48.1	65.5	70.6	72.7	70.3	45.8	29.3	731
Rural	69.9	53.2	25.6	22.9	44.2	47.8	48.7	48.3	23.5	10.0	1769
Age (Years)											
15-24 ¹	74.6	58.5	32.5	29.2	47.5	54.7	56.1	54.1	29.5	15.5	1017
15-19	74.0	57.2	31.8	28.7	47.2	54.7	54.9	52.3	29.2	16.4	586
20-24	75.5	60.3	33.3	30.0	47.9	54.8	57.7	56.4	29.8	14.4	431
25-29	77.4	60.4	32.8	30.6	55.3	57.8	59.3	56.8	33.9	16.2	432
30-39	77.7	60.6	36.2	32.6	51.3	53.9	55.4	55.6	28.2	15.7	640
40-49	71.1	59.4	30.3	29.0	51.1	51.1	51.4	52.9	29.9	15.4	412

Table HA.1: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (women) (continued)

Percentage of women age 15-49 years who know the main ways of preventing HIV transmission, percentage who know that a healthy looking person can be HIV-positive, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, Nigeria, 2016-17 Kano State

			know transmiss revented by:	sion can	Percentage who know that	Percentag	ge who know th be transmitted	by:	Percentage who reject the two most common		
	Percentage who have heard of AIDS	Having only one faithful uninfected sex partner	Using a condom every time	Both	a healthy looking person can be HIV- positive	Mosquito bites	Supernatural means	Sharing food with someone with HIV	misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge ¹	Number of women age 15-49
Marital status											
Ever married/in union	74.8	59.0	31.9	29.2	50.2	53.4	54.6	53.9	28.9	14.5	2014
Never married/in union	77.6	61.9	38.6	35.0	50.2	59.0	60.7	58.5	34.5	20.6	482
Education	11.0	01.5	50.0	55.0	51.7	55.0	00.7	50.5	04.0	20.0	402
None	60.6	42.4	20.3	17.5	36.8	41.0	37.1	45.1	23.9	9.6	419
Non-formal	71.7	55.3	25.8	23.3	44.6	48.5	49.0	49.0	22.9	9.9	1081
Primary	78.0	64.7	35.8	33.4	55.4	52.9	59.6	55.6	30.0	15.1	294
Secondary	87.4	72.6	48.9	45.3	63.5	69.5	73.0	66.9	41.8	26.1	608
Higher	95.4	81.8	62.2	58.6	77.0	88.0	90.6	80.4	61.3	42.0	99
Wealth index quintile											
Poorest	57.1	37.3	14.1	12.1	28.8	35.8	34.9	35.5	13.0	3.7	447
Second	69.5	50.7	22.6	19.7	42.1	47.6	47.0	47.4	21.8	8.1	484
Middle	71.3	55.9	26.3	23.3	42.4	47.4	51.7	50.9	23.3	7.9	479
Fourth	84.9	72.4	40.6	37.8	61.9	59.5	62.4	63.4	35.0	19.6	530
Richest	89.3	75.7	56.2	52.8	70.9	76.4	77.0	71.6	51.6	34.6	560
Ethnicity of household h	ead										
Hausa	75.4	59.4	32.8	29.9	50.2	54.5	55.9	54.9	29.9	15.5	2429
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	ç
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8
Other ethnic group	67.1	66.6	45.4	45.4	53.1	47.6	41.2	44.5	33.8	21.6	55

Table HA.1M: Know	ledge about	HIV transmiss	ion, misconc	eptions	about HIV, an	d compre	hensive kno	wledge abo	ut HIV transmission	(men)	
Percentage of men age 15 misconceptions, and perce								ng person can be	e HIV-positive, percentage	who reject commo	n
		Percentage who be p	o know transmiss prevented by:		Percentage who know that	Percenta	ge who know th be transmitted	by:	Percentage who reject the two most common		
	Percentage who have heard of AIDS	Having only one faithful uninfected sex partner	Using a condom every time	Both	a healthy looking person can be HIV- positive	Mosquito bites	Supernatura I means	Sharing food with someone with HIV	misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge ¹	Number of men age 15-49
Total	91.9	72.3	65.3	57.5	64.7	66.8	73.0	64.2	37.0	27.4	1099
Senatorial District											
Kano Central	95.8	76.3	70.1	63.2	66.8	68.9	76.5	63.9	36.2	27.9	538
Kano North	88.3	68.8	59.2	53.2	74.2	73.1	72.2	65.0	48.7	35.1	228
Kano South	88.0	68.4	61.7	51.3	54.8	59.1	67.9	64.3	30.2	21.3	333
Residence											
Urban	95.4	76.7	73.4	66.0	71.4	71.7	76.0	63.4	41.3	33.8	394
Rural	89.9	69.9	60.8	52.8	60.9	64.0	71.3	64.7	34.5	23.9	705
Age (Years)											
15-24 ¹	89.5	65.2	64.4	54.0	63.3	61.0	67.1	57.7	32.6	23.3	483
15-19	89.3	60.6	60.9	49.6	60.5	57.9	62.7	52.0	28.1	18.7	290
20-24	89.8	72.1	69.7	60.6	67.6	65.6	73.8	66.2	39.3	30.4	193
25-29	93.0	75.6	60.1	53.7	60.2	69.8	78.7	71.4	36.8	28.0	163
30-39	93.7	79.5	69.6	64.3	67.5	71.1	78.0	70.1	42.3	33.6	225
40-49	94.3	78.0	66.8	60.8	68.0	72.5	76.5	67.1	41.0	29.5	229
Marital status											
Ever married/in union	93.7	77.3	66.2	60.5	66.4	71.1	76.1	68.7	41.1	30.8	478
Never married/in union	90.4	68.5	64.6	55.1	63.5	63.3	70.5	60.9	33.8	24.8	620

Table HA.1M: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (men) (continued)

Percentage of men age 15-49 years who know the main ways of preventing HIV transmission, percentage who know that a healthy looking person can be HIV-positive, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, Nigeria, 2016-17 Kano State

		Percentage wh	o know transmi prevented by:	ission can	Percentage who		ge who know th be transmitted	by:	Percentage who reject the two most common		
	Percentage who have heard of AIDS	Having only one faithful uninfected sex partner	Using a condom every time	, Both	know that a healthy looking person can be HIV-positive	Mosquito bites	Supernatural means	Sharing food with someone with HIV	misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge ¹	Number of men age 15-49
Education											
None	(91.3)	(63.9)	(56.8)	(48.3)	(65.7)	(84.7)	(81.3)	(71.8)	(46.9)	(31.4)	33
Non-formal	85.0	60.8	51.6	43.1	54.7	54.5	62.4	57.0	25.3	14.1	329
Primary	94.9	77.0	68.0	61.6	72.2	69.6	76.6	67.2	42.4	31.7	144
Secondary	94.5	74.5	68.3	59.1	67.4	70.3	76.0	65.5	40.8	31.1	46
Higher	96.7	90.6	88.2	85.2	71.8	77.5	83.0	72.4	44.3	41.8	133
Wealth index quintile											
Poorest	83.0	55.9	50.5	40.2	54.2	54.0	60.1	57.5	27.0	16.8	172
Second	86.1	61.9	55.4	45.8	57.7	63.0	67.8	62.1	33.8	21.1	175
Middle	94.3	80.0	68.2	61.9	68.5	67.2	76.5	67.7	40.9	30.3	209
Fourth	95.8	75.4	69.9	60.7	65.2	72.3	80.6	67.1	37.6	28.4	24
Richest	95.4	79.9	73.9	68.5	71.6	71.5	74.9	64.6	41.2	34.4	303
Ethnicity of household h	ead										
Hausa	91.8	71.9	64.8	56.8	64.2	66.6	73.0	64.0	36.5	26.8	1072
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	22

¹MICS indicator 9.1; MDG indicator 6.3 - Knowledge about HIV prevention among young men^[M]

() Sample data are based on 25-49 unweighted cases

Table HA.2: Knowledge of mother-to-child HIV transmission (women)

		Percenta	ge of women ag	e 15-49 who ha	ve heard o	f AIDS and:	
	Know	HIV can b	e transmitted fro	om mother to ch	nild:		
	During pregnancy	During delivery	By breastfeeding	By at least one of the three means	By all three means ¹	Do not know any of the specific means of HIV transmission from mother to child	Number of women age 15-49
Total	47.9	49.5	52.5	58.3	42.5	17.0	2500
Senatorial District							
Kano Central	60.8	63.3	64.4	72.7	53.5	12.8	1093
Kano North	26.6	27.3	32.8	38.6	20.8	29.7	603
Kano South	46.4	47.4	51.3	53.5	43.7	13.0	803
Residence							
Urban	61.8	62.7	65.1	74.6	52.8	13.9	731
Rural	42.2	44.0	47.4	51.6	38.2	18.3	1769
Age group (Years)							
15-24	44.4	46.7	50.5	55.4	39.6	19.2	1017
15-19	44.3	46.8	51.2	55.5	39.5	18.5	586
20-24	44.6	46.6	49.6	55.3	39.7	20.1	431
25-29	52.0	53.6	54.9	62.1	46.5	15.3	432
30-39	49.9	51.3	54.4	61.2	43.9	16.5	640
40-49	49.3	49.4	52.1	57.1	43.0	13.9	412
Marital status							
Ever married/in union	47.8	49.3	52.2	58.3	42.2	16.5	2014
Never married/in union	48.8	50.2	54.0	58.6	43.4	19.0	482
Education							
None	30.8	32.4	36.3	40.7	27.2	19.9	419
Non-formal	47.0	47.5	50.9	54.5	42.8	17.1	1081
Primary	45.2	48.2	50.3	57.0	39.7	21.0	294
Secondary	59.0	61.2	64.3	73.7	50.9	13.7	608
Higher	71.1	75.9	73.3	84.3	60.1	11.1	99
Wealth index quintile							
Poorest	30.0	30.4	33.9	35.9	27.7	21.2	447
Second	41.6	42.0	45.9	49.6	37.3	19.8	484
Middle	41.4	43.8	47.3	51.5	37.4	19.8	479
Fourth	55.2	56.7	61.5	68.8	48.3	16.0	530
Richest	66.4	69.3	69.1	79.7	57.4	9.6	560
Ethnicity of household head	d						
Hausa	47.8	49.6	52.4	58.0	42.6	17.4	2429
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	ç
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	8
Other ethnic group	49.2	46.9	54.7	63.3	35.3	3.8	55

		Percent	age of men age	<u>15-49 who have</u>	heard of	AIDS and:	
	Know	HIV can b	e transmitted fro	om mother to ch	ild:	Do not know any of the	
	During pregnancy	During delivery	By breastfeeding	By at least one of the three means	By all three means ¹	specific means of HIV transmission from mother to child	Number of men age 15-49
Total	41.8	44.9	48.0	55.3	34.2	36.6	1099
Senatorial District							
Kano Central	49.6	51.6	56.3	63.3	41.3	32.4	538
Kano North	31.8	37.4	40.6	43.7	29.2	44.6	228
Kano South	35.9	39.2	39.5	50.3	26.1	37.7	333
Residence							
Urban	46.4	49.5	53.1	60.6	38.7	34.8	394
Rural	39.2	42.4	45.1	52.4	31.6	37.6	70
Age group (Years)							
15-24	40.3	43.4	45.5	52.6	33.1	36.9	483
15-19	42.5	44.2	46.4	53.5	35.1	35.8	29
20-24	37.0	42.3	44.2	51.3	30.0	38.5	19
25-29	42.7	43.3	51.0	60.7	31.5	32.2	16
30-39	41.2	46.0	49.7	57.5	32.6	36.2	22
40-49	44.7	48.1	49.3	54.9	39.8	39.4	22
Marital status							
Ever married/in union	41.7	46.9	48.8	55.3	35.8	38.4	47
Never married/in union	41.9	43.4	47.4	55.4	33.0	35.0	62
Education							
None	(42.1)	(37.1)	(35.7)	(45.9)	(29.6)	(45.4)	3
Non-formal	41.8	43.5	45.8	52.2	34.8	32.8	329
Primary	35.3	41.8	40.7	48.0	30.1	46.9	14
Secondary	42.7	46.6	51.0	57.9	35.8	36.6	46
Higher	45.4	47.8	53.8	64.2	32.5	32.5	13
Wealth index quintile							
Poorest	37.3	40.2	40.4	46.9	29.4	36.1	17
Second	38.6	40.6	43.7	51.4	31.0	34.7	17
Middle	42.1	43.7	49.6	54.0	35.8	40.3	20
Fourth	42.2	47.2	49.2	60.0	31.9	35.8	24
Richest	45.6	49.0	52.6	59.5	39.3	36.0	30
Ethnicity of household head							
Hausa	41.9	45.1	47.9	55.3	34.4	36.6	107
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	:
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	:
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	2

Table HA.2M: Knowledge of mother-to-child HIV transmission (men)

() Sample data are based on 25-49 unweighted cases

(*) Sample data are fewer than 25 unweighted cases

Accepting Attitudes toward People Living with HIV

Table HA.3: Accepting attitudes toward people living with HIV (women)

Percentage of women age 15-49 years who have heard of AIDS who express an accepting attitude towards people living with HIV, Nigeria, 2016-17 Kano State

			Percentage of women	who:			
	Are willing to care for a family member with AIDS in own home	Would buy fresh vegetables from a shopkeeper or vendor who is HIV-positive	Believe that a female teacher who is HIV-positive and is not sick should be allowed to continue teaching	Would not want to keep secret that a family member is HIV-positive	Agree with at least one accepting attitude	Express accepting attitudes on all four indicators ¹	Number o women age 15-49 who have heard of AIDS
Total	77.9	46.1	64.9	34.3	96.0	7.2	188
Senatorial District							
Kano Central	82.8	54.5	74.7	32.6	97.5	9.3	93
Kano North	66.6	38.5	43.7	47.9	92.1	8.5	41
Kano South	77.9	37.3	64.0	27.0	96.3	2.6	53
Residence							
Urban	84.9	53.1	75.1	31.4	97.4	9.8	64
Rural	74.2	42.4	59.5	35.9	95.3	5.8	123
Age (Years)							
15-24	77.1	43.4	65.8	31.8	95.6	6.4	75
15-19	77.7	43.7	68.6	31.3	94.7	6.5	43
20-24	76.3	43.1	62.1	32.5	96.6	6.2	32
25-29	77.3	47.7	61.1	36.1	96.5	6.1	33
30-39	79.7	49.3	63.6	32.4	94.9	7.5	49
40-49	77.5	45.7	68.9	42.3	98.5	10.0	29
Marital status							
Ever married/in union	77.5	45.4	62.7	35.8	96.1	7.4	150
Never married/in union	79.4	48.7	73.3	28.7	95.6	6.3	37
Education							
None	76.4	32.8	51.1	52.2	95.9	9.7	25
Non-formal	73.8	40.2	59.1	31.6	94.6	4.9	77
Primary	77.6	48.8	60.9	36.4	96.0	5.9	22
Secondary	82.5	56.6	77.9	30.4	97.5	8.4	53
Higher	90.1	64.7	85.3	26.1	99.3	15.4	9
Wealth index quintile							
Poorest	68.3	32.6	42.3	36.2	91.7	2.0	25
Second	71.7	34.8	54.4	32.3	94.7	4.5	33
Middle	73.3	45.0	59.7	39.0	94.6	7.9	34
Fourth	82.6	52.1	71.3	38.2	98.4	9.6	45
Richest	85.8	55.9	81.2	28.2	97.8	9.0	50
Ethnicity of household he	ead						
Hausa	77.7	46.0	64.8	34.1	96.1	6.9	183
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(83.9)	(45.0)	(69.3)	(49.7)	(88.1)	(22.6)	3

¹ MICS indicator 9.3 - Accepting attitudes towards people living with HIV

() Sample data are based on 25-49 unweighted cases

Table HA.3M: Accepting attitudes toward people living with HIV (men)

Percentage of men age 15-49 years who have heard of AIDS who express an accepting attitude towards people living with HIV, Nigeria, 2016-17 Kano State

			Percentage of men v	vho:			-Number o
	Are willing to care for a family member with AIDS in own home	Would buy fresh vegetables from a shopkeeper or vendor who is HIV- positive	Believe that a female teacher who is HIV- positive and is not sick should be allowed to continue teaching	to keep secret that a family	at least one	Express accepting attitudes on all four indicators ¹	men age 15-49 who have heard of AIDS
Total	75.7	67.3	74.5	43.1	96.8	21.3	1010
Senatorial District							
Kano Central	77.3	68.7	74.3	36.6	95.5	18.7	515
Kano North	89.9	80.9	83.6	55.2	99.2	36.9	202
Kano South	63.1	55.6	68.6	46.3	97.3	15.2	293
Residence							
Urban	81.2	73.8	80.6	33.0	96.1	18.8	375
Rural	72.4	63.5	70.9	49.1	97.1	22.8	634
Age (Years)							
15-24	74.1	62.9	71.7	43.9	96.2	20.7	432
15-19	69.1	60.1	68.3	46.5	94.8	19.3	259
20-24	81.6	67.1	76.8	40.0	98.3	22.8	173
25-29	75.0	68.2	75.1	36.4	92.6	22.2	15
30-39	76.8	69.1	78.5	44.4	98.0	23.6	21
40-49	78.3	73.8	75.9	45.0	99.6	19.7	216
Marital status							
Ever married/in union	75.9	71.1	75.5	47.7	97.5	23.5	448
Never married/in union	75.5	64.5	73.9	39.3	96.1	19.6	560
Education							
None	(80.8)	(80.7)	(82.7)	(46.8)	(97.3)	(26.2)	30
Non-formal	63.3	58.2	65.2	50.0	96.6	16.0	279
Primary	77.6	69.3	73.1	53.3	96.5	32.3	136
Secondary	79.1	67.2	77.4	38.0	96.1	20.8	436
Higher	88.1	82.3	84.7	33.8	99.4	21.9	128
Wealth index quintile							
Poorest	62.2	56.4	63.9	56.0	96.7	17.3	143
Second	67.9	62.4	67.6	55.2	98.9	23.7	150
Middle	78.7	61.1	69.8	45.3	98.1	23.5	197
Fourth	78.1	70.4	80.9	38.2	96.7	19.5	23
Richest	82.5	77.1	81.5	32.9	94.8	22.0	289
Ethnicity of household hea	ad						
Hausa	75.2	66.8	74.2	43.6	96.7	21.5	984
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	2
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	2

 1 MICS indicator 9.3 - Accepting attitudes towards people living with $\mathsf{HIV}^{[M]}$

() Sample data are based on 25-49 unweighted cases

Knowledge of a Place for HIV Testing, Counselling and Testing during Antenatal Care

Table HA.4: Knowledge of a place for HIV testing (women)

Percentage of women age 15-49 years who know where to get an HIV test, percentage who have ever been tested, percentage who have ever been tested and know the result of the most recent test, percentage who have been tested in the last 12 months, and percentage who have been tested in the last 12 months and know the result, Nigeria, 2016-17 Kano State

<u> </u>			Percentage of wome			
	Know a place to get tested ¹	Have ever been tested	Have ever been tested and know the result of the most recent test	Have been tested in the last 12 months	Have been tested in the last 12 months and know the result ^{2, 3}	Number of women age 15-49
Total	44.7	25.6	15.4	10.7	6.9	250
Senatorial District						
Kano Central	58.6	36.1	23.9	14.2	9.6	109
Kano North	27.3	10.5	6.6	3.5	2.6	60
Kano South	38.8	22.4	10.4	11.3	6.4	80
Residence						
Urban	64.0	39.9	28.7	16.0	11.9	73
Rural	36.7	19.6	9.9	8.4	4.8	176
Age (Years)						
15-24	40.4	16.7	9.0	7.7	4.4	101
15-19	34.2	7.2	3.7	3.6	1.9	58
20-24	48.8	29.7	16.3	13.2	7.8	43
25-29	48.7	32.6	19.7	16.0	10.4	43
30-39	49.9	35.5	23.1	14.5	9.5	64
40-49	42.9	24.6	14.6	6.4	5.1	41
Age and sexual activity in the	he last 12 month					
Sexually active	46.7	30.0	17.8	12.9	8.3	195
15-24 ³	43.7	26.0	13.7	12.5	7.0	55
15-19	34.6	14.3	5.6	8.0	3.1	18
20-24	48.1	31.9	17.8	14.8	9.0	36
25-49	47.8	31.5	19.4	13.1	8.8	140
Sexually inactive	37.6	9.7	6.7	2.4	1.7	54
Marital status		-	-			-
Ever married/in union	46.4	30.0	17.9	12.7	8.1	201
Never married/in union	37.8	6.9	5.1	2.3	1.9	48
Education	0.10	0.0	011	2.0		
None	31.6	13.5	7.4	6.0	3.7	41
Non-formal	38.3	22.8	10.0	9.3	4.7	108
Primary	50.9	31.7	21.8	13.6	9.8	29
Secondary	55.7	30.6	22.5	11.9	8.8	60
Higher	83.4	58.0	46.0	28.9	23.5	g
Wealth index quintile	00.1	00.0	10.0	20.0	20.0	
Poorest	23.1	8.9	3.8	3.4	1.5	44
Second	35.0	16.0	6.3	6.2	2.9	48
Middle	36.9	21.5	9.3	10.8	5.1	47
Fourth	51.9	30.0	20.5	13.9	10.4	53
Richest	70.2	46.4	32.9	17.0	12.7	56
Ethnicity of household head		-0.4	52.5	17.0	12.1	00
Hausa	44.4	25.4	15.0	10.8	6.9	242
Igbo	(*)	(*)	(*)	(*)	(*)	242
Yoruba	(*)	() (*)	(*)	(*)	(*)	
						5
Other ethnic group	49.7	25.6	22.4 Women who know where t	3.5	1.3	

² MICS indicator 9.5 - Women who have been tested for HIV and know the results

³ MICS indicator 9.6 - Sexually active young women who have been tested for HIV and know the results

Table HA.4M: Knowledge of a place for HIV testing (men)

Percentage of men age 15-49 years who know where to get an HIV test, percentage who have ever been tested, percentage who have ever been tested and know the result of the most recent test, percentage who have been tested in the last 12 months, and percentage who have been tested in the last 12 months and know the result, Nigeria, 2016-17 Kano State

			Percentage of me		<u></u>	
	Know a	Have ever	Have ever been tested and know the result of the		Have been tested in the last 12 months and	
	place to get tested ¹	been tested	most recent test	tested in the last 12 months	know the result ^{2, 3}	men age 15-49
Total	47.0	12.6	9.9	7.1	5.8	1099
Senatorial District						
Kano Central	44.6	16.9	12.2	9.7	7.3	53
Kano North	60.3	7.2		3.6	3.6	228
Kano South	41.8	9.5		5.3	4.7	333
Residence	41.0	0.0	0.0	0.0	4.7	00
Urban	47.3	18.4	13.5	10.9	8.2	394
Rural	46.9	9.4		5.0	4.4	70
Age (Years)	40.9	9.4	0.0	5.0	4.4	70.
15-24	40.2	8.6	7.3	4.6	4.2	48
	40.2 33.6		4.2			
15-19 20-24	33.6 50.1	4.5 14.8	4.2 12.0	3.6 6.2	3.6 5.2	290 193
25-29	47.2	16.8	11.5	7.3	5.0	16
30-39	55.4	17.1	13.5	10.4	8.9	22
40-49	52.9	13.7	10.9	8.9	6.5	229
Age and sexual activity in						10
Sexually active	51.9	13.8	11.5	7.2	6.1	499
15-24 ³	(67.5)	(28.1)	(28.1)	(16.1)	(16.1)	29
15-19	(*)	(*)	(*)	(*)	(*)	8
20-24	(*)	(*)	(*)	(*)	(*)	20
25-49	50.9	13.0		6.7	5.5	470
Sexually inactive	42.9	11.7	8.7	7.0	5.5	60
Marital status						
Ever married/in union	51.1	13.6	11.1	7.0	5.9	478
Never married/in union	43.7	11.9	9.0	7.2	5.7	620
Education						
None	(49.5)	(2.5)	(0.0)	(0.0)	(0.0)	33
Non-formal	32.4	7.1	5.9	2.2	2.2	329
Primary	54.6	8.5	6.7	5.0	4.2	144
Secondary	49.3	11.9	9.2	7.4	5.9	46
Higher	66.3	35.8	28.4	22.2	17.3	13
Wealth index quintile						
Poorest	35.0	5.4	2.8	0.8	0.8	17:
Second	40.3	6.2	5.8	3.9	3.5	17
Middle	48.6	7.7	6.7	2.5	2.0	209
Fourth	49.3	12.0	11.6	8.4		24
Richest	54.7	24.3				303
Ethnicity of household he						
Hausa	46.3	12.0	9.6	6.4	5.3	107
Igbo	(*)	(*)			(*)	
Yoruba	(*)	(*)			(*)	:
Other ethnic group	(*)	(*)	(*)	(*)	(*)	2

 1 MICS indicator 9.4 - Men who know where to be tested for $\mathrm{HIV}^{\mathrm{[M]}}$

 2 MICS indicator 9.5 - Men who have been tested for HIV and know the results^[M]

³ MICS indicator 9.6 - Sexually active young men who have been tested for HIV and know the results^[M]

() Sample data are based on 25-49 unweighted cases

Table HA.5: HIV counselling and testing during antenatal care

Percentage of women age 15-49 with a live birth in the last 2 years who received antenatal care from a health professional during the last pregnancy, percentage who received HIV counselling, percentage who were offered and tested for HIV, percentage who were offered, tested and received the results of the HIV test, and percentage who received counselling and were offered, accepted and received the results of the HIV test, Nigeria, 2016-17 Kano State

=			Percentage of wo	omen who:		
	Received antenatal care from a health care professional for last pregnancy	Received HIV counselling during antenatal care ¹	Were offered an HIV test and were tested for HIV during antenatal care	Were offered an HIV test and were tested for HIV during antenatal care, and received the results ²	Received HIV counselling, were offered an HIV test, accepted and received the results	Number of women age 15-49 with a live birth in the last 2 years
Total	65.1		26.7			
Senatorial District						
Kano Central	79.1	43.8	46.1	36.2	29.3	393
Kano North	58.5		7.3			
Kano South	56.1	26.6	22.6	11.5	10.7	
Residence						
Urban	82.9	45.4	53.7	43.5	32.4	239
Rural	60.1	22.0	19.1	11.6	10.6	847
Age (Years)						
15-24	67.6	24.9	22.6	13.9	12.0	353
15-19	70.1	17.3	13.3	6.3	6.3	
20-24	66.7	27.8	26.1	16.8	14.1	256
25-29	64.4	27.7	28.1	20.7	16.2	268
30-39	66.1	30.4	30.4	22.3	18.8	354
40-49	55.6	22.7	24.6	17.0	13.9	111
Marital status						
Ever married/in union	65.2	27.3	26.8	18.7	15.5	1082
Never married/in union	(*)	(*)	(*)	(*)	(*)	3
Education						
None	56.1	13.4	11.8	6.6	5.0	196
Non-formal	56.3	23.7	21.4	12.3	10.9	533
Primary	75.8	28.4	31.6	25.8	19.3	165
Secondary	88.9	46.4	49.9	40.4	32.7	162
Higher	(92.5)	(66.6)	(66.4)	(53.5)	(49.7)	30
Wealth index quintile						
Poorest	42.6	10.6	8.1	4.1	3.9	234
Second	55.9	18.8	15.8	8.9	8.4	228
Middle	63.6	22.1	18.2	9.3	8.1	237
Fourth	82.2	37.0	41.2	30.8	24.1	218
Richest	88.7	55.6	60.4	49.1	39.9	169
Ethnicity of household hea	d					
Hausa	65.0	26.9	26.6	18.4	15.1	1066
Igbo	(*)	(*)	(*)	(*)	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	14

() Sample data are based on 25-49 unweighted cases

Sexual Behaviour Related to HIV Transmission

Table HA.6: Sex with multiple partners (women)

Percentage of women age 15-49 years who ever had sex, percentage who had sex in the last 12 months, percentage who had sex with more than one partner in the last 12 months, mean number of sexual partners in lifetime for women who have ever had sex, and among those who had sex with multiple partners in the last 12 months, the percentage who used a condom at last sex, Nigeria, 2016-17 Kano State

	Perc	entage of	women who:	-		Number of	Percentage of women who had more than	Number of women age
	Ever had sex	Had sex in the last 12 months	Had sex with more than one partner in last 12 months ¹	Number of women age 15-49 years	Mean number of sexual partners in lifetime	women age 15-49 years who have ever had sex	one sexual partner in the last 12 months reporting that a condom was used the last time they had sex ²	15-49 years who had more than one sexual partner in the las 12 months
Total	81.4	78.2	0.6	2500	1	2035	(*)	1
Senatorial District								
Kano Central	70.9	66.7	0.5	1093	1	775	(*)	
Kano North	90.5	88.6	1.2	603	1	546	(*)	
Kano South	88.9	86.1	0.3	803	1	714	(*)	
Residence								
Urban	65.3	60.4	0.7	731	1	477	(*)	
Rural	88.1	85.6	0.5	1769	1	1558	(*)	1
Age (Years)								
15-24	55.3	54.3	0.4	1017	1	563	(*)	
15-19	31.9	31.2	0.1	586	1	187	(*)	
20-24	87.1	85.8	0.8	431	1	375	(*)	
25-29	97.8	95.4	0.8	432	1	422	(*)	
30-39	99.8	95.1	0.8	640	1	638	(*)	
40-49	100.0	93.1	0.6	412	2	412	(*)	
Marital status								
Ever married/in union	100.0	96.7	0.6	2014	1	2014	(*)	1
Never married/in union	3.6	1.3	0.4	482	1	17	(*)	
Education								
None	97.8	93.3	0.6	419	1	409	(*)	
Non-formal	93.5	90.6	0.7	1081	1	1011	(*)	
Primary	88.9	87.4	1.0	294	1	261	(*)	
Secondary	47.4	44.3	0.3	608	1	288	(*)	
Higher	66.8	60.7	0.0	99	1	66	(*)	
Wealth index quintile								
Poorest	93.4	91.5	0.6	447	1	418	(*)	
Second	89.3	86.4	1.1	484	1	432	(*)	
Middle	88.5	85.7	0.2	479	1	423	(*)	
Fourth	74.4	70.8	0.8	530	1	394	(*)	
Richest	65.7	61.3	0.3	560	1	368	(*)	
Ethnicity of household he	ad							
Hausa	81.8	78.6	0.5	2429	1	1987	(*)	1
Igbo	(*)	(*)	(*)	9	1	7	(*)	
Yoruba	(*)	(*)	(*)	8	1	4	(*)	
Other ethnic group	67.4	65.6	3.3	55	1	37	(*)	

² MICS indicator 9.13 - Condom use at last sex among people with multiple sexual partnerships

Table HA.6M: Sex with multiple partners (men)

Percentage of men age 15-49 years who ever had sex, percentage who had sex in the last 12 months, percentage who had sex with more than one partner in the last 12 months, mean number of sexual partners in lifetime for men who have ever had sex, and among those who had sex with multiple partners in the last 12 months, the percentage who used a condom at last sex, Nigeria, 2016-17 Kano State

	Per	centage o	of men who:	-	Mean	Number of	Percentage of men who had more than one	Number of men age 15-49 years
	Ever had sex	Had sex in the last 12 months	Had sex with more than one partner in last 12 months ¹			men age 15-49 years who have ever had sex	sexual partner in the last 12 months reporting that a condom was used the last time they had sex ²	who had more than one sexual partner in the las 12 months
Total	52.3	49.5	3.2	1099	2	575	(35.7)	3
Senatorial District								
Kano Central	42.9	39.6	3.4	538	3	231	(*)	1
Kano North	55.6	53.4	1.3	228	2	127	(*)	
Kano South	65.3	63.0	4.2	333	2	218	(*)	1
Residence								
Urban	36.2	33.1	2.8	394	3	142	(*)	1
Rural	61.3	58.7	3.4	705	2	433	(47.7)	2
Age (Years)								
15-24	14.9	13.2	2.4	483	2	72	(*)	1
15-19	9.5	9.3	1.1	290	1	27	(*)	
20-24	23.1	19.0	4.5	193	2	45	(*)	
25-29	53.3	47.7	2.0	163	3	87	(*)	
30-39	84.7	80.9	4.7	225	2	190	(*)	1
40-49	98.7	96.8	4.3	229	3	226	(*)	1
Marital status								
Ever married/in union	99.4	97.0	4.3	478	2	475	(*)	2
Never married/in union	16.1	13.0	2.3	620	2	100	(*)	1
Education								
None	(85.3)	(82.6)	(9.3)	33	2	28	(*)	
Non-formal	74.7	71.6	3.3	329	3	245	(*)	1
Primary	61.7	59.8	2.2	144	2	89	(*)	
Secondary	32.3	29.6	3.2	461	2	149	(*)	1
Higher	48.3	44.9	2.6	133	2	64	(*)	
Wealth index quintile								
Poorest	61.7	60.1	3.2	172	2	106	(*)	
Second	60.0	56.1	1.9	175	2	105	(*)	
Middle	65.1	60.4	4.2	209	2	136	(*)	
Fourth	42.4	40.1	1.9	241	3	102	(*)	
Richest	41.7	39.8	4.3	303	3	126	(*)	1
Ethnicity of household hea	d							
Hausa	51.6	48.9	2.8	1072	2	553	(38.6)	3
Igbo	(*)	(*)	(*)	2	4	2		
Yoruba	(*)	(*)	(*)	3	6	3	(*)	
Other ethnic group	(*)	(*)	(*)	22	2	17	(*)	

² MICS indicator 9.13 - Condom use at last sex among people with multiple sexual partnerships^[M]

() Sample data are based on 25-49 unweighted cases

HIV Indicators for Young Women and Young Men

		Percentage of	women ac	e 15-24 vears	who:						
	Have comprehensive knowledge ¹	Know all three means of HIV transmission from mother to child	Know a place to get tested for HIV	Have ever been tested and know the result of the most recent test	Have been tested for HIV in the last 12 months and know the result	Had sex in the last 12 months	Number of women age 15- 24 years	Percentage of sexually active young women who have been tested for HIV in the last 12 months and know the result ²	Number of women age 15-24 years who had sex in the last 12 months	Percentage who express accepting attitudes towards people living with HIV on all four indicators ^a	Number of womer age 15-24 years who have heard of AIDS
Total	15.5	39.6	40.4	9.0	4.4	54.3	1017	7.0	553	6.4	759
Senatorial District											
Kano Central	24.9	50.3	51.5	12.0	6.0	32.7	465	14.2	152	5.9	398
Kano North	7.3	16.9	27.0	5.5	1.5	74.6	229	2.0	171	11.9	157
Kano South	7.9	40.3	34.0	7.3	4.2	71.2	323	5.9	230	3.0	203
Residence											
Urban	26.7	49.3	56.0	14.2	7.9	24.0	328	26.7	79	8.0	289
Rural	10.2	35.0	33.0	6.6	2.7	68.8	689	3.7	474	5.4	470
Age (Years)											
15-19	16.4	39.5	34.2	3.7	1.9	31.2	586	3.1	183	6.5	434
15-17	15.2	38.3	32.1	1.5	.7	21.7	376	0.9	82	5.4	273
18-19	18.5	41.8	38.1	7.6	3.9	48.2	210	4.8	101	8.5	160
20-24	14.4	39.7	48.8	16.3	7.8	85.8	431	8.9	370	6.2	325
20-22	13.8	38.7	46.7	15.4	7.2	85.3	319	8.2	272	6.0	237
23-24	16.1	42.7	54.7	18.9	9.5	87.1	112	10.9	98	6.9	88
Marital status											
Ever married/in union	11.2	36.8	43.8	13.3	6.8	98.6	555	6.9	547	6.3	401
Never married/in union	20.8	43.1	36.5	3.9	1.5	1.0	461	(*)	4	6.5	358

Table HA.7: Key HIV and AIDS indicators (young women) (continued)

Percentage of women age 15-24 years by key HIV and AIDS indicators, Nigeria, 2016-17 Kano State

		Percentage of	women ag	je 15-24 years	who:						
	Have comprehensive knowledge ¹	Know all three means of HIV transmission from mother to child	Know a place to get tested for HIV	Have ever been tested and know the result of the most recent test	Have been tested for HIV in the last 12 months and know the result	Had sex in the last 12 months	Number of women age 15- 24 years	Percentage of sexually active young women who have been tested for HIV in the last 12 months and know the result ²	Number of women age 15-24 years who had sex in the last 12 months	Percentage who express accepting attitudes towards people living with HIV on all four indicators ^a	Number of womer age 15-24 years who have heard of AIDS
Education											
None	6.6	24.3	29.0	3.8	2.8	91.9	116	3.0	106	4.2	64
Non-formal	7.5	36.3	30.9	5.7	2.4	77.3	336	3.1	260	3.6	219
Primary	10.2	34.3	41.5	9.5	4.6	71.0	114	6.4	81	9.3	81
Secondary	23.5	47.0	48.0	12.5	6.0	24.0	421	21.4	101	7.9	367
Higher	(47.6)	(51.7)	(80.3)	(16.5)	(10.3)	(15.8)	31	(13.1)	5	(4.1)	28
Wealth index quintile											
Poorest	4.5	22.6	22.0	5.6	1.3	78.4	143	1.6	112	3.1	74
Second	6.5	32.7	30.9	4.8	2.9	66.0	158	4.4	104	5.9	99
Middle	7.8	33.8	28.8	2.9	1.3	72.5	212	1.8	154	6.1	150
Fourth	18.1	47.0	46.3	12.6	7.8	45.8	257	15.1	118	8.6	218
Richest	31.7	51.3	61.1	15.4	6.3	26.1	245	18.1	64	5.7	217
Ethnicity of household h	ead										
Hausa	15.2	40.0	40.2	8.8	4.4	55.1	983	6.9	542	6.1	731
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	4	(*)	2	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	4		0	(*)	4
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	26	(*)	9	(*)	20

¹MICS indicator 9.1; MDG indicator 6.3 - Knowledge about HIV prevention among young women

² MICS indicator 9.6 - Sexually active young women who have been tested for HIV and know the results

^a Refer to Table HA.3 for the four indicators.

() Sample data are based on 25-49 unweighted cases

Table HA.7M: Key HIV and AIDS indicators (young men)

Percentage of men age 15-24 years by key HIV and AIDS indicators, Nigeria, 2016-17 Kano State

		Percentage	of men age	e 15-24 years v	/ho:		_				
	Have comprehensive knowledge ¹	Know all three means of HIV transmission from mother to child	Know a place to get tested for HIV	Have ever been tested and know the result of the most recent test	Have been tested for HIV in the last 12 months and know the result	the last 12	Number of men age 15-24 years	Percentage of sexually active young men who have been tested for HIV in the last 12 months and know the result ²	Number of men age 15-24 years who had sex in the last 12 months	Percentage who express accepting attitudes towards people living with HIV on all four indicators ^a	Number of men age 15-2 who have heard of AIDS
Total	23.3	33.1	40.2	7.3	4.2	. 13.2	483	8.5	5 64	20.7	7 432
Senatorial District											
Kano Central	26.0	37.4	38.4	9.0	5.9	13.1	267	11.3	3 35	18.0) 250
Kano North	27.1	27.6	58.0	3.1	3.1	1.8	88	(*) 2	39.6	6 70
Kano South	15.3	27.8	31.6	6.5	1.6	21.1	128	(5.4) 27	13.5	5 10
Residence											
Urban	28.9	37.2	37.2	9.4	6.3	9.9	205	(*) 20	17.5	5 193
Rural	19.3	30.1	42.4	5.7	2.7	15.6	278	(3.4) 43	23.3	3 239
Age (Years)											
15-19	18.7	35.1	33.6	4.2	3.6	9.3	290	(3.1) 27	19.3	3 259
15-17	18.0	30.2	31.6	4.1	3.5	9.1	200	(*) 18	21.1	l 17:
18-19	20.1	46.1	38.0	4.3	3.7	9.6	90	(*) 9	15.8	8 8
20-24	30.4	30.0	50.1	12.0	5.2	19.0	193	(12.5) 37	22.8	3 17:
20-22	26.8	30.0	45.7	10.1	4.5	6 16.7	137	(*) 23	19.5	5 123
23-24	39.3	29.9	61.2	16.8	7.0	24.6	56	(*) 14	(30.6) 50
Marital status											
Ever married/in union	(*)	(*)	(*)	(*)	(*	(*)	8	(*) 6	(*)
Never married/in union	23.2	33.4	39.9	7.2	4.3	12.2	474	9.4	4 58	20.6	6 424

Table HA.7M: Key HIV and AIDS indicators (young men) (continued)

Percentage of men age 15-24 years by key HIV and AIDS indicators, Nigeria, 2016-17 Kano State

		Percentage of	men age 1	5-24 years w	ho:			Percentage of			
	Have comprehensive knowledge ¹	Know all three means of HIV transmission from mother to child	Know a place to get tested for HIV		Have been tested for HIV in the last 12 months and know the result	Had sex in the last 12		sexually active young men who have been tested for HIV in the last 12 months and know the result ²	Number of men age 15-24 years who had sex in the last 12 months	Percentage who express accepting attitudes towards people living with HIV on all four indicators ^a	Number men age 15-24 wh have hea of AIDS
ducation											
None	(*)	(*)	(*)	(*)	(*)	(*)	3	(*)	1	(*)	
Non-formal	10.9	26.7	26.3	4.6	1.0	20.1	85	(*)	17	16.5	
Primary	24.8	29.0	38.0	4.0	2.1	14.9	57	(*)	8	36.3	5
Secondary	25.9	35.5	41.9	6.6	5.3	10.1	302	(15.1)	30	19.1	28
Higher	(31.1)	(30.9)	(62.0)	(24.8)	(6.3)	(18.4)	37	(*)	7	(19.6)	:
Vealth index quintile											
Poorest	13.8	24.9	33.1	2.9	0.0	19.2	70	(*)	13	19.8	ŧ
Second	17.8	28.0	43.9	3.8	2.2	8.5	64	(*)	5	24.4	
Middle	21.9	33.2	39.7	5.2	1.6	23.0	87	(*)	20	24.3	
Fourth	25.7	32.8	37.0	6.2	3.9	9.1	118	(*)	11	17.1	11
Richest	29.4	39.5	44.9	13.2	9.1	9.7	143	(*)	14	20.4	- 13
thnicity of household head	l										
Hausa	23.2	33.4	40.2	6.9	3.8	12.7	477	5.5	60	20.9	42
Igbo											
Yoruba											
	(*)	(*)	(*)	(*)	(*)	(*)	5	(*)	3	(*)	

() Sample data are based on 25-49 unweighted cases (*) Sample data are fewer than 25 unweighted cases

Table HA.8: Key sexual behaviour indicators (young women)

Percentage of women age 15-24 years by key sexual behaviour indicators, Nigeria, 2016-17 Kano State

	Percentage of women age 15-24 years who: Had sex with more		s who:	Number		Number of never-	age 15-24 in the last	e of women years who 12 months x with:	Number of women age	Percentage reporting the use of a condom during the last sexual	Number of women age 15-24 years who had sex with a non-	Percentage reporting that a	years who had sex
	Had sex before age 15 ¹	Ever had sex	with more than one partner in last 12 months	of women age 15-24 years	Percentage of women who never had sex ²	married women age 15-24 years	A man 10 or more years older ³	A non- marital, non- cohabiting partner ⁴	15-24 years who had sex in the last 12 months	intercourse with a non-marital, non-cohabiting partner in the last 12 months ⁵	marital, non- cohabiting partner in last 12 months	condom was used the last time they had sex	with more than one partner in the last 12 months
Total	15.5	55.3	0.4	1017	98.6	461	60.8	0.3	553	(*)	3	(*)	4
Senatorial District													
Kano Central	6.8	33.8	0.4	465	98.7	312	61.1	0.7	152	(*)	3	(*)	2
Kano North	26.8	75.0	0.6	229	99.0	58	62.8	0.0	171		0	(*)	1
Kano South	20.0	72.3	0.2	323	98.1	91	59.2	0.0	230		0	(*)	1
Residence													
Urban	5.6	25.3	0.5	328	98.3	249	69.2	1.0	79	(*)	3	(*)	2
Rural	20.2	69.6	0.3	689	98.9	212	59.4	0.0	474		0	(*)	2
Age (Years)													
15-19	11.0	31.9	0.1	586	99.2	402	56.7	0.2	183	(*)	1	0.0	
15-17	10.1	22.1	0.0	376	99.1	295	58.3	0.4	82	(*)	1		
18-19	12.5	49.6	0.1	210	99.4	106	55.4	0.0	101		0	0.0	
20-24	21.7	87.1	0.8	431	94.4	59	62.8	0.4	370	(*)	2	(*)	4
20-22	20.3	86.3	0.9	319	(92.9)	47	66.6	0.6	272	(*)	2	(*)	3
23-24	25.6	89.3	0.6	112	(*)	12	52.3	0.0	98		0	(*)	1
Marital status													
Ever married/in union	28.0	100.0	0.4	555		0	61.2	0.0	547		0	(*)	2
Never married/in union	0.5	1.4	0.4	461	98.6	461	(*)	(*)	4	(*)	3	(*)	2

Table HA.8: Key sexual behaviour indicators (young women) (continued)

Percentage of women age 15-24 years by key sexual behaviour indicators, Nigeria, 2016-17 Kano State

		ntage of v -24 years	vomen age s who:			Number of	age 15-24 in the last	e of women years who 12 months ex with:	Number of	Percentage reporting the use of a condom during the last	Number of women age 15-24 years who had sex	Percentage reporting	Number of women age 15-24 years who
	Had sex before age 15 ¹	Ever had sex	Had sex with more than one partner in last 12 months	Number of women age 15-24 years	Percentage of women who never had sex ²	never- married women age 15-24 years	A man 10 or more years older ³	A non- marital, non- cohabiting partner ⁴	women age 15-24 years who had sex in the last 12 months	sexual intercourse with a non-marital, non-cohabiting partner in the last 12 months ⁵	with a non- marital, non- cohabiting partner in last 12 months	that a condom was used the last time they had sex	had sex with more than one partner in the last 12 months
Education													
None	32.5	91.9	0.8	116	(*)	10	69.8	0.0	106		0	(*)	1
Non-formal	26.2	79.4	0.3	336	96.4	72	54.6	0.4	260	(*)	1	(*)	1
Primary	19.2	71.5	0.0	114	(98.1)	33	59.8	0.0	81		0		
Secondary	2.4	24.5	0.4	421	99.2	320	68.1	0.4	101	(*)	2	(*)	2
Higher	(0.0)	(15.8)	(0.0)	31	(100.0)	26	(*)	(*)	5		0		
Wealth index quintile													
Poorest	30.1	79.4	1.0	143	(96.3)	31	57.4	0.0	112		0	(*)	1
Second	27.0	67.1	0.4	158	(100.0)	52	58.4	0.0	104		0	(*)	1
Middle	20.6	74.0	0.0	212	95.4	58	59.8	0.7	154	(*)	1		
Fourth	7.4	47.2	0.0	257	99.3	137	60.9	0.0	118		0		
Richest	3.7	26.1	0.7	245	99.0	183	73.0	0.7	64	(*)	2	(*)	2
Ethnicity of household l	nead												
Hausa	15.4	56.1	0.2	983	98.9	436	60.6	0.1	542	(*)	1	(*)	2
Igbo	(*)	(*)	(*)	4	(*)	2	(*)	(*)	2		0		
Yoruba	(*)	(*)	(*)	4	(*)	4		0.0			0		
Other ethnic group	(*)	(*)	(*)	26	(*)	20	(*)	(*)	9	(*)	2	(*)	2
na: not applicable				⁵ MICS	² MICS indica ³ MICS indic	tor 9.9 - Your ator 9.11 - Ao dicator 9.14 -	before age 15 a lg women who ge-mixing amor Sex with non-r 6.2 - Condom	have never hang sexual part egular partne	ad sex ners rs				

() Sample data are based on 25-49 unweighted cases

Table HA.8M: Key sexual behaviour indicators (young men)

Percentage of men age 15-24 years by key sexual behaviour indicators, Nigeria, 2016-17 Kano State

	Percent	age of m years v	ien age 15-24 vho:			Number	Percentage who in the last 12	men age	Percentage reporting the use of a condom during the last	Number of men age 15- 24 years who had sex with	Percentage reporting that a	Number of men age 15-24 years who had
	Had sex before age 15 ¹	Ever had sex	Had sex with more than one partner in last 12 months	Number of men age 15-24 years	Percentage of men who never had sex ²	of never- married men age 15-24 years	months had sex with a non- marital, non- cohabiting partner ³	15-24 years who had sex in the last 12 months	sexual intercourse with a non-marital, non-cohabiting partner in the last 12 months ⁴	a non- marital, non- cohabiting partner in last 12 months	condom was used the last time they had sex	sex with more than one partner in the last 12 months
Total	0.4	14.9	2.4	483	86.2	474	11.1	64	80.3	54	(*)	12
Senatorial District												
Kano Central	0.8	15.5	3.0	267	84.6	263	(12.2)	35	(*)	33	(*)	8
Kano North	0.0	2.8	0.0	88	100.0	85	(*)	2		0		
Kano South	0.0	22.0	3.0	128	79.9	125	(16.3)	27	(65.9)	21	(*)	4
Residence												
Urban	1.0	11.0	1.0	205	89.3	201	(*)	20	(*)	21	(*)	2
Rural	0.0	17.8	3.5	278	83.9	272	(11.7)	43	(74.2)	32	(*)	10
Age (Years)												
15-19	0.0	9.5	1.1	290	90.8	288	(8.4)	27	(*)	24	(*)	3
15-17	0.0	9.1	0.3	200	90.8	199	(*)	18	(*)	16	(*)	1
18-19	0.0	10.2	2.8	90	90.7	89	(*)	9	(*)	8	(*)	3
20-24	1.1	23.1	4.5	193	79.1	186	(15.2)	37	(88.5)	29	(*)	9
20-22	0.8	21.8	3.5	137	79.8	134	(*)	23	(*)	18	(*)	5
23-24	1.7	26.2	6.9	56	(77.0)	52	(*)	14	(*)	11	(*)	4
Marital status												
Ever married/in union	(*)	(*)	(*)	8		0	(*)	6		0		
Never married/in union	0.2	13.8	2.5	474	86.2	474	11.3	58	80.3	54	(*)	12
Table HA.8M: Key sexual behaviour indicators (young men) (continued)

Percentage of men age 15-24 years by key sexual behaviour indicators, Nigeria, 2016-17 Kano State

	Percent	tage of m years v	nen age 15-24 vho:				Percentage who	Number of	Percentage reporting the use of a condom	Number of men age 15- 24 years who	Percentage reporting	Number of men age 15-24 years
	Had sex before age 15 ¹	Ever had sex	Had sex with more than one partner in last 12 months	Number of men age 15-24 years	Percentage of men who never had sex ²	Number of never- married men age 15-24 years	in the last 12 months had sex with a non- marital, non- cohabiting partner ³	men age 15-24 years who had sex in the last 12 months	during the last sexual intercourse with a non-marital, non-cohabiting partner in the last 12 months ⁴	had sex with a non- marital, non- cohabiting partner in last 12 months	that a condom was used the last time they had sex	who had sex with more than one partner in the last 12 months
Education												
None	(*)	(*)	(*)	3	(*)	2	(*)	1	(*)	1		
Non-formal	0.0	22.9	1.9	85	79.9	82	(*)	17	(*)	12	(*)	2
Primary	0.0	17.5	2.0	57	83.3	55	(*)	8	(*)	8	(*)	1
Secondary	0.7	11.3	2.8	302	89.2	299	(8.6)	30	(*)	26	(*)	8
Higher	(0.0)	(18.4)	(1.5)	37	(81.6)	37	(*)	7	(*)	7	(*)	1
Wealth index quintile												
Poorest	0.0	19.2	0.9	70	84.5	67	(*)	13	(*)	8	(*)	1
Second	0.0	11.4	1.9	64	89.8	63	(*)	5	(*)	6	(*)	1
Middle	0.0	27.9	5.8	87	73.4	86	(*)	20	(*)	15	(*)	5
Fourth	0.0	11.0	1.0	118	88.9	117	(*)	11	(*)	11	(*)	1
Richest	1.4	9.7	2.6	143	90.8	141	(*)	14	(*)	13	(*)	4
Ethnicity of household	head											
Hausa	0.2	14.4	2.0	477	86.7	469	10.6	60	(81.1)	50	(*)	10
Igbo												
Yoruba												
Other ethnic group	(*)	(*)	(*)	5	(*)	5	(*)	3	(*)	3	(*)	2
							e age 15 among youn	•				
				2			n who have never had					
							ith non-regular partne					
				⁴ MICS indic	ator 9.15; MDG i	ndicator 6.2 - 0	Condom use with non-	regular partners	[M]			
na: not applicable												

() Sample data are based on 25-49 unweighted cases

(*) Sample data are fewer than 25 unweighted cases

Orphans

Table HA.9: School attendance of orphans and non-orphans

			•	d, Nigeria, 2016-17 Ka	Total		Total	
	Percentage of children whose mother and father have died (orphans)	Percentage of children whose parents are still alive and who are living with at least one parent (non-orphans)	Number of children age 10-14 years	Percentage of children whose mother and father have died (orphans) and are attending school	number of orphan children age 10-14 years	Percentage of children whose parents are still alive, who are living with at least one parent (non- orphans), and who are attending school	number of non- orphan children age 10-14 years	Orphans to non- orphans school attendance ratio ¹
Total	1.7	86.9	1930	(89.7)	33	83.7	1678	1.07
Sex								
Male	1.8	88.0	917	(*)	16	85.4	807	1.10
Female	1.7	85.9	1013	(*)	17	82.2	871	1.05
Residence								
Urban	2.4	79.9	586	(*)	14	90.2	468	1.0
Rural	1.4	90.0	1344	(*)	19	81.3	1209	1.0

See Table CP.14 for further overall results related to children's living arrangements and orphanhood

Male Circumcision

Nigeria, 2016-17 Kano S		Number of men		Ą	ge at circ	umcision			Number of mer age 15-49
	Percent circumcised ¹	age 15-49 years	During infancy	1-4 years	5-9 years	10-14 years	Don't Know/Missing	Total	years who have have been circumcised
Total	99.3	1099	4.1	14.7	73.9	1.4	5.8	100.0	1091
Senatorial District									
Kano Central	99.4	538	7.3	20.5	61.4	1.1	9.7	100.0	535
Kano North	98.0	228	1.2	8.4	84.8	1.6	4.0	100.0	223
Kano South	100.0	333	0.9	9.6	86.9	1.9	0.8	100.0	333
Residence									
Urban	99.2	394	6.4	22.7	58.2	0.3	12.4	100.0	390
Rural	99.4	705	2.8	10.3	82.7	2.1	2.1	100.0	70'
Age (Years)									
15-24	99.0	483	5.0	21.0	66.1	0.9	7.1	100.0	478
15-19	99.5	290	5.2	24.3	66.0	0.4	4.2	100.0	28
20-24	98.2	193	4.6	16.0	66.2	1.6	11.5	100.0	18
25-29	99.5	163	3.2	13.3	78.0	2.5	2.9	100.0	16
30-39	99.8	225	3.7	8.4	82.9	1.2	3.8	100.0	224
40-49	99.4	229	3.3	8.7	78.7	2.1	7.2	100.0	228
Education									
None	(100.0)	33	(0.0)	(0.0)	(88.3)	(2.4)	(9.3)	100.0	3
Non-formal	99.6	329	1.5	9.0	83.3	2.4	3.8	100.0	32
Primary	99.7	144	1.7	16.2	80.8	0.7	0.5	100.0	143
Secondary	99.3	461	5.2	17.9	66.7	1.3	9.0	100.0	458
Higher	98.2	133	10.6	19.9	64.8	0.0	4.7	100.0	130
Wealth index quintile									
Poorest	98.4	172	1.3	8.8	84.6	2.8	2.5	100.0	170
Second	100.0	175	1.0	8.4	85.2	1.5	3.9	100.0	17
Middle	99.8	209	2.6	14.2	79.5	2.0	1.7	100.0	20
Fourth	99.5	241	1.4	14.4	76.2	1.3	6.7	100.0	24
Richest	99.0	303	10.7	22.3	55.7	0.3	10.9	100.0	29
Ethnicity of household	l head								
Hausa	99.3	1072	3.8	14.7	74.3	1.5	5.8	100.0	106
Igbo	(*)	2	(*)	(*)	(*)	(*)	(*)	100.0	:
Yoruba	(*)	3	(*)	(*)	(*)	(*)	(*)	100.0	;
Other ethnic group	(*)	22	(*)	(*)	(*)	(*)	(*)	100.0	2:

. () Sample data are based on 25-49 unweighted cases

(*) Sample data are fewer than 25 unweighted cases

Table HA.11: Provider and location of circumcision

Percent distribution of circumcised men age 15-49 by person performing circumcision and the location where circumcision was performed, Nigeria, 2016-17 Kano State

			Person per	forming circu	mcision:			_		Plac	ce of circ	umcisior	n:			Number of men age
	Doctor	Nurse/ midwife	Other health professionals	Traditional circumciser	Traditiona I birth attendant	Other traditional	Don't Know/ Missing	Total	Health facility	Home of a health worker / professional	At home	Ritual site	Other home /place	Don't Know/ Missing	Total	15-49 years who have have been circumcised
Total	9.3	1.4	1.1	86.2	1.5	0.2	0.4	100.0	10.4	2.7	84.5	1.0	1.0	0.4	100.0	1091
Senatorial District																
Kano Central	17.9	1.7	1.4	76.6	2.0	0.2	0.2	100.0	19.3	4.7	73.2	0.8	1.8	0.2	100.0	535
Kano North	0.3	2.1	1.3	92.5	1.9	0.6	1.2	100.0	1.5	1.5	93.2	2.0	0.7	1.0	100.0	223
Kano South	1.4	0.3	0.5	97.2	0.3	0.0	0.2	100.0	2.0	0.3	96.8	0.8	0.0	0.2	100.0	333
Residence																
Urban	19.0	1.9	0.9	75.1	2.5	0.3	0.3	100.0	20.6	6.0	69.8	0.8	2.4	0.3	100.0	390
Rural	3.9	1.0	1.2	92.3	0.9	0.2	0.5	100.0	4.7	0.8	92.7	1.2	0.2	0.4	100.0	70 ²
Age (Years)																
15-24	11.7	2.0	1.3	83.4	0.9	0.1	0.5	100.0	12.6	4.2	80.7	0.5	1.7	0.3	100.0	478
15-19	11.4	1.2	1.4	84.3	1.1	0.0	0.6	100.0	12.1	3.5	82.4	0.0	1.7	0.2	100.0	288
20-24	12.2	3.1	1.2	82.1	0.7	0.3	0.4	100.0	13.3	5.4	78.0	1.2	1.7	0.4	100.0	189
25-29	9.8	1.1	0.7	85.5	1.9	1.1	0.0	100.0	11.6	3.1	81.7	2.5	1.1	0.0	100.0	162
30-39	8.4	1.0	1.1	88.8	0.7	0.0	0.0	100.0	9.6	0.5	87.9	1.7	0.4	0.0	100.0	224
40-49	4.8	0.6	0.9	89.8	3.1	0.0	0.9	100.0	5.7	1.4	91.2	0.6	0.0	1.2	100.0	228
Education																
None	(0.0)	(1.7)	(0.0)	(98.3)	(0.0)	(0.0)	(0.0)	100.0	(1.7)	(0.0)	(95.5)	(2.7)	(0.0)	(0.0)	100.0	33
Non-formal	0.7	0.0	1.0	95.4	2.1	0.4	0.4	100.0	0.8	0.0	96.8	1.5	0.3	0.6	100.0	327
Primary	6.9	1.3	2.6	88.3	0.8	0.0	0.0	100.0	7.2	1.7	90.6	0.0	0.5	0.0	100.0	143
Secondary	11.6	2.1	0.9	83.8	1.3	0.0	0.4	100.0	13.2	5.1	79.8	0.4	1.3	0.2	100.0	458
Higher	28.1	2.1	0.7	65.7	1.6	0.8	1.0	100.0	30.2	2.8	60.5	2.9	2.6	1.0	100.0	130

Table HA.11: Provider and location of circumcision (continued)

Percent distribution of circumcised men age 15-49 by person performing circumcision and the location where circumcision was performed, Nigeria, 2016-17 Kano State

			Person per	forming circu	mcision:					Plac	ce of circ	umcisior	:			Number of men age
	Doctor	Nurse/ midwife	Other health professionals	Traditional circumciser	Traditiona I birth attendant	Other traditional	Don't Know/ Missing	Total	Health facility	Home of a health worker / professional	At home	Ritual site	Other home /place	Don't Know/ Missing	Total	15-49 years who have have been circumcised
Wealth index quintile																
Poorest	0.4	0.0	0.4	97.8	0.9	0.4	0.0	100.0	1.1	0.0	96.3	1.2	0.9	0.5	100.0	170
					0.5	-										-
Second	0.4	0.3	1.1	97.0	0.7	0.4	0.0	100.0	1.1	0.0	97.6	1.3	0.0	0.0	100.0	175
Middle	4.1	0.9	1.8	90.3	1.4	0.0	1.5	100.0	4.4	1.1	91.7	1.9	0.0	1.0	100.0	208
Fourth	9.9	0.0	2.3	86.5	1.3	0.0	0.0	100.0	10.3	3.9	85.0	0.8	0.0	0.0	100.0	240
Richest	22.7	4.1	0.0	70.1	2.4	0.4	0.4	100.0	25.3	5.9	64.9	0.4	3.1	0.4	100.0	299
Ethnicity of household	d head															
Hausa	9.0	1.1	1.0	87.0	1.3	0.2	0.4	100.0	9.9	2.7	85.0	1.1	1.0	0.4	100.0	1064
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	(*)	100.0	2
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	(*)	100.0	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	(*)	(*)	(*)	(*)	100.0	22

() Sample data are based on 25-49 unweighted cases

(*) Sample data are fewer than 25 unweighted cases

XIII. Access to Mass Media and Use of Information/Communication Technology

Access to Mass Media

Percentage of women age 15-	49 years who are	exposed to specific	mass media on a	weekly basi	s, Nigeria, 2	2016-17 Kanc	State
_	Percentage o	f women age 15-4	9 years who:				
	Read a newspaper at least once a week	Listen to the radio at least once a week	Watch television at least once a week	All three media at least once a week ¹	Any media at least once a week	None of the media at least once a week	Number of women age 15-49 years
Total	5.9	51.7	24.0	3.8	55.8	44.1	2500
Age(Years)							
15-19	10.2	55.8	33.3	5.9	62.9	37.0	586
20-24	5.6	48.1	21.4	3.4	51.8	48.0	431
25-29	5.8	52.5	21.8	3.5	56.5	43.5	432
30-34	3.5	50.8	21.8	2.9	52.0	48.0	354
35-39	4.3	48.6	22.1	3.5	53.7	46.3	286
40-44	3.7	53.0	19.7	3.3	55.7	44.3	222
45-49	3.2	49.6	17.7	2.2	52.0	48.0	190
Senatorial District							
Kano Central	10.7	69.2	45.8	7.5	75.2	24.8	109
Kano North	3.3	36.4	8.9	1.9	39.4	60.4	603
Kano South	1.5	39.2	5.5	0.3	41.7	58.3	80
Residence							
Urban	13.7	81.8	59.6	10.2	89.7	10.3	73
Rural	2.7	39.2	9.2	1.2	41.8	58.1	1769
Education							
None	0.0	31.6	9.3	0.0	33.2	66.6	419
Non-formal	0.6	41.1	6.5	0.2	42.6	57.4	108
Primary	3.3	54.9	22.6	1.4	59.0	41.0	294
Secondary	15.2	77.1	55.6	9.3	86.8	13.1	60
Higher	39.8	86.4	86.5	33.5	96.4	3.6	99
Wealth index quintile							
Poorest	0.3	25.4	0.5	0.0	25.8	74.1	44
Second	1.1	32.5	2.7	0.0	34.5	65.4	48
Middle	1.4	40.0	4.7	0.5	42.1	57.9	47
Fourth	5.0	68.7	26.8	1.4	74.6	25.4	53
Richest	19.4	83.1	74.9	15.4	92.2	7.8	56
Ethnicity of household head							
Hausa	5.3	51.2	23.1	3.4	55.1	44.8	242
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	:
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	25.6	65.2	53.5	17.9	75.8	24.2	5

(*) Sample data are fewer than 25 unweighted cases

Use of Information/Communication Technology

Table MT.1M: Exposure to mass media (men)

age 15-49 years who are exposed to specific mass media on a weekly basis. Nigeria, 2016-17 Kano State

		of men age 15-49					
	Read a newspaper at least once a week	Listen to the radio at least once a week	Watch television at least once a week	All three media at least once a week ¹	Any media at least once a week	None of the media at least once a week	Number of men age 15- 49 years
Total	25.6	66.5	44.9	19.9	74.0	25.8	1099
Age(Years)							
15-19	23.0	58.7	47.7	16.1	68.4	31.1	290
20-24	33.8	68.6	52.0	26.7	75.2	24.8	193
25-29	28.8	64.6	44.1	20.7	74.6	25.4	16
30-34	29.2	67.8	45.1	24.3	76.4	23.6	128
35-39	17.9	66.2	33.3	15.3	70.8	29.2	97
40-44	24.8	76.3	42.3	22.0	79.2	20.8	130
45-49	16.0	73.8	38.6	13.0	79.8	19.3	99
Senatorial District							
Kano Central	39.8	76.9	62.4	33.7	84.6	15.4	53
Kano North	12.2	69.8	33.5	7.2	76.7	23.3	22
Kano South	11.8	47.4	24.4	6.4	55.0	44.4	33
Residence							
Urban	43.5	72.8	68.3	37.5	81.8	18.2	39
Rural	15.6	62.9	31.8	10.1	69.6	30.1	70
Education							
None	(7.4)	(67.4)	(23.3)	(3.8)	(76.4)	(21.2)	3
Non-formal	3.4	54.3	24.1	3.2	57.3	42.3	32
Primary	9.2	62.6	31.9	5.2	72.1	27.9	14
Secondary	34.5	70.9	55.7	25.6	80.5	19.5	46
Higher	71.9	85.1	78.3	61.7	93.8	6.2	13
Wealth index quintile							
Poorest	3.6	41.6	13.6	0.9	45.6	53.1	17
Second	5.6	61.4	24.6	2.8	69.4	30.6	17
Middle	14.0	68.3	34.7	8.9	74.3	25.7	20
Fourth	33.4	71.1	54.7	25.5	81.5	18.5	24
Richest	51.4	78.6	73.6	43.8	86.4	13.6	30
Ethnicity of household head							
Hausa	25.0	65.8	44.5	19.5	73.5	26.3	107
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	2
3.00p	, ,	ICS indicator 10.1 -			()	()	_

Table MT.2: Use of computers and internet (women)

Percentage of young women age 15-24 years who have ever used a computer and the internet, percentage who have used during the last 12 months, and percentage who have used at least once weekly during the last one month, Nigeria, 2016-17 Kano State

		Perce	ntage of women ag	e 15-24 years w	/ho have:		
	Ever used a computer	Used a computer during the last 12 months ¹	Used a computer at least once a week during the last one month	Ever used the internet	Used the internet during the last 12 months ²	Used the internet at least once a week during the last one month	Number of women age 15-24 years
Total	11.2	7.9	5.7	8.8	7.2	4.9	1017
Age(Years)							
15-19	13.4	10.4	7.3	9.4	8.2	5.4	586
20-24	8.1	4.6	3.4	7.9	5.8	4.3	431
Senatorial District							
Kano Central	20.1	14.5	9.8	15.6	13.2	8.7	465
Kano North	3.7	3.4	3.0	2.4	2.4	2.4	229
Kano South	3.6	1.7	1.7	3.4	1.9	1.3	323
Residence							
Urban	23.6	16.5	11.0	19.7	16.3	10.5	328
Rural	5.2	3.8	3.1	3.6	2.9	2.3	689
Education							
None	0.0	0.0	0.0	0.0	0.0	0.0	116
Non-formal	0.7	0.3	0.0	0.3	0.0	0.0	336
Primary	0.0	0.0	0.0	1.0	1.0	0.0	114
Secondary	21.7	15.6	11.3	16.1	13.1	8.5	421
Higher	(64.1)	(46.8)	(33.5)	(63.0)	(55.0)	(46.4)	31
Wealth index quintile							
Poorest	0.4	0.0	0.0	0.0	0.0	0.0	143
Second	1.3	1.3	0.7	0.7	0.7	0.7	158
Middle	2.8	0.5	0.5	1.6	1.6	0.5	212
Fourth	11.9	8.1	5.9	7.1	5.6	3.5	257
Richest	30.3	23.1	16.4	27.1	22.1	15.8	245
Ethnicity of household	head						
Hausa	9.9	6.8	5.0	7.6	6.0	4.2	983
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	4
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	4
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	26
		¹ MICS i	ndicator 10.2 - Use c	of computers			
		² MICS	indicator 10.3 - Use	of internet			

Table MT.2M: Use of computers and internet (men)

Percentage of young men age 15-24 years who have ever used a computer and the internet, percentage who have used during the last 12 months, and percentage who have used at least once weekly during the last one month, Nigeria, 2016-17 Kano State

		Pe	rcentage of men age	15-24 years wh	no have:		
	Ever used a computer	Used a computer during the last 12 months ¹	Used a computer at least once a week during the last one month	Ever used the internet	Used the internet during the last 12 months ²	Used the internet at least once a week during the last one month	Number of men age 15-24 years
Total	18.8	16.3	12.5	35.5	32.9	25.9	483
Age(Years)							
15-19	13.9	11.7	9.1	26.3	24.1	19.3	290
20-24	26.2	23.1	17.6	49.4	46.2	35.9	193
Senatorial District							
Kano Central	28.1	24.8	18.4	46.3	43.0	32.7	267
Kano North	9.7	8.9	8.9	31.8	31.8	27.4	88
Kano South	5.8	3.6	2.7	15.6	12.7	10.7	128
Residence							
Urban	30.1	27.7	21.1	46.3	43.0	32.6	205
Rural	10.5	7.9	6.1	27.6	25.5	21.0	278
Education							
None	(*)	(*)	(*)	(*)	(*)	(*)	3
Non-formal	0.0	0.0	0.0	1.9	1.2	0.0	85
Primary	2.1	2.1	2.1	8.4	8.4	7.3	57
Secondary	23.2	19.2	14.3	44.6	40.6	31.8	302
Higher	(54)	(54)	(43)	(83)	(83)	(68)	37
Wealth index quintile							
Poorest	2.1	.9	.9	9.8	7.1	5.0	70
Second	6.9	4.5	1.9	13.5	12.7	9.5	64
Middle	11.3	6.5	4.6	35.3	32.0	27.1	87
Fourth	27.0	25.1	20.0	49.9	45.4	38.4	118
Richest	30.2	27.9	21.4	46.3	44.9	32.5	143
Ethnicity of household he	ead						
Hausa	18.6	16.0	12.4	35.3	32.6	25.8	477
Igbo							
Yoruba							
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	5
		¹ MICS	indicator 10.2 - Use of	computers ^[M]			
		² MIC	S indicator 10.3 - Use	of internet ^[M]			

XIV. Subjective well-being

Table SW.1: Domains Percentage of women age 15-					d in selec	ted domains	of satisfactior	n, Nigeria,	2016-17 Ka	no State						
			omen age 1 satisfied i				Percenta 15-2	ge of woi 4 years w		age 15-24	age ery with	15-24	age ery with	15-24	age ery with	15-24
	Family life	Friendships	Health	Living environment	Treatment by others	The way they look	Are attending school	Have a job	Have an income	Number of women age years	Percentage of women age 15-24 years who are very or somewhat satisfied with school	Number of women age years attending school	Percentage of women age 15-24 years who are very or somewhat satisfied with their job	Number of women age years who have a job	Percentage of women age 15-24 years who are very or somewhat satisfied with their income	Number of women age 15-
Total	87.5	86.5	87.7	90.3	86.4	90.0	33.8	21.7	38.8	1017	92.8	343	84.1	220	75.3	395
Age (Years)																
15-19	88.9	87.9	86.6	90.6	85.5	89.4	49.8	18.4	36.4	586	92.5	291	84.9	108	77.7	213
20-24	85.6	84.7	89.1	90.0	87.7	90.9	12.0	26.1	42.2	431	94.3	52	83.4	113	72.5	182
Senatorial District																
Kano Central	89.1	89.1	89.0	92.9	90.7	90.8	52.0	20.0	32.3	465	94.2	242	82.0	93	72.4	150
Kano North	82.8	82.3	87.4	86.5	79.1	88.9	17.7	20.5	40.7	229	(94.6)	40	77.8	47	66.2	93
Kano South	88.6	85.9	85.9	89.3	85.5	89.6	18.9	24.9	47.0	323	85.9	61	90.3	80	83.8	152
Residence																
Urban	88.5	88.5	89.2	93.4	90.8	92.0	60.1	18.5	33.7	328	93.7	197	80.8	61	75.1	110
Rural	87.0	85.6	87.0	88.9	84.4	89.1	21.2	23.2	41.3	689	91.6	146	85.4	160	75.4	285
Marital Status																
Ever married/in union	85.3	84.8	86.4	89.0	84.3	90.3	6.0	22.1	40.2	555	(95.7)	33	84.0	122	74.1	223
Never married/in union	90.1	88.6	89.1	91.9	88.9	89.6	67.2	21.2	37.0	461	92.5	310	84.3	98	76.7	171
Missing	100.0	100.0	100.0	100.0	100.0	100.0	0.0	0.0	100.0	2		0		0	100.0	2

Percentage of women a	age 15-24 yea	ars who are	ery or some	ewhat satisfied i	n selected	domains of	satisfaction, I	Vigeria, 20)16-17 Kano	State						
				15-24 years wi in selected do		y	Percentag 15-24	ge of won years w		n age	men age are very sfied with	n age ding	men age are very sfied with	n age have a	men age are very sfied with	n age have an
	Family life Friendships	Health	Living environment	Treatment by others	The way they look	Are attending school	Have a job	Have an income	Number of women age 15-24 years	Percentage of women age 15-24 years who are very or somewhat satisfied with school	Number of women age 15-24 years attending school	Percentage of women age 15-24 years who are very or somewhat satisfied with their job	Number of women age 15-24 years who have a job	Percentage of women age 15-24 years who are very or somewhat satisfied with their income	Number of women age 15-24 years who have an	
Education																
None	86.1	93.0	91.1	91.2	82.2	94.8	1.9	22.2	35.0	116	(*)	2	(91.4)	26	(80.9)	40
Non-formal	84.1	81.9	83.6	86.8	84.9	87.3	13.4	23.9	42.6	336	(87.3)	45	78.7	80	70.5	143
Primary	83.9	84.9	85.4	87.5	80.8	86.8	20.2	24.4	47.0	114	(*)	23	(88.6)	28	80.3	54
Secondary	91.6	88.8	90.3	93.6	89.8	91.9	59.4	18.7	33.6	421	93.9	250	86.5	78	79.3	141
Higher	(87.2)	(88.2)	(91.4)	(92.1)	(93.4)	(86.5)	(76.2)	(25.7)	(53.7)	31	(90.0)	23	(*)	8	(*)	16
Wealth index quintile																
Poorest	85.3	84.7	86.3	85.5	80.8	87.0	8.7	19.9	41.7	143	(*)	13	(85.4)	28	74.1	60
Second	88.5	87.5	85.8	90.7	82.3	91.3	25.7	22.8	42.8	158	(93.2)	41	(84.3)	36	83.0	68
Middle	84.7	84.2	88.4	88.8	87.3	91.6	19.0	23.3	37.5	212	(87.6)	40	83.2	49	76.0	80
Fourth	85.0	85.8	85.6	89.9	85.7	88.4	41.7	21.2	37.1	257	94.5	107	89.2	55	75.3	95
Richest	93.3	89.7	91.2	94.7	92.4	91.2	58.0	21.0	37.7	245	93.3	142	(78.8)	52	69.9	92
Ethnicity of household	d head															
Hausa	87.8	87.0	87.6	90.2	86.9	90.6	33.1	21.0	37.9	983	93.2	325	86.0	206	76.3	373
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	4	(*)	2	(*)	1	(*)	3
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	4	(*)	2	(*)	2	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	26	(*)	15	(*)	11	(*)	17

Percentage of men age 15									-	16-17 Kano	o State					
				15-24 yeaı d in select				age of m 4 years v		0	age e ied	bu	e ied	e e e	age e ied	se e
	Family life	Friendships	Health	Living environment	Treatment by others	The way they look	Are attending school	Have a job	Have an income	Number of men age 15-24 years	Percentage of men age 15-24 years who are very or somewhat satisfied with school	Number of men age 15-24 years attending school	15-24 years who are very or somewhat satisfied with their job	Number of men age 15-24 years who have a job	Percentage of men age 15-24 years who are very or somewhat satisfied with their income	Number of men age 15-24 years who have
Total	90.1	89.9	92.7	83.2	86.2	94.6	55.0	54.4	54.5	483	86.7	265	78.4	263	72.3	263
Age (Years)																
15-19	91.5	90.5	95.0	83.0	87.6	95.5	64.4	46.4	44.7	290	83.5	187	78.5	134	73.1	130
20-24	88.1	88.9	89.3	83.4	84.2	93.3	40.9	66.6	69.3	193	94.4	79	78.3	128	71.6	134
Senatorial District																
Kano Central	90.9	91.2	94.3	92.8	90.7	95.2	59.5	53.0	52.8	267	92.4	159	87.2	141	83.5	141
Kano North	91.2	94.4	95.0	75.1	91.3	93.8	51.8	49.5	50.4	88	84.8	46	80.5	44	73.6	44
Kano South	87.7	84.0	87.8	68.8	73.4	93.9	47.8	60.7	61.1	128	73.4	61	61.1	78	51.5	78
Residence																
Urban	89.3	91.3	94.3	94.3	91.1	94.8	61.5	47.7	47.9	205	91.3	126	84.9	98	81.4	98
Rural	90.7	88.8	91.5	75.0	82.6	94.5	50.2	59.4	59.4	278	82.6	139	74.5	165	67.0	165
Marital Status																
Ever married/in union	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8	(*)	1	(*)	8	(*)	7
Never married/in union	90.1	90.1	93.0	83.5	86.4	94.5	55.9	53.6	53.9	474	86.7	265	78.2	254	72.7	255
Missing	100.0	0.0	100.0	100.0	100.0	100.0	0.0	100.0	100.0	1		0	100.0	1	100.0	1
Education																
None	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3		0	(*)	3	(*)	3
Non-formal	89.6	83.1	88.2	63.9	76.9	93.7	39.3	77.5	78.0	85	(79.8)	33	74.0	66	66.5	66
Primary	86.1	88.8	85.8	74.9	82.8	90.0	44.7	42.0	38.8	57	(76.6)	25	(68.2)	24	(65.2)	22
Secondary	91.0	92.8	95.9	89.5	90.6	95.7	60.2	51.4	51.8	302	88.6	181	83.9	155	76.7	156
Higher	(92.2)	(82.0)	(86.8)	(89.9)	(78.2)	(94.6)	(69.4)	(41.5)	(43.5)	37	(*)	26	(*)	15	(*)	16

Table SW.1M: Domains of life satisfaction (men) - continued

Percentage of men age 15-24 years who are very or somewhat satisfied in selected domains of satisfaction, Nigeria, 2016-17 Kano State

				5-24 years in selecte			<u> </u>		entage o age 24 years		4 years	5-24 th	15-24 years	5-24 th their	4 years	5-24 th their	15-24 years
	Family life	Friendships	Health	Living environment	Treatment by others	The wav thev look		Are attending school	Have a job	Have an income	Number of men age 15-24	Percentage of men age 15-24 years who are very or somewhat satisfied with school	Number of men age 15-2. attending school	Percentage of men age 15-24 years who are very or somewhat satisfied with their job	Number of men age 15-24 who have a job	Percentage of men age 15-24 years who are very or somewhat satisfied with their income	Number of men age 15-2 who have an income
Wealth index quintile																	
Poorest	92.5	82.1	87.7	60.2	77.1	91.8		40.5	64.7	65.0	70	(80.3)	29	(77.9)	46	(61.9)	46
Second	86.8	90.3	92.5	74.8	80.7	93.1		57.5	63.3	60.6	64	(86.6)	37	(71.7)	40	(65.7)	39
Middle	90.0	90.5	92.1	84.7	84.9	98.6		41.0	62.5	65.5	87	(80.9)	36	75.8	54	71.9	57
Fourth	92.3	95.2	94.4	92.0	93.0	96.3		60.2	52.7	53.2	118	89.7	71	84.6	62	82.6	63
Richest	88.6	88.7	94.2	90.0	88.3	92.8		65.3	41.9	41.2	143	88.6	94	79.1	60	74.4	59
Ethnicity of household head																	
Hausa	90.0	89.7	92.6	83.0	86.3	94.5		54.9	54.8	54.9	477	86.5	262	78.3	262	72.2	262
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	5	(*)	3	(*)	1	(*)	1

Table SW.2: Overall life satisfaction and happiness (women)

Percentage of women age 15-24 years who are very or somewhat satisfied with their life overall, the average overall life satisfaction score, and percentage of women age 15-24 years who are very or somewhat happy, Nigeria, 2016-17 Kano State

	Percentage of women with overall life satisfaction ¹	Average life satisfaction score	Percentage of women who are very or somewhat happy ²	Number of women age 15-24 years
Total	89.6	1.5	91.2	1017
Age (Years)				
15-19	89.9	1.5	91.3	586
20-24	89.2	1.6	91.0	43
Senatorial District				
Kano Central	91.2	1.5	91.9	46
Kano North	85.6	1.5	89.6	22
Kano South	90.2	1.6	91.3	32
Residence				
Urban	90.8	1.5	91.6	32
Rural	89.1	1.6	91.0	68
Marital Status				
Ever married/in union	88.1	1.6	90.6	55
Never married/in union	91.5	1.5	91.9	46
Missing	100.0	1.0	100.0	:
Education				
None	88.0	1.5	95.8	11
Non-formal	89.1	1.7	87.9	33
Primary	89.9	1.6	88.7	11,
Secondary	90.1	1.4	93.3	42
Higher	(93.4)	(1.5)	(91.5)	3
Wealth index quintile				
Poorest	89.0	1.5	91.0	14
Second	90.0	1.6	91.7	15
Middle	90.8	1.5	91.1	21
Fourth	87.3	1.6	91.6	25
Richest	91.2	1.4	90.6	24
Ethnicity of household head				
Hausa	89.5	1.5	91.5	98
Igbo	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	
Other ethnic group	(*)	(*)	(*)	2

² MICS indicator 11.2 - Happiness

Table SW.2M: Overall life satisfaction and happiness (men)

Percentage of men age 15-24 years who are very or somewhat satisfied with their life overall, the average overall life satisfaction score, and percentage of men age 15-24 years who are very or somewhat happy, Nigeria, 2016-17 Kano State

	Percentage of men with overall life satisfaction ¹	Average life satisfaction score	Percentage of men who are very or somewhat happy ²	Number of men age 15-24 years
Total	87.6	1.6	90.9	483
Age (Years)				
15-19	87.5	1.6	92.1	290
20-24	87.7	1.6	89.2	193
Senatorial District				
Kano Central	93.6	1.4	93.5	267
Kano North	72.6	1.8	89.1	88
Kano South	85.3	1.8	86.8	128
Residence				
Urban	94.1	1.4	92.4	205
Rural	82.8	1.8	89.9	278
Marital Status				
Ever married/in union	(*)	(*)	(*)	8
Never married/in union	87.5	1.6	91.0	474
Missing	100.0	2.0	100.0	1
Education				
None	(*)	(*)	(*)	3
Non-formal	88.0	1.8	89.6	85
Primary	74.6	1.8	92.1	57
Secondary	90.6	1.5	91.8	302
Higher	(86.7)	(1.6)	(87.4)	37
Wealth index quintile				
Poorest	78.7	1.9	96.0	70
Second	84.5	1.7	90.3	64
Middle	82.9	1.8	85.8	87
Fourth	92.2	1.5	89.3	118
Richest	92.3	1.4	93.2	143
Ethnicity of household head				
Hausa	87.4	1.6	90.8	477
Other ethnic group	(*)	(*)	(*)	5

Table SW.3: Perception of a better life (women)

Percentage of women age 15-24 years who think that their lives improved during the last one year and those who expect that their lives will get better after one year, Nigeria, 2016-17 Kano State

	Percentage of Improved during the	Number of wome		
	last one year	Will get better after one year	Both ¹	age 15-24 years
Total	79.3	86.4	74.0	101
Age (Years)				
15-19	82.3	88.4	77.7	58
20-24	75.2	83.6	68.9	43
Senatorial District				
Kano Central	79.6	89.7	78.2	46
Kano North	77.2	82.5	68.2	22
Kano South	80.4	84.3	72.1	32
Residence				
Urban	79.1	90.5	77.2	32
Rural	79.4	84.4	72.4	68
Marital Status				
Ever married/in union	78.1	84.8	72.2	55
Never married/in union	80.6	88.2	76.1	46
Missing	100.0	100.0	100.0	
Education				
None	79.5	82.1	70.3	1'
Non-formal	77.6	86.2	72.8	33
Primary	75.5	80.9	67.1	1'
Secondary	81.5	88.5	77.3	42
Higher	(80.4)	(94.5)	(80.4)	3
Wealth index quintile				
Poorest	79.7	85.5	76.0	14
Second	81.6	83.8	71.4	15
Middle	79.8	84.9	72.8	2
Fourth	77.2	84.5	71.2	25
Richest	79.3	91.7	78.3	24
Ethnicity of household head				
Hausa	79.9	86.6	74.5	98
Igbo	(*)	(*)	(*)	
Yoruba	(*)	(*)	(*)	
Other ethnic group	(*)	(*)	(*)	
		3 - Perception of a better life		

Table SW.3M: Perception of a better life (men)

Percentage of men age 15-24 years who think that their lives improved during the last one year and those who expect that their lives will get better after one year, Nigeria, 2016-17 Kano State

		e of men who think that their	life		
	Improved during the last one year	Will get better after one year	Both ¹	Number of men age 15-24 years	
	last one year		Dom	age 15-24 years	
Total	69.4	85.9	66.6	483	
Age (Years)					
15-19	67.8	84.0	64.6	290	
20-24	71.8	88.7	69.7	193	
Senatorial District					
Kano Central	79.8	93.6	77.9	267	
Kano North	37.3	55.7	33.0	88	
Kano South	69.8	90.5	66.2	128	
Residence					
Urban	81.2	95.8	80.8	205	
Rural	60.6	78.6	56.2	278	
Marital Status					
Ever married/in union	(*)	(*)	(*)	8	
Never married/in union	69.6	85.6	66.8	474	
Education					
None	(*)	(*)	(*)	3	
Non-formal	68.8	80.8	61.2	85	
Primary	58.0	82.8	58.0	57	
Secondary	73.0	89.5	71.3	302	
Higher	(58.7)	(71.7)	(54.3)	37	
Wealth index quintile					
Poorest	63.7	82.9	57.6	70	
Second	65.0	82.8	61.1	64	
Middle	56.8	77.0	54.3	87	
Fourth	73.5	87.8	72.0	118	
Richest	78.4	92.6	76.6	143	
Ethnicity of household head					
Hausa	69.7	85.7	66.9	477	
Other ethnic group	(*)	(*)	(*)	5	

 1 MICS indicator 11.3 - Perception of a better life $^{\mbox{\scriptsize [M]}}$

Table TA.1: Current and ever use of tobacco (women)

			Ever us	sers			tobacco pro tring the last			Number
	Never smoked cigarettes or used other tobacco products	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product ¹	of women age 15-49 years
Total	99.3	0.1	0.1	0.4	0.5	0.0	0.0	0.0	0.0	2500
Age (Years)										
15-19	99.2	0.0	0.3	0.2	0.5	0.0	0.0	0.0	0.0	586
20-24	99.1	0.4	0.0	0.1	0.5	0.0	0.0	0.0	0.0	431
25-29	99.5	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	432
30-34	99.0	0.0	0.0	0.9	0.9	0.0	0.0	0.0	0.0	354
35-39	98.6	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	286
40-44	99.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	222
45-49	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	190
Senatorial District										
Kano Central	98.8	0.2	0.2	0.6	1.0	0.0	0.0	0.0	0.0	1093
Kano North	99.8	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	603
Kano South	99.4	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	803
Residence										
Urban	98.6	0.2	0.2	0.8	1.2	0.0	0.0	0.0	0.0	731
Rural	99.5	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	1769
Education										
None	99.3	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	419
Non-formal	99.4	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	1081
Primary	99.5	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	294
Secondary	98.8	0.3	0.3	0.4	1.0	0.0	0.0	0.0	0.0	608
Higher	99.3	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	99
Under-5s in the same	e household									
At least one	99.3	0.1	0.1	0.3	0.5	0.0	0.0	0.0	0.0	2001
None	99.1	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	499
Wealth index quintile)									
Poorest	99.6	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	447
Second	99.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	484
Middle	98.9	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	479
Fourth	99.5	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	530
Richest	98.5	0.3	0.3	0.8	1.5	0.0	0.0	0.0	0.0	560
Ethnicity of househo	ld head									
Hausa	99.4	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	2429
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	ę
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	8
Other ethnic group	93.5	3.3	3.3	0.0	6.5	0.0	0.0	0.0	0.0	55

() Sample data are based on 25-49 unweighted cases

Table TA.1M: Current and ever use of tobacco (men)

Percentage of men age 15-49 years by pattern of use of tobacco, Nigeria, 2016-17 Kano State

	Never smoked		Ever us	sers			f tobacco pro uring the last			_
	cigarettes or used other tobacco products	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product ¹	Number of men age 15-49 years
Total	87.2	6.1	1.4	3.1	10.6	2.3	0.4	1.3	4.0	1099
Age (Years)										
15-19	96.1	0.5	0.6	1.5	2.6	0.2	0.0	0.3	0.5	290
20-24	81.3	6.8	2.3	4.1	13.2	3.9	2.0	2.9	8.8	193
25-29	79.0	11.0	1.3	6.9	19.3	3.8	0.0	2.3	6.1	163
30-34	80.8	11.5	1.7	3.6	16.8	3.1	0.4	2.6	6.1	128
35-39	90.3	5.1	1.2	1.6	7.9	0.0	0.0	0.0	0.0	97
40-44	93.0	4.5	1.7	0.8	7.0	2.6	0.0	0.8	3.4	130
45-49	83.4	9.2	1.8	3.1	14.1	3.2	0.0	0.0	3.2	99
Senatorial District										
Kano Central	88.5	5.0	1.6	2.9	9.5	1.1	0.5	1.4	3.0	538
Kano North	88.3	9.7	0.0	1.7	11.4	1.4	0.0	0.0	1.4	228
Kano South	84.4	5.4	2.1	4.3	11.9	4.7	0.5	2.2	7.4	333
Residence										
Urban	90.7	5.1	1.3	0.4	6.9	1.4	0.3	0.4	2.1	394
Rural	85.2	6.7	1.5	4.5	12.7	2.7	0.5	1.8	5.0	705
Education										
None	(67.6)	(21.0)	(2.7)	(8.6)	(32.4)	(0.0)	(0.0)	(6.2)	(6.2)	33
Non-formal	86.5	5.4	1.7	4.4	11.4	2.9	0.2	1.4	4.5	329
Primary	88.7	5.2	1.4	3.5	10.1	2.4	0.8	2.3	5.5	144
Secondary	89.1	5.3	1.0	2.2	8.4	2.0	0.2	1.0	3.3	461
Higher	85.1	8.0	2.1	1.2	11.3	1.8	1.2	0.0	3.0	133
Under-5s in the same househol										
At least one	88.0	5.6	1.0	3.1	9.7	2.3	0.2	1.4	3.9	776
None	85.1	7.4	2.4	3.1	12.9	2.1	0.8	1.2	4.2	323
Wealth index quintile										
Poorest	88.8	3.6	0.9	4.9	9.5	1.8	0.0	1.3	3.1	172
Second	88.0	6.4	1.6	3.3	11.3	1.7	0.0	1.4	3.0	175
Middle	84.5	9.1	0.7	2.4	12.2	3.2	0.8	1.4	5.4	209
Fourth	84.2	6.5	1.8	4.0	12.4	2.7	0.0	1.6	4.2	241
Richest	90.1	5.0	1.7	1.6	8.3	1.9	0.9	1.1	3.9	303
Ethnicity of household head										
Hausa	87.5	5.9	1.2	3.1	10.2	2.2	0.3	1.4	3.9	1072
Igbo	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	2
Yoruba	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Other ethnic group	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	22

¹ MICS indicator 12.1 - Tobacco use^[M]

Appendix A. Sample Design

The major features of the sample design are described in this appendix. Sample design features include target sample size, sample allocation, sampling frame and listing, choice of domains, sampling stages, stratification, and the calculation of sample weights.

The primary objective of the sample design used for the Nigeria Multiple Indicator Cluster Survey (MICS) for Kano state was to produce statistically reliable estimates of most indicators, at the state and senatorial district.

A multi-stage, stratified cluster sampling approach was used for the selection of the survey sample.

Sample Size and Sample Allocation

The sample size for the Kano-Nigeria MICS was calculated as 1,920 households. Determination of the number of sample households (denoted as n), generally uses the following formula that is based on the parameters of the distribution of a characteristic adopted as the design variable and on a number of other parameters that affect the precision. The required sample size n is given as:

$n = \frac{4 r^{*} (1-r)^{*} \text{deff}}{(\text{RME x } r)^{2} \text{ x pb x AveSize x RR}}$

where:

- r = Predicted value of indicator (in target/base population)
- deff = Design effect
- RME = Relative margin of error at 95% confidence level
- pb = Proportion of target/base population in total population
- AveSize = Average household size
- RR = Response rate

The principal domain of reporting to which the sample size n refers in this calculation is the state. For this sample design, determination of the sample size is based on the indicator stunting prevalence in under-5 children as the design variable. The results from the Nigeria MICS4 of 2011 reported stunting prevalence at 35.8 percent at the national level. This estimate had a relatively high design effect (deff) of 4.85, indicating a large clustering effect for this characteristic. However, with the more efficient sample design for the MICS 2016-17 it was expected that the deff will be lower, so a value of 3.5 was assumed for the deff in calculating the sample size. The value for pb (percentage of children aged 0-4 years in the total population) based on the results of the Nigeria MICS4 2011

and NDHS 2013 is 17.1; and Average Size (average household size) is 5.0. For state-level results, it is reasonable to use a relative margin of error (RME) of 18%. Based on previous survey results, the household response rate is assumed to be 95%.

For the 3 senatorial district a sample of 40 EAs was selected per district and 16 households per EA, which gives a sample size of 640 households in each of these districts from the NISH2 master sample, for a total of 120 sample EAs and 1,920 sample households in the state. And the selection of 16 households per EA slightly reduces the design effects compared to the MICS 2011, in which 20 households were selected per EA

Sampling Frame and Selection of Clusters

The Kano-Nigeria MICS sample clusters were selected from the NISH2 master sample, based on the 2006 census frame. For the NISH2 master sample census enumeration areas were defined as primary sampling units (PSUs), and were selected from each of the sampling strata by using systematic pps (probability proportional to size) sampling procedures; the measure of size was based on the number of households in each enumeration area from the 2006 Population and Housing Census frame. The first stage of sampling was thus completed by selecting the required number of enumeration areas from each of the 3 senatorial districts of the state which cut across urban and rural areas.

Listing Activities

Since the sampling frame (the 2006 Census) was not up-to-date, a new listing of households was conducted in November, 2015 for all the sample enumeration areas prior to the selection of households. For this purpose, listing teams were formed who visited all of the selected enumeration areas and listed all households in each enumeration area. Selected staff of National Bureau of Statistics (NBS) in Kano state carried out the listing exercise. Twelve (12) teams were constituted that carried out the listing exercise in the state. Each team comprises of 2 enumerators and one (1) supervisor who supervised two (2) teams and there were six (6) supervisors. The listing exercise lasted for twelve (12) days.

Selection of Households

Lists of households were prepared by the listing teams in the field for each enumeration area. The households were then sequentially numbered from 1 to N (the total number of households in each enumeration area) at the National Bureau of Statistics (Field Services and Methodology Department), where the selection of 16 households in each enumeration area was carried out using systematic selection procedures.

The survey also included a questionnaire for individual men aged 15 to 49 years that was to be administered in one-half of the sample of households, with every even household number in each sample cluster selected for interviews with all eligible men.

Within the state, 30 enumeration areas were systematically selected within the sampled cluster and water quality test questionnaire was administered. A systematic sample of one-fifth of the

households (3 households out of the 16 selected households) was carried out within the selected enumeration areas for water quality test.

Calculation of Sample Weights

The NISH2 master sample EAs were stratified by senatorial district and the EAs were selected within each senatorial district. Therefore the corresponding probability of selection for the Kano-Nigeria MICS 2016 sample households is expressed as follows:

$$p_{SDi} = \frac{n_{SL}}{N_{SL}} \times \frac{200 \times \left(\frac{N_{SL}}{n_{SL}}\right)}{\sum_{LS} N_{SL}} \times \frac{n_{SD}'}{n_{SD}} \times \frac{m_{SDi}}{M_{SDi}'} = \frac{200}{N_S} \times \frac{n_{SD}'}{n_{SD}} \times \frac{m_{SDi}}{M_{SDi}'}$$

where:

<i>p</i> _{<i>SDi</i>} =	overall sampling probability for households selected based on the NISH2 master sample in the i-th sample EA in senatorial district D within state S
<i>n'_{sD}</i> =	number of sample EAs selected for the Kano-Nigeria MICS 2016 from the NISH2 master sample for senatorial district D of state S, generally equal to 40
n _{sD} =	total number of NISH2 master sample EAs in senatorial district D of state S
m _{sDi} =	total number of sample households selected in the i-th sample EA in senatorial district D of state S (generally equal to 16)
<i>M'</i> _{DLi} =	number of households listed in the i-th sample EA in senatorial district D of state S

Since the number of households in each enumeration area (PSU) from the 2006 Census frame used for the first stage selection and the updated number of households in the enumeration area from the listing are generally different, individual overall probabilities of selection for households in each sample enumeration area (cluster) were calculated.

The basic weight for the kano-Nigeria MICS 2016 sample households is the inverse of the overall probability of selection, calculated as follows:



It is also important to adjust the basic weights for the households to take into account the nonresponse at the state level. The final adjusted (raw) weight for the sample households in each sample EA is expressed as follows:

 $W'_{SDi} = W_{SDi} \times \frac{m'_{SD}}{r}$

where:

- m'_{SD} = total number of in-scope sample households selected in senatorial district D of state S
- m''_{SD} = number of sample households with completed MICS questionnaires in senatorial district D of state S

After the completion of fieldwork, response rates were calculated for the state sampling. These were used to adjust the sample weights calculated for each cluster. Response rates in the Kano-Nigeria MICS are shown in Table HH.1 in this report.

Following the adjustment of the raw household weights for non-response, these weights are generally normalized (standardized) so that relative weights are used for the analysis of the survey data. In this way the sum of the relative weights is equal to the number of sample households at the state level. The household weights were normalized by dividing each weight by the average weight at the state level (that is, the sum of the weights for all sample households divided by the number of sample households).

Given that sometimes it is not possible to complete a woman questionnaire for each eligible woman identified in a sample household, it is also necessary to have a separate woman weight with an additional nonresponse adjustment factor applied to the household weight at the state level. The adjusted woman weight is expressed as follows:

 $W_{fSDi} = W'_{SDi} \times \frac{f_{SD}}{f'_{SD}}$

where:

- f_{SD} = total number of women age 15 to 49 years identified in the roster for all sample households in senatorial district D of state S
- f'_{SD} = number of women with completed interviews for all sample households in senatorial district D of state S

There were cases where a child questionnaire was not completed for all the children under 5 years in some sample households. Therefore a separate child weight with an additional non-response adjustment factor applied to the adjusted household weight was used. The adjusted child weight is expressed as follows:

$$W_{cSDi} = W_{SDi} \times \frac{C_{SD}}{C_{SD}}$$

where:

- c_{SD} = total number of children under 5 years identified in the roster for all sample households in senatorial district D of state S
- c'_{SD} = number of children under 5 years with completed interviews for all sample households in senatorial district D of state S

The weights for the men questionnaires were calculated in the same way as the women weights, except that the raw household weight was multiplied by 2, since half of the sample households were selected for the men's questionnaires. In this case the number of sample men in the numerator and denominator of the non-response adjustment factor was based only on the sample households selected for the men's questionnaires.

The non-response adjustment factors for the individual women, men, and under-5 questionnaires were applied to the adjusted household weights. Numbers of eligible women, men, and under-5 children were obtained from the roster of household members in the Household Questionnaire for households where interviews were completed.

The women, men and child weights are normalized in the same way as the household weights. In this case the full (raw) weights were divided by the average women, men or child weight, respectively.

Sample weights were appended to all data sets and analyses were performed by weighting households, women, men, or under-5s with these sample weights.

Appendix B. List of Personnel Involved in the Survey

Statistician-General of the Federation

1. Adeyemi Adeniran - National Coordinator

3. Adebisi Adebayo Tunde - Sampling Expert

2. Samanja B. Maudo - Field Services & Methodology

- ICT

- TA-SG

- CPTC

Dr.	Yemi	Kale
υ.	1 CHI	Nuic

Project Coordinators

4. Fafunmi Elisha A.

5. Harry Simon B.

7. Nemi Okujagu

Project Director

Dr. Isiaka Olarewaju

UNICEF Staff- Technical Support

- 1. Denis Jobin
- 2. Adeniyi Olaleye
- 3. Raymond Akor
- 4. Binta Isah-Ismail
- 5. Danjuma Al-Mustapha
- 6. Maureen Zubie-Okolo
- 7. Oluchi Ally
- 8. Ghislain Mbep
- 9. Michele Seroussi- Regional Office
- 10. Achraf Mohamed Mrabet- Regional office
- 11. Issa Kone Regional Office
- 12. Denis Businge MICS 5 Consultant

Independent Monitors

Statistician General of Kano State

6. Eweama Patricia M. - DSSD

Ali Sani Fanni

Monitors

1	Baballe Ammani	Permanent Sec. (MoPB)	1	Rabiu Abdullahi	SSGS
2	Umar F. Mohammed	D-Field services (KANBUS)	2	Hussaini Habu B.	DD (DS)
3	Dambatta Mustapha Abba	DD Data Bank (KANBUS)	3	Kubura Dankani	D Women Affairs
4	Ayuba S. Ibrahim	NBS State Officer	4	Hamza Ahmad	D Kano MoH

Report writing team

- 1 Adeniran S. Adevemi
- 2 Kareem Bolakale Akeem
- 3 Nkemakolam Hope Chioma
- 4 Shamsudeen Lawal
- 5 Ebhodaghe Bridget
- 6 Uba M. Mohammed
- 7 Umar F. Mohammed
- 8 Dambatta Mustapha Abba
- 9 Hamisu Hussaini
- 10 Aliyu Mohd Abdullahi
- 11 Salihu Hussain Dogarai
- 12 Faruk Sani
- 13 Aminu Abubakar
- 14 Sani Usman

Trainers

- 1 Samanja B. Maudo
- 2 Ogundiya Kola John 3 Kanu Christiana Ngozi
- 4 Aimola Oluwanikemi Olusoji
- 5 Shamsuddeen Lawal
- 6 Simon Appolonia
- 7 Lateef Olasunkanmi
- 8 Oluyomi Samuel Olanrewaju
- 9 Omoniyi Ronke
- 10 Bakare Saheed
- 11 Amina Musa
- 12 Samuel Daniel Laumu

- Coordinator Lead Trainer
 - Trainer
 - Trainer
 - Trainer
 - Trainer
 - - Trainer Technical
 - Rapporteur
 - CAPI Manager
 - **CAPI** Manager
 - WQT Expert
- WQT Expert

15 Muhammad Tasi'u Idris

Kano State List of Field Officers

S/N	Name	Sex	Expected role
1	Ayuba S. Ibrahim	Male	NBS State Officer
2	Kubura Abdulkareem	Female	Supervisor
3	Aisha Abubakar Kabir	Female	Supervisor
4	Victoria Baita	Female	Supervisor
5	Abubakar Jibril	Male	Supervisor
6	Safiya A. Mohammed	Female	Measurer
7	Sule Nana Hauwa	Female	Measurer
8	Rakiya Ahmed Daneji	Female	Measurer
9	Baraatu Zubairu	Female	Measurer
10	Khadija Aliyu Abubakar	Female	Interviewer
11	Aisha Adamu	Female	Interviewer
12	Sumayya Aliyu Yahya	Female	Interviewer
13	Abel Eunice	Female	Interviewer
14	Faizah Isa Suleiman	Female	Interviewer
15	Bilkisu Odeyemi	Female	Interviewer
16	Aisha Mustapha Hassan	Female	Interviewer
17	Iyabo Abdulganiyu	Female	Interviewer
18	Rukayya Yakubu Ahmad	Female	Interviewer
19	Grace Kamin	Female	Interviewer
20	Habiba Umar Ismaila	Female	Interviewer
21	Maryam Umar Nuhu	Female	Interviewer
22	Emmanuel Umolo	Male	Interviewer
23	Abubakar Saleem	Male	Interviewer
24	Suleiman Mohammed	Male	Interviewer
25	Anas tukur usman	Male	Interviewer
26	Jamila Abdulkadir Sulaiman	Female	On standby
27	Hasiya Sani Fane	Female	On standby
28	Rahama Lawan Aliyu	Female	On standby
29	Rahina Mohd Sulaiman	Female	On standby
30	Hafsat Tahir Mohd	Female	On standby
31	Abubakar Umar	Male	On standby

Appendix C. Estimates of Sampling Errors

The sample of respondents selected in the Nigeria Multiple Indicator Cluster Survey for Kano state is only one of the samples that could have been selected from the same population, using the same design and size. Each of these samples would yield results that differ somewhat from the results of the actual sample selected. Sampling errors are a measure of the variability between the estimates from all possible samples. The extent of variability is not known exactly, but can be estimated statistically from the survey data.

The following sampling error measures are presented in this appendix for each of the selected indicators:

- Standard error (se): Standard error is the square root of the variance of the estimate. For survey
 indicators that are means, proportions or ratios, the Taylor series linearization method is used
 for the estimation of standard errors. For more complex statistics, such as fertility and mortality
 rates, the Jackknife repeated replication method is used for standard error estimation.
- Coefficient of variation (se/r) is the ratio of the standard error to the value (r) of the indicator, and is a measure of the relative sampling error.
- Design effect (deff) is the ratio of the actual variance of an indicator, under the sampling method used in the survey, to the variance calculated under the assumption of simple random sampling based on the same sample size. The square root of the design effect (deft) is used to show the efficiency of the sample design in relation to the precision. A deft value of 1.0 indicates that the sample design of the survey is as efficient as a simple random sample for a particular indicator, while a deft value above 1.0 indicates an increase in the standard error due to the use of a more complex sample design.
- Confidence limits are calculated to show the interval which contains the true value of the indicator for the population, with a specified level of confidence. For MICS results 95% confidence intervals_are used, which is the standard for this type of survey. The concept of the 95% confidence interval can be understood in this way: if many repeated samples of identical size and design were taken and the confidence interval computed for each sample, then 95% of these intervals would contain the true value of the indicator.

For the calculation of sampling errors from MICS data, programs developed in CSPro Version 5.0, SPSS Version 21 Complex Samples module and CMRJack¹⁷ have been used.

The results are shown in the tables that follow. In addition to the sampling error measures described above, the tables also include weighted and unweighted counts of denominators for each indicator. Given the use of normalized weights, by comparing the weighted and unweighted counts it is possible to determine whether a particular domain has been under-sampled or over-sampled compared to the average sampling rate. If the weighted count is smaller than the unweighted count, this means that the particular domain had been over-sampled. As explained later in the footnote of Table SE.1, there is an exception in the case of indicators 4.1 and 4.3, for which the

¹⁷ CMRJack is a software developed by FAFO, an independent and multidisciplinary research foundation. CMRJack produces mortality estimates and standard errors for surveys with complete birth histories or summary birth histories. See http://www.fafo.no/ais/child_mortality/index.html

unweighted count represents the number of sample households, and the weighted counts reflect the total population.

Sampling errors are calculated for indicators of primary interest, for the state, for urban and rural areas, and for all the senatorial districts. Three of the selected indicators are based on households members, 12 are based on women, 3 are based on men, and 4 are based on children under 5. Table SE.1 shows the list of indicators for which sampling errors are calculated, including the base population (denominator) for each indicator. Tables SE.2 to SE.10 show the calculated sampling errors for selected domains.

	a,2016-17 5 Indicator	Base Population				
House	ehold members	·				
4.1	Use of improved drinking water sources	All household members ^a				
4.3	Use of improved sanitation	All household members ^a				
7.4	Primary school net attendance ratio (adjusted)	Children of primary school age				
Wome	en					
1.2	Infant mortality rate	Children of interviewed women exposed to the risk of mortality during the first year of life				
1.5	Under five mortality rate	Children of interviewed women exposed to the risk of mortality during the first five years of life				
5.1	Adolescent birth rate	Women years of exposure to childbirth during ages 15-19 years Women age 15-49 years who are currently married or in				
5.3	Contraceptive prevalence rate	union				
5.4	Unmet need	Women age 15-49 years who are currently married or in union				
5.5a	Antenatal care coverage (1+ times, skilled provider)	Women age 15-49 years with a live birth in the last 2 years				
5.5b	Antenatal care coverage (4+ times, any provider)	Women age 15-49 years with a live birth in the last 2 years				
5.7	Skilled attendant at delivery	Women age 15-49 years with a live birth in the last 2 years				
5.13	Maternal mortality ratio	Women age 15-49 years				
7.1	Literacy rate (young women)	Women age 15-24 years				
9.1	Knowledge about HIV prevention (young women)	Women age 15-24 years				
9.15	Condom use with non-regular partners	Women age 15-24 years who had a non-marital, non- cohabiting partner in the last 12 months				
Men						
7.1	Literacy rate (young men)	Men age 15-24 years				
9.1	Knowledge about HIV prevention (young men)	Men age 15-24 years				
9.15	Condom use with non-regular partners	Men age 15-24 years who had a non-marital, non- cohabiting partner in the last 12 months				
Unde	r-5s					
2.1a	Underweight prevalence (moderate and severe)	Children under age 5 years				
2.1b	Underweight prevalence (severe)	Children under age 5 years				
3.18	Children under age 5 who slept under an ITN	Children under age 5 years who spent the previous night in the household				
3.22	Anti-malarial treatment of children under age 5	Children under age 5 years with fever in the last 2 weeks				

unweighted number of households, whereas the weighted numbers reflect the household population.

Table SE.2: Sampling errors: Total sample

					Coefficient	Design	Square root		-	Confiden Lower	Upper
	MICS Indicator	MDG Indicator	Value (<i>r</i>)	Standard error (se)	of variation (se/r)	effect (<i>deff</i>)	of design effect (<i>deft</i>)	Weighted count	Unweighted count	bound r - 2se	bound r + 2se
Household members			(1)		(00,1)	()					
Use of improved drinking water sources	4.1	7.8	0.5792	0.0289	0.050	6.396	2.529	13365	1867	0.521	0.637
Use of improved sanitation	4.3	7.9	0.5509	0.0207	0.038	3.239	1.800	13365	1867	0.509	0.592
Primary school net attendance ratio (adjusted)	7.4	2.1	0.5484	0.0273	0.050	8.147	2.854	2687	2701	0.494	0.603
Women											
Infant mortality rate	1.2	4.2	112	6.963	0.062	na	na		na	98	126
Under five mortality rate	1.5	4.1	203	11.930	0.059	na	na		na	179	227
Adolescent birth rate	5.1	5.4	169	14.533	0.086	na	na		na	140	198
Contraceptive prevalence rate	5.3	5.3	0.0634	0.0088	0.139	2.627	1.621	1949	1999	0.046	0.081
Unmet need	5.4	5.6	0.3078	0.0131	0.042	1.604	1.266	1949	1999	0.282	0.334
Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.4469	0.0237	0.053	2.543	1.595	1087	1119	0.399	0.494
Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.1976	0.0202	0.102	2.876	1.696	1087	1119	0.157	0.238
Skilled attendant at delivery	5.7	5.2	0.6510	0.0248	0.038	3.029	1.740	1087	1119	0.601	0.701
Literacy rate (young women)	7.1	2.3	0.4611	0.0390	0.085	6.147	2.479	1017	1005	0.383	0.539
Knowledge about HIV prevention (young women)	9.1	6.3	0.1552	0.0151	0.097	1.748	1.322	1017	1005	0.125	0.185
Condom use with non-regular partners	9.15	6.2	0.5517	0.4946	0.897	0.989	0.995	3	2	0.000	1.000
Men											
Literacy rate (young men)	7.1	2.3	0.7253	0.0333	0.046	2.635	1.623	483	475	0.659	0.792
Knowledge about HIV prevention (young men)	9.1	6.3	0.2335	0.0261	0.112	1.809	1.345	483	475	0.181	0.286
Condom use with non-regular partners	9.15	6.2	0.8032	0.0551	0.069	0.940	0.969	54	50	0.693	0.913
Under-5s											
Underweight prevalence (moderate and severe)	2.1a	1.8	0.4033	0.0156	0.039	2.552	1.598	2510	2510	0.372	0.435
Underweight prevalence (severe)	2.1b	1.8	0.1612	0.0110	0.068	2.246	1.499	2510	2510	0.139	0.183
Children under age 5 who slept under an ITN	3.18	6.7	0.6178	0.0186	0.030	3.737	1.933	2543	2542	0.580	0.655
Anti-malarial treatment of children under age 5	3.22	6.8	0.3899	0.0230	0.059	2.016	1.420	906	904	0.344	0.436

Table SE.3: Sampling errors: Urban

Use of inproved sanitation 4.3 7.9 0.8035 0.0250 0.031 1.702 1.305 3748 431 0.754 0.0 Primary school net attendance ratio (adjusted) 7.4 2.1 0.7287 0.0329 0.045 3.155 1.776 671 577 0.663 0.0 Women Infant mortality rate 1.2 4.2 79 15.829 0.203 na na na 47 Adolescent birth rate 5.1 5.4 62 12.867 0.209 na na na 376 0.105 0.0 Unmer need 5.4 5.6 0.3919 0.0265 0.068 1.109 1.053 437 376 0.339 0.0 Antenatal care coverage (1+ times, skilled provider) 5.5a 5.5 0.5066 0.0450 0.089 1.702 1.305 239 211 0.417 0.0 Skilled attendant at delivery 5.7 5.2 0.8269 0.0324 0.039 1.559 1.248		MICS Indicator	MDG Indicator	Value (r)	Standard error (<i>se</i>)	Coefficient of variation (se/r)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	- Unweighted count	Confident Lower bound r - 2se	ce limits Upper bound r + 2se
Use of improved sanitation 4.3 7.9 0.8035 0.0250 0.031 1.702 1.305 3748 431 0.754 0.037 Primary school net attendance ratio (adjusted) 7.4 2.1 0.7287 0.0329 0.045 3.155 1.776 671 577 0.663 0.0764 Women Under five mortality rate 1.2 4.2 79 15.929 0.203 na na na 47 Adolescent birth rate 5.1 5.4 62 12.867 0.209 na na na 376 0.105 0.05 Unmer need 5.4 5.6 0.3919 0.0265 0.068 1.109 1.053 437 376 0.339 0.0 Antenatal care coverage (1+ times, skilled provider) 5.5a 5.5 0.5066 0.0450 0.089 1.702 1.305 239 211 0.417 0.0 Skilled attendant at delivery 5.7 5.2 0.8289 0.0324 0.039 1.559 1.24	Household members											
Primary school net attendance ratio (adjusted) 7.4 2.1 0.7287 0.0329 0.045 3.155 1.776 671 577 0.663 0.055 Women Infant mortality rate 1.2 4.2 79 15.929 0.203 na	Use of improved drinking water sources	4.1	7.8	0.6342	0.0540	0.085	5.415	2.327	3748	431	0.526	0.742
Women Infant mortality rate 1.2 4.2 79 15.929 0.203 na na na Add Infant mortality rate 1.5 4.1 110 19.909 0.181 na na na 70 Adolescent bith rate 5.1 5.4 62 12.867 0.209 na na na 70 Contraceptive prevalence rate 5.3 0.1514 0.0231 0.153 1.563 1.250 437 376 0.105 0.154 Unmet need 5.4 5.6 0.3919 0.0265 0.068 1.109 1.053 437 376 0.339 0.0265 Antenatal care coverage (1+ times, skilled provider) 5.5a 5.50 0.5066 0.0450 0.089 1.702 1.305 239 211 0.417 0.0265 Skilled attendant at delivery 5.7 5.2 0.8295 0.0237 0.026 1.721 1.312 328 283 0.212 0.000 0.016 0.027	Use of improved sanitation	4.3	7.9	0.8035	0.0250	0.031	1.702	1.305	3748	431	0.754	0.854
Infant mortality rate1.24.27915.9290.203na	Primary school net attendance ratio (adjusted)	7.4	2.1	0.7287	0.0329	0.045	3.155	1.776	671	577	0.663	0.795
Under five motality rate1.54.111019.9090.181na	Women											
Adolescent birth rate 5.1 5.4 62 12.867 0.209 na na na sa Contraceptive prevalence rate 5.3 5.3 0.151 0.0231 0.153 1.563 1.250 437 376 0.105 0. Unmet need 5.4 5.6 0.3919 0.0265 0.068 1.109 1.653 437 376 0.339 0. Antenatal care coverage (1+ times, skilled provider) 5.5a 5.5 0.566 0.0450 0.089 1.702 1.305 239 211 0.437 0. Antenatal care coverage (4+ times, any provider) 5.7 5.2 0.8289 0.0324 0.039 1.559 1.248 239 211 0.417 0. Skilled attendant at delivery 5.7 5.2 0.8287 0.0276 0.103 1.097 1.048 328 283 0.820 0.00 0.0276 0.103 1.097 1.048 328 0.830 0.0 0.00 0.00 0.000	Infant mortality rate	1.2	4.2	79	15.929	0.203	na	na		na	47	110
Contraceptive prevalence rate5.35.30.15140.02310.1531.5631.2504373760.105Unmet need5.45.60.39190.02650.0681.1091.0534373760.3390.Antenatal care coverage (1+ times, skilled provider)5.5a5.50.54690.05480.1002.5431.5952392110.4370.Antenatal care coverage (4+ times, any provider)5.5b5.50.50660.04500.0891.7021.3052392110.4170.Skilled attendant at delivery5.75.20.82890.03240.0391.5591.2482392110.4170.Literacy rate (young women)7.12.30.89750.02370.0261.7211.3123282830.8500.Condom use with non-regular partners9.156.20.55170.49460.8970.9890.995320.0001.MenLiteracy rate (young men)7.12.30.93320.02510.0271.7411.3192051730.8830.Knowledge about HIV prevention (young men)9.16.30.28850.04670.1621.8271.3522051730.1950.Condom use with non-regular partners9.156.20.89720.06840.0770.8870.94221180.7581.Under-5sUnderweight prevalence (moderate and seve	Under five mortality rate	1.5	4.1	110	19.909	0.181	na	na		na	70	150
Unmet need5.45.60.39190.02650.0681.1091.0534373760.3390.0Antenatal care coverage (1+ times, skilled provider)5.5a5.50.54690.05480.1002.5431.5952392110.4370.0Antenatal care coverage (4+ times, any provider)5.5b5.50.50660.04500.0891.7021.3052392110.4170.0Skilled attendant at delivery5.75.20.82890.03240.0391.5591.2482392110.7640.0Literacy rate (young women)7.12.30.89750.02370.0261.7211.3123282830.8500.0Knowledge about HIV prevention (young women)9.16.30.26700.02760.1031.0971.0483282830.2120.0Condom use with non-regular partners9.156.20.55170.49460.8970.9890.995320.0001.1MenImage: star and point mon-regular partners9.156.20.58720.0271.7411.3192051730.8830.0Knowledge about HIV prevention (young men)9.16.30.28850.04670.1621.8271.3522051730.1950.0Condom use with non-regular partners9.156.20.89720.06940.0770.8870.94221180.7580.1950.0Condom use wit	Adolescent birth rate	5.1	5.4	62	12.867	0.209	na	na		na	36	87
Antenatal care coverage (1+ times, skilled provider) 5.5a 5.5 0.5469 0.0548 0.100 2.543 1.595 239 211 0.437 0.0 Antenatal care coverage (4+ times, any provider) 5.5b 5.5 0.5066 0.0450 0.089 1.702 1.305 239 211 0.417 0.0 Skilled attendant at delivery 5.7 5.2 0.8289 0.0324 0.039 1.559 1.248 239 211 0.417 0.0 Literacy rate (young women) 7.1 2.3 0.8975 0.0237 0.026 1.721 1.312 328 283 0.850 0.0 Knowledge about HIV prevention (young women) 9.1 6.3 0.2670 0.0276 0.103 1.097 1.048 328 283 0.212 0.0 0.1 Condom use with non-regular partners 9.15 6.2 0.5517 0.4946 0.897 0.989 0.995 3 2 0.000 1. Men Iteracy rate (young men) 7.1 2.3 0.9322 0.0271 0.741 1.319 205 173	Contraceptive prevalence rate	5.3	5.3	0.1514	0.0231	0.153	1.563	1.250	437	376	0.105	0.198
Antenatal care coverage (4+ times, any provider) 5.5b 5.5 0.5066 0.0450 0.089 1.702 1.305 239 211 0.417 0.0 Skilled attendant at delivery 5.7 5.2 0.8289 0.0324 0.039 1.559 1.248 239 211 0.764 0.0 Literacy rate (young women) 7.1 2.3 0.8975 0.0237 0.026 1.721 1.312 328 283 0.850 0.0 Knowledge about HIV prevention (young women) 9.1 6.3 0.2670 0.0276 0.103 1.097 1.048 328 283 0.212 0.0 Condom use with non-regular partners 9.15 6.2 0.5517 0.4946 0.897 0.989 0.995 3 2 0.000 1. Men Literacy rate (young men) 7.1 2.3 0.9332 0.0271 1.741 1.319 205 173 0.883 0. Knowledge about HIV prevention (young men) 9.1 6.3 0.2885 0.0467 0.162 1.827 1.352 205 173 0.195 0.	Unmet need	5.4	5.6	0.3919	0.0265	0.068	1.109	1.053	437	376	0.339	0.445
Skilled attendant at delivery 5.7 5.2 0.8289 0.0324 0.039 1.559 1.248 239 211 0.764 0. Literacy rate (young women) 7.1 2.3 0.8975 0.0237 0.026 1.721 1.312 328 283 0.850 0. Knowledge about HIV prevention (young women) 9.1 6.3 0.2670 0.0276 0.103 1.097 1.048 328 283 0.212 0. Condom use with non-regular partners 9.15 6.2 0.5517 0.4946 0.897 0.989 0.995 3 2 0.000 1. Men Iteracy rate (young men) 7.1 2.3 0.9332 0.0251 0.027 1.741 1.319 205 173 0.883 0.0 Knowledge about HIV prevention (young men) 9.1 6.3 0.2885 0.0467 0.162 1.827 1.352 205 173 0.193 0.0 Condom use with non-regular partners 9.15 6.2 0.8972 0.0694 0.077 0.887 0.942 21 18 0.758 <t< td=""><td>Antenatal care coverage (1+ times, skilled provider)</td><td>5.5a</td><td>5.5</td><td>0.5469</td><td>0.0548</td><td>0.100</td><td>2.543</td><td>1.595</td><td>239</td><td>211</td><td>0.437</td><td>0.656</td></t<>	Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.5469	0.0548	0.100	2.543	1.595	239	211	0.437	0.656
Literacy rate (young women)7.12.30.89750.02370.0261.7211.3123282830.8500.0Knowledge about HIV prevention (young women)9.16.30.26700.02760.1031.0971.0483282830.2120.0Condom use with non-regular partners9.156.20.55170.49460.8970.9890.9953320.0001.1MenLiteracy rate (young men)7.12.30.93320.02510.0271.7411.3192051730.8830.0Knowledge about HIV prevention (young men)9.16.30.28850.04670.1621.8271.3522051730.1950.0Condom use with non-regular partners9.156.20.89720.06940.0770.8870.94221180.7581.1Under-ssUnderweight prevalence (moderate and severe)2.1a1.80.31480.02770.0881.7881.3375935050.2600.0Underweight prevalence (severe)2.1b1.80.1090.01990.1972.2031.4845935050.0610.0Children under age 5 who slept under an ITN3.186.70.56610.04210.0743.6821.9196015120.4820.0	Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.5066	0.0450	0.089	1.702	1.305	239	211	0.417	0.597
Knowledge about HIV prevention (young women)9.16.30.26700.002760.1031.0971.0483282830.2120.Condom use with non-regular partners9.156.20.55170.49460.8970.9890.995320.0001.MenLiteracy rate (young men)7.12.30.93320.02510.0271.7411.3192051730.8830.Knowledge about HIV prevention (young men)9.16.30.28850.04670.1621.8271.3522051730.1950.Condom use with non-regular partners9.156.20.89720.06940.0770.8870.94221180.7581.Under-5sUnderweight prevalence (moderate and severe)2.1a1.80.31480.02770.0881.7881.3375935050.2600.Underweight prevalence (severe)2.1b1.80.10090.1972.2031.4845935050.0610.Children under age 5 who slept under an ITN3.186.70.56610.04210.0743.6821.9196015120.4820.	Skilled attendant at delivery	5.7	5.2	0.8289	0.0324	0.039	1.559	1.248	239	211	0.764	0.894
Condom use with non-regular partners 9.15 6.2 0.5517 0.4946 0.897 0.989 0.995 3 2 0.000 1 Men Literacy rate (young men) 7.1 2.3 0.932 0.0251 0.027 1.741 1.319 205 173 0.883 0.000 0.995 Knowledge about HIV prevention (young men) 9.1 6.3 0.2885 0.0467 0.162 1.827 1.352 205 173 0.195 0.0195 0.195 Condom use with non-regular partners 9.15 6.2 0.8972 0.0694 0.077 0.887 0.942 21 18 0.758 1.15 Under-se Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 0.019 Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203 1.484 593 505 0.061 0.0 Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203	Literacy rate (young women)	7.1	2.3	0.8975	0.0237	0.026	1.721	1.312	328	283	0.850	0.945
Men 1.319 205 173 0.883 0.0 Literacy rate (young men) 7.1 2.3 0.9332 0.0251 0.027 1.741 1.319 205 173 0.883 0.0 Knowledge about HIV prevention (young men) 9.1 6.3 0.2885 0.0467 0.162 1.827 1.352 205 173 0.195 0.0 Condom use with non-regular partners 9.15 6.2 0.8972 0.0694 0.077 0.887 0.942 21 18 0.758 1. Under-5s Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 0.0 Underweight prevalence (severe) 2.1b 1.8 0.109 0.197 2.203 1.484 593 505 0.061 0.0 Underweight prevalence (severe) 2.1b 1.8 0.1009 0.197 2.203 1.484 593 505 0.061 0.0 Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 <td< td=""><td>Knowledge about HIV prevention (young women)</td><td>9.1</td><td>6.3</td><td>0.2670</td><td>0.0276</td><td>0.103</td><td>1.097</td><td>1.048</td><td>328</td><td>283</td><td>0.212</td><td>0.322</td></td<>	Knowledge about HIV prevention (young women)	9.1	6.3	0.2670	0.0276	0.103	1.097	1.048	328	283	0.212	0.322
Literacy rate (young men)7.12.30.93320.02510.0271.7411.3192051730.8830.0Knowledge about HIV prevention (young men)9.16.30.28850.04670.1621.8271.3522051730.1950.0Condom use with non-regular partners9.156.20.89720.06940.0770.8870.94221180.7581.Under-5sUnderweight prevalence (moderate and severe)2.1a1.80.31480.02770.0881.7881.3375935050.2600.0Underweight prevalence (severe)2.1b1.80.10090.01990.1972.2031.4845935050.0610.0Children under age 5 who slept under an ITN3.186.70.56610.04210.0743.6821.9196015120.4820.	Condom use with non-regular partners	9.15	6.2	0.5517	0.4946	0.897	0.989	0.995	3	2	0.000	1.000
Knowledge about HIV prevention (young men) 9.1 6.3 0.2885 0.0467 0.162 1.827 1.352 205 173 0.195 0.195 Condom use with non-regular partners 9.15 6.2 0.8972 0.0694 0.077 0.887 0.942 21 18 0.195 1.352 Under-5s Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 0.010 Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203 1.484 593 505 0.260 0.010 Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 0.074 3.682 1.919 601 512 0.482 0.018	Men											
Condom use with non-regular partners 9.15 6.2 0.8972 0.0694 0.077 0.887 0.942 21 18 0.758 1. Under-5s Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 0. Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203 1.484 593 505 0.061 0.0 Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 0.074 3.682 1.919 601 512 0.482 0.	Literacy rate (young men)	7.1	2.3	0.9332	0.0251	0.027	1.741	1.319	205	173	0.883	0.983
Under-5s Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 0.000 Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203 1.484 593 505 0.061 0.000 Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 0.074 3.682 1.919 601 512 0.482 0.000	Knowledge about HIV prevention (young men)	9.1	6.3	0.2885	0.0467	0.162	1.827	1.352	205	173	0.195	0.382
Underweight prevalence (moderate and severe) 2.1a 1.8 0.3148 0.0277 0.088 1.788 1.337 593 505 0.260 </td <td>Condom use with non-regular partners</td> <td>9.15</td> <td>6.2</td> <td>0.8972</td> <td>0.0694</td> <td>0.077</td> <td>0.887</td> <td>0.942</td> <td>21</td> <td>18</td> <td>0.758</td> <td>1.000</td>	Condom use with non-regular partners	9.15	6.2	0.8972	0.0694	0.077	0.887	0.942	21	18	0.758	1.000
Underweight prevalence (severe) 2.1b 1.8 0.1009 0.0199 0.197 2.203 1.484 593 505 0.061 0. Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 0.074 3.682 1.919 601 512 0.482 0.	Under-5s											
Children under age 5 who slept under an ITN 3.18 6.7 0.5661 0.0421 0.074 3.682 1.919 601 512 0.482 0.	Underweight prevalence (moderate and severe)	2.1a	1.8	0.3148	0.0277	0.088	1.788	1.337	593	505	0.260	0.370
	Underweight prevalence (severe)	2.1b	1.8	0.1009	0.0199	0.197	2.203	1.484	593	505	0.061	0.141
Anti-malarial treatment of children under age 5 3.22 6.8 0.4670 0.0511 0.109 1.668 1.292 189 160 0.365 0.	Children under age 5 who slept under an ITN	3.18	6.7	0.5661	0.0421	0.074	3.682	1.919	601	512	0.482	0.650
······································	Anti-malarial treatment of children under age 5	3.22	6.8	0.4670	0.0511	0.109	1.668	1.292	189	160	0.365	0.569

Table SE.4: Sampling errors: Rural

									-	Confidence limits	
	MICS Indicator	MDG Indicator	Value (<i>r</i>)	Standard error (<i>se</i>)	Coefficient of variation (se/r)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	Unweighted count	Lower bound r - 2se	Upper bound r + 2se
Household members											
Use of improved drinking water sources	4.1	7.8	0.5578	0.0343	0.062	6.855	2.618	9617	1436	0.489	0.626
Use of improved sanitation	4.3	7.9	0.4525	0.0234	0.052	3.163	1.778	9617	1436	0.406	0.499
Primary school net attendance ratio (adjusted)	7.4	2.1	0.4883	0.0332	0.068	9.385	3.063	2015	2124	0.422	0.555
Women											
Infant mortality rate	1.2	4.2	122	7.5266	0.0616	na	na		na	107	137
Under five mortality rate	1.5	4.1	231	12.7436	0.0552	na	na		na	206	257
Adolescent birth rate	5.1	5.4	218	17.0566	0.0784	na	na		na	183	252
Contraceptive prevalence rate	5.3	5.3	0.0379	0.0083	0.218	3.052	1.747	1512	1623	0.021	0.055
Unmet need	5.4	5.6	0.2835	0.0143	0.051	1.644	1.282	1512	1623	0.255	0.312
Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.4186	0.0263	0.063	2.571	1.603	847	908	0.366	0.471
Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.1103	0.0129	0.117	1.546	1.243	847	908	0.084	0.136
Skilled attendant at delivery	5.7	5.2	0.6007	0.0285	0.047	3.062	1.750	847	908	0.544	0.658
Literacy rate (young women)	7.1	2.3	0.2536	0.0430	0.170	7.046	2.654	689	722	0.168	0.340
Knowledge about HIV prevention (young women)	9.1	6.3	0.1021	0.0168	0.164	2.209	1.486	689	722	0.069	0.136
Condom use with non-regular partners	9.15	6.2						0	0	0.000	0.000
Men											
Literacy rate (young men)	7.1	2.3	0.5720	0.0453	0.079	2.521	1.588	278	302	0.481	0.663
Knowledge about HIV prevention (young men)	9.1	6.3	0.1929	0.0285	0.148	1.565	1.251	278	302	0.136	0.250
Condom use with non-regular partners	9.15	6.2	0.7420	0.0768	0.104	0.955	0.977	32	32	0.588	0.896
Under-5s											
Underweight prevalence (moderate and severe)	2.1a	1.8	0.4307	0.0182	0.042	2.709	1.646	1917	2005	0.394	0.467
Underweight prevalence (severe)	2.1b	1.8	0.1799	0.0129	0.072	2.259	1.503	1917	2005	0.154	0.206
Children under age 5 who slept under an ITN	3.18	6.7	0.6337	0.0194	0.031	3.275	1.810	1942	2030	0.595	0.672
Anti-malarial treatment of children under age 5	3.22	6.8	0.3695	0.0252	0.068	2.026	1.424	717	744	0.319	0.420
na: not applicable											

Table SE.5: Sampling errors: Kano Central

									_	Confidence	ce limits
	MICS Indicator	MDG Indicator	Value (<i>r</i>)	Standard error (se)	Coefficient of variation (se/r)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	Unweighted count	Lower bound r - 2se	Upper bound r + 2se
Household members											
Use of improved drinking water sources	4.1	7.8	0.6284	0.0441	0.070	5.117	2.262	5772	616	0.540	0.717
Use of improved sanitation	4.3	7.9	0.7303	0.0330	0.045	3.401	1.844	5772	616	0.664	0.796
Primary school net attendance ratio (adjusted)	7.4	2.1	0.6793	0.0361	0.053	5.018	2.240	1075	838	0.607	0.752
Women											
Infant mortality rate	1.2	4.2	97	11.672	0.120	na	na		na	74	12
Under five mortality rate	1.5	4.1	159	19.242	0.121	na	na		na	121	198
Adolescent birth rate	5.1	5.4	78	15.256	0.196	na	na		na	47	108
Contraceptive prevalence rate	5.3	5.3	0.1147	0.0211	0.184	2.454	1.567	723	559	0.072	0.157
Unmet need	5.4	5.6	0.3672	0.0261	0.071	1.630	1.277	723	559	0.315	0.419
Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.5015	0.0405	0.081	1.993	1.412	393	305	0.421	0.582
Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.3474	0.0518	0.149	3.592	1.895	393	305	0.244	0.45
Skilled attendant at delivery	5.7	5.2	0.7912	0.0402	0.051	2.977	1.726	393	305	0.711	0.872
Literacy rate (young women)	7.1	2.3	0.7229	0.0596	0.082	6.580	2.565	465	372	0.604	0.842
Knowledge about HIV prevention (young women)	9.1	6.3	0.2488	0.0250	0.100	1.239	1.113	465	372	0.199	0.299
Condom use with non-regular partners	9.15	6.2	0.5517	0.4946	0.897	0.989	0.995	3	2	0.000	1.000
Men											
Literacy rate (young men)	7.1	2.3	0.8739	0.0351	0.040	2.305	1.518	267	207	0.804	0.944
Knowledge about HIV prevention (young men)	9.1	6.3	0.2596	0.0388	0.149	1.612	1.270	267	207	0.182	0.337
Condom use with non-regular partners	9.15	6.2	0.8955	0.0563	0.063	0.780	0.883	33	24	0.783	1.000
Under-5s											
Underweight prevalence (moderate and severe)	2.1a	1.8	0.3554	0.0313	0.088	3.109	1.763	943	727	0.293	0.418
Underweight prevalence (severe)	2.1b	1.8	0.1206	0.0161	0.134	1.779	1.334	943	727	0.088	0.153
Children under age 5 who slept under an ITN	3.18	6.7	0.6320	0.0337	0.053	3.594	1.896	960	739	0.565	0.699
Anti-malarial treatment of children under age 5	3.22	6.8	0.4408	0.0446	0.101	1.964	1.402	321	244	0.352	0.530

Table SE.6: Sampling errors: Kano North

									-	Confidence limits	
	MICS Indicator	MDG Indicator	Value (<i>r</i>)	Standard error (se)	Coefficient of variation (se/r)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	Unweighted count	Lower bound r - 2se	Upper bound r + 2se
Household members											
Use of improved drinking water sources	4.1	7.8	0.6414	0.0541	0.084	7.903	2.811	3431	622	0.533	0.750
Use of improved sanitation	4.3	7.9	0.5080	0.0329	0.065	2.687	1.639	3431	622	0.442	0.574
Primary school net attendance ratio (adjusted)	7.4	2.1	0.4883	0.0537	0.110	10.134	3.183	749	879	0.381	0.596
Women											
Infant mortality rate	1.2	4.2	143	12.164	0.085	na	na		na	119	167
Under five mortality rate	1.5	4.1	260	20.540	0.079	na	na		na	219	301
Adolescent birth rate	5.1	5.4	244	25.423	0.104	na	na		na	193	295
Contraceptive prevalence rate	5.3	5.3	0.0370	0.0129	0.348	2.945	1.716	538	634	0.011	0.063
Unmet need	5.4	5.6	0.2380	0.0198	0.083	1.372	1.172	538	634	0.198	0.278
Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.3639	0.0432	0.119	2.997	1.731	314	372	0.277	0.450
Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.1263	0.0209	0.166	1.473	1.214	314	372	0.084	0.168
Skilled attendant at delivery	5.7	5.2	0.5850	0.0552	0.094	4.649	2.156	314	372	0.475	0.695
Literacy rate (young women)	7.1	2.3	0.2609	0.0689	0.264	6.606	2.570	229	269	0.123	0.399
Knowledge about HIV prevention (young women)	9.1	6.3	0.0646	0.0220	0.341	2.156	1.468	229	269	0.020	0.109
Condom use with non-regular partners	9.15	6.2						0	0	0.000	0.000
Men											
Literacy rate (young men)	7.1	2.3	0.6938	0.0673	0.097	2.220	1.490	88	105	0.559	0.828
Knowledge about HIV prevention (young men)	9.1	6.3	0.2707	0.0601	0.222	1.905	1.380	88	105	0.150	0.391
Condom use with non-regular partners	9.15	6.2						0	0	0.000	0.000
Under-5s											
Underweight prevalence (moderate and severe)	2.1a	1.8	0.4927	0.0253	0.051	2.009	1.417	674	785	0.442	0.543
Underweight prevalence (severe)	2.1b	1.8	0.2385	0.0246	0.103	2.617	1.618	674	785	0.189	0.288
Children under age 5 who slept under an ITN	3.18	6.7	0.5613	0.0255	0.045	2.116	1.455	690	801	0.510	0.612
Anti-malarial treatment of children under age 5	3.22	6.8	0.3426	0.0348	0.102	1.448	1.203	224	270	0.273	0.412
na: not applicable											

Table SE.7: Sampling errors: Kano South

										Confiden	ce limits
	MICS Indicator	MDG Indicator	Value (<i>r</i>)	Standard error (se)	Coefficient of variation (se/r)	Design effect (<i>deff</i>)	Square root of design effect (<i>deft</i>)	Weighted count	- Unweighted count	Lower bound r - 2se	Upper bound r + 2se
Household members											
Use of improved drinking water sources	4.1	7.8	0.4598	0.0552	0.120	7.713	2.777	4162	629	0.349	0.57
Use of improved sanitation	4.3	7.9	0.3376	0.0382	0.113	4.095	2.024	4162	629	0.261	0.41
Primary school net attendance ratio (adjusted)	7.4	2.1	0.4373	0.0573	0.131	13.099	3.619	862	984	0.323	0.55
Women											
Infant mortality rate	1.2	4.2	104	11.514	0.111	na	na		na	81	12
Under five mortality rate	1.5	4.1	205	19.096	0.093	na	na		na	167	24
Adolescent birth rate	5.1	5.4	241	21.261	0.088	na	na		na	198	28
Contraceptive prevalence rate	5.3	5.3	0.0301	0.0085	0.283	2.006	1.416	688	806	0.013	0.04
Unmet need	5.4	5.6	0.3000	0.0189	0.063	1.368	1.170	688	806	0.262	0.33
Antenatal care coverage (1+ times, skilled provider)	5.5a	5.5	0.4591	0.0394	0.086	2.751	1.659	380	442	0.380	0.53
Antenatal care coverage (4+ times, any provider)	5.5b	5.5	0.1017	0.0178	0.175	1.527	1.236	380	442	0.066	0.13
Skilled attendant at delivery	5.7	5.2	0.5606	0.0367	0.065	2.409	1.552	380	442	0.487	0.63
Literacy rate (young women)	7.1	2.3	0.2263	0.0545	0.241	6.154	2.481	323	364	0.117	0.33
Knowledge about HIV prevention (young women)	9.1	6.3	0.0700	0.0240	0.343	3.219	1.794	323	364	0.022	0.11
Condom use with non-regular partners	9.15	6.2						0	364	0.000	0.00
Men											
Literacy rate (young men)	7.1	2.3	0.4372	0.0724	0.166	3.453	1.858	128	163	0.292	0.58
Knowledge about HIV prevention (young men)	9.1	6.3	0.1533	0.0338	0.220	1.424	1.193	128	163	0.086	0.22
Condom use with non-regular partners	9.15	6.2	0.6590	0.1070	0.162	1.273	1.128	21	26	0.445	0.87
Under-5s											
Underweight prevalence (moderate and severe)	2.1a	1.8	0.3865	0.0210	0.054	1.862	1.364	892	998	0.344	0.42
Underweight prevalence (severe)	2.1b	1.8	0.1459	0.0158	0.109	2.006	1.416	892	998	0.114	0.17
Children under age 5 who slept under an ITN	3.18	6.7	0.6461	0.0334	0.052	4.877	2.208	893	1002	0.579	0.71
Anti-malarial treatment of children under age 5	3.22	6.8	0.3740	0.0364	0.097	2.206	1.485	361	390	0.301	0.44

Appendix D.Data Quality Tables

	Males		Fem	ales		Ма	les	Females		
	Number	Percent	Number	Percent		Number	Percent	Number	Percen	
Age (Yea	ars)				Age (Years)					
0	258	3.9	261	3.8	45	120	1.8	96	1.4	
1	266	4.1	272	4.0	46	24	0.4	20	0.3	
2	200 256	3.9	272	3.3	40	34	0.4	20	0.	
3	258 258	3.9	262	3.9	48	34	0.6	25	0.	
4	250	3.8	248	3.6	49	17	0.3	34	0.	
5	226	3.4	240	3.3	49 50	113	1.7	142	2.	
6	273	4.2	220	3.9	50	20	0.3	28	2. 0.	
7	266	4.2	203 260	3.9	52	20 30	0.5	28 59	0.	
8										
o 9	233 179	3.6	236	3.5 2.8	53 54	18 18	0.3	31	0.	
		2.7	191				0.3	33	0.	
10	259	3.9	275	4.0	55	59	0.9	89	1.	
11	118	1.8	151	2.2	56	15	0.2	11	0.	
12	208	3.2	241	3.6	57	11	0.2	7	0.	
13	179	2.7	174	2.6	58	8	0.1	10	0.	
14	152	2.3	173	2.5	59	3	0.0	11	0.	
15	189	2.9	149	2.2	60	96	1.5	102	1.	
16	125	1.9	122	1.8	61	13	0.2	10	0.	
17	105	1.6	127	1.9	62	24	0.4	17	0.	
18	126	1.9	132	1.9	63	17	0.3	9	0.	
19	62	0.9	88	1.3	64	14	0.2	11	0.	
20	180	2.7	210	3.1	65	44	0.7	26	0.	
21	52	0.8	42	0.6	66	15	0.2	4	0.	
22	69	1.1	80	1.2	67	13	0.2	3	0.	
23	55	0.8	63	0.9	68	14	0.2	5	0.	
24	49	0.7	54	0.8	69	14	0.2	7	0.	
25	142	2.2	208	3.1	70	93	1.4	47	0.	
26	50	0.8	69	1.0	71	15	0.2	1	0.	
27	64	1.0	67	1.0	72	6	0.1	4	0.	
28	53	0.8	69	1.0	73	6	0.1	3	0.	
29	41	0.6	37	0.5	74	5	0.1	2	0.	
30	166	2.5	215	3.2	75	18	0.3	7	0.	
31	33	0.5	29	0.4	76	2	0.0	1	0.	
32	32	0.5	45	0.7	77	3	0.1	0	0.	
33	33	0.5	35	0.5	78	2	0.0	3	0.	
34	36	0.5	39	0.6	79	2	0.0	1	0.	
35	126	1.9	145	2.1	80	60	0.9	22	0	
36	22	0.3	45	0.7	81	3	0.0	0	0	
37	29	0.4	38	0.6	82	3	0.0	3	0	
38	28	0.4	49	0.7	83	1	0.0	0	0	
39	22	0.3	20	0.3	84	0	0.0	2	0	
40	154	2.4	142	2.1	85+	25	0.4	16	0	
41	22	0.3	20	0.3		_0				
42	42	0.6	33	0.5	Don't Know/Missing	7	0.1	4	0	
43	24	0.4	19	0.3	rate to the total of the					
44	13	0.2	17	0.3	Total	6567	100.0	6798	100	

Figure DQ.1: Household population by single ages, Nigeria, 2016-17 Kano State


Table DQ.2: Age distribution of eligible and interviewed women

Household population of women age 10-54 years, interviewed women age 15-49 years, and percentage of eligible women who were interviewed, by five-year age groups, Nigeria, 2016-17 Kano State

	Household population of women age 10-54 years	Interviewed won year	-	Percentage of eligible women interviewed	
	Number	Number	Percent	(Completion rate)	
Age (Years)	1013				
10-14	1013	na	na	na	
15-19	618	592	23.4	95.7	
20-24	448	437	17.3	97.4	
25-29	450	437	17.3	97.0	
30-34	363	358	14.2	98.5	
35-39	297	289	11.4	97.4	
40-44	231	224	8.9	97.1	
45-49	201	193	7.6	95.8	
50-54	293	na	na	na	
Total (15-49)	2609	2529	100.0	96.9	
Ratio of 50-54 to 45-49	1.46	na	na	na	
na: not applicable					

Table DQ.3: Age distribution of eligible and interviewed men

Household population of men age 10-54 years, in all households and in households selected for men's interviews, interviewed men age 15-49 years, and percentage of eligible men who were interviewed, by five-year age groups, Nigeria, 2016-17 Kano State

	Household populati 10-54 ye				Percentage of
-	All households	Selected households	Interviewed 15-49 y	eligible men interviewed	
	Number	Number	Number	Percent	(Completion rate)
Age (Years)					
10-14	917	454	na	na	na
15-19	607	308	292	26.4	94.6
20-24	405	216	191	17.3	88.6
25-29	350	183	164	14.8	89.9
30-34	299	147	129	11.6	87.6
35-39	227	112	99	8.9	88.3
40-44	255	141	131	11.8	93.1
45-49	232	111	101	9.1	91.0
50-54	199	95	na	na	na
Total (15-49)	199	95	1107	100.0	90.9
Ratio of 50-54 to 45-49	0.86	0.86	na	na	na
na: not applicable					

Table DQ.4: Age distribution of children in household and under-5 questionnaires

Household population of children age 0-7 years, children age 0-4 years whose mothers/caretakers were interviewed, and percentage of under-5 children whose mothers/caretakers were interviewed, by single years of age, Nigeria, 2016-17 Kano State

	Household population of children 0-7 years	Under-5s with comp	leted interviews	Percentage of eligible under-5s with completed interviews
	Number	Number	Percent	(Completion rate)
Age (Years)				
0	520	514	20.2	98.9
1	538	533	21.0	99.1
2	478	478	18.8	100.0
3	521	517	20.4	99.3
4	498	496	19.6	99.6
5	454	na	na	na
6	538	na	na	na
7	526	na	na	na
Total (0-4)	2555	2538	100.0	99.4
Ratio of 5 to 4	0.91	na	na	na
na: not applicable	9			

Table DQ.5: Birt	h date reportii	n <mark>g: Househo</mark> l	d population			
Percent distribution o	f household popula	ition by completer	ness of date of birth i	information, Nigeria	, 2016-17 Kano S	State
	Completer	ness of reporting	of month and year	r of birth		Number of
	Year and month of birth	Year of birth only	Month of birth only	Both missing	Total	household members
Total	76.6	23.2	0.0	0.2	100.0	13365
Age (Years)						
0-4	98.2	1.8	0.0	0.1	100.0	2555
5-14	87.7	12.3	0.0	0.0	100.0	4287
15-24	76.9	23.1	0.0	0.1	100.0	2079
25-49	60.4	39.5	0.0	0.2	100.0	2905
50-64	43.5	55.8	0.0	0.7	100.0	1030
65-84	43.5	63.6	0.0	1.9	100.0	458
85+	43.5	70.7	0.0	0.0	100.0	41
Don't Know/Missing Senatorial District	43.5	18.6	0.0	65.0	100.0	11
Kano Central	43.5	21.4	0.0	0.4	100.0	5772
Kano North	43.5	20.2	0.0	0.2	100.0	3431
Kano South	43.5	28.1	0.0	0.0	100.0	4162
Residence						
Urban	43.5	19.1	0.0	0.2	100.0	3748
Rural	43.5	24.8	0.0	0.3	100.0	9617

Table DQ.6: Birth date and age reporting: Women

	Co	mpleteness o	f reporting of da	te of birth and	d age		Number of	
	Year and month of birth	Year of birth and age	Year of birth only	Age only	Other/Don't Know /Missing	Total	women age 15-49 years	
otal	64.2	35.6	0.0	0.1	0.0	100.0	250	
Senatorial District								
Kano Central	68.7	31.2	0.0	0.0	0.1	100.0	109	
Kano North	64.7	34.8	0.0	0.5	0.0	100.0	60	
Kano South	57.8	42.2	0.0	0.0	0.0	100.0	80	
Residence								
Urban	74.8	25.0	0.0	0.0	0.2	100.0	73	
Rural	59.9	40.0	0.0	0.2	0.0	100.0	176	

Table DQ.7: Birth	date and age	reporting:	Men				
Percent distribution of	men age 15-49 yea	ars by complet	eness of date of	birth/age inform	ation, Nigeria, 2016	-17 Kano Sta	te
	Co	mpleteness o	of reporting of d	late of birth and	d age		
	Year and month of birth	Year of birth and age	Year of birth only	Age only	Other/Don't Know/ Missing	Total	Number of men age 15-49 years
Total	70.4	29.6	0.0	0.0	0.0	100.0	1099
Senatorial District							
Kano Central	76.5	23.5	0.0	0.0	0.0	100.0	538
Kano North	73.4	26.6	0.0	0.0	0.0	100.0	228
Kano South	58.5	41.5	0.0	0.0	0.0	100.0	333
Residence							
Urban	80.7	19.3	0.0	0.0	0.0	100.0	394
Rural	64.7	35.3	0.0	0.0	0.0	100.0	705

Table DQ.8: Birth date and age reporting: Under-5s

74.7

86.9

82.9

Residence Urban

Rural

Percent distribution ch	nildren under 5 b	y completene	ss of date of bir	th/age information	on, Nigeria, 2016-17	' Kano State	
	Со	mpleteness o	f reporting of	date of birth an	d age		
	Year and month of birth	Year of birth and age	Year of birth only	Age only	Other/Don't Know/ Missing	Total	Number of under-5 children
Total	99.6	0.3	0.0	0.0	0.0	100.0	2559
Senatorial District							
Kano Central	99.8	0.2	0.0	0.0	0.0	100.0	962
Kano North	99.3	0.5	0.0	0.1	0.0	100.0	693
Kano South	99.7	0.1	0.0	0.0	0.0	100.0	904
Residence							
Urban	99.7	0.3	0.0	0.0	0.0	100.0	603
Rural	99.6	0.3	0.0	0.0	0.0	100.0	1956

Table DQ.9: Birth	n date report	ing: Children,	adolescents	and young p	people	
Percent distribution of Nigeria, 2016-17 Kano		cents and young p	people age 5-24 ye	ars by complete	eness of date	of birth information,
	Completen	ess of reporting	of month and yea	r of birth		
	Year and month of birth	Year of birth only	Month of birth only	Both missing	Total	Number of children, adolescents and young people age 5-24 years
Total	84.1	15.8	0.0	0.0	100.0	6366
Senatorial District						
Kano Central	86.6	13.4	0.0	0.0	100.0	2862
Kano North	90.9	9.0	0.0	0.2	100.0	1599
Kano South	74 7	25.3	0.0	0.0	100.0	1906

0.0

0.0

0.0

0.0

0.0

0.1

100.0

100.0

100.0

1906

1913

4453

25.3

13.1

17.0

Page | 199

Table DQ.10: Birth date reporting: First and last births

Percent distribution of first and last births to women age 15-49 years by completeness of date of birth, Nigeria, 2016-17 Kano State

				Comple	eteness	of reporting	of date of	birth			
		Da	te of first birt	h	_		D	ate of la	ast birth	_	
	Year and mont h of birth	Year of birth only	Completed years since first birth only	Other/Don't Know/ Missing	Total	Number of first births	Year and month of birth	Year of birth only	Other/ Don't Know/ Missing	Total	Number of last births
Total	83.2	14.5	0.2	2.2	100.0	1908	93.8	5.5	0.7	100.0	1699
Senatorial District											
Kano Central	85.4	11.8	0.0	2.8	100.0	731	93.5	5.9	0.6	100.0	671
Kano North	90.0	9.4	0.2	0.4	100.0	518	95.1	4.5	0.3	100.0	455
Kano South	75.4	21.5	0.3	2.8	100.0	659	93.2	5.8	1.0	100.0	573
Residence											
Urban	89.4	9.8	0.2	0.6	100.0	454	93.9	5.8	0.3	100.0	418
Rural	81.2	16.0	0.2	2.6	100.0	1454	93.8	5.4	0.8	100.0	1282

Questionnaire and type of missing		Percent with missing/incomplete	Numbe of
information	Reference group	information	cases
Household			
Salt test result	All households interviewed that have salt		
Starting time of interview	All households interviewed		
Ending time of interview	All households interviewed		
Women			
Date of first marriage/union	All ever married women age 15-49		
Only month		23.6	201
Both month and year		12.1	201
Age at first marriage/union	All ever married women age 15-49 with year of first marriage not known	0.7	201
Age at first intercourse	All women age 15-24 who have ever had sex	0.9	56
Time since last intercourse	All women age 15-24 who have ever had sex	1.2	56
Starting time of interview	All women interviewed	0.0	250
Ending time of interview	All women interviewed	0.0	250
Men			
Date of first marriage/union	All ever married men age 15-49		
Only month		16.8	47
Both month and year		7.2	47
Age at first marriage/union	All ever married men age 15-49 with year of first marriage not known	2.9	47
Age at first intercourse	All men age 15-24 who have ever had sex	12.5	7
Time since last intercourse	All men age 15-24 who have ever had sex	60.9	7
Starting time of interview	All men interviewed	0.0	109
Ending time of interview	All men interviewed	0.0	109
Under-5			
Starting time of interview	All under-5 children	0.0	255
Ending time of interview	All under-5 children	0.0	255

Table DQ.12: Completeness of information for anthropometric indicators: Underweight

			Reason for ex	clusion from analys	is		Percent of	
	Valid weight and date of birth	Weight not measured	Incomplete date of birth	Weight not measured and incomplete date of birth	Flagged cases (outliers)	Total	children excluded from analysis	Number o children under 5
Total	98.1	1.2	0.4	0.0	0.4	100.0	1.9	2559
Age (Months)								
<6	98.6	0.7	0.0	0.0	0.7	100.0	1.4	27
6-11	99.7	0.3	0.0	0.0	0.0	100.0	0.3	24
12-23	98.9	0.8	0.2	0.0	0.1	100.0	1.1	538
24-35	98.6	0.9	0.3	0.0	0.2	100.0	1.4	48
36-47	97.6	1.9	0.4	0.0	0.0	100.0	2.4	52
48-59	96.1	1.6	1.0	0.0	1.3	100.0	3.9	50

Table DQ.13: Completeness of information for anthropometric indicators: Stunting

	n or children unde			ion on date of birth and	a length of hel	grit, Nigel		and State
	Valid length/height and date of birth	Length/Height	eason for excl Incomplete date of birth	Length/Height not measured, incomplete date of birth	Flagged cases (outliers)	Total	Percent of children excluded from analysis	Number of children under 5
Total	97.2	1.1	0.4	0.0	1.3	100.0	2.8	2559
Age (Months)								
<6	98.2	0.7	0.0	0.0	1.1	100.0	1.8	271
6-11	98.6	0.3	0.0	0.0	1.1	100.0	1.4	243
12-23	97.7	0.8	0.2	0.0	1.3	100.0	2.3	538
24-35	97.3	0.8	0.3	0.0	1.6	100.0	2.7	485
36-47	97.1	1.9	0.4	0.0	0.6	100.0	2.9	522
48-59	95.4	1.6	1.0	0.0	2.0	100.0	4.6	500

Table DQ.14: Completeness of information for anthropometric indicators: Wasting

		R	eason for exclu	sion from analysi	S		Percent of	Number
	Valid weight and length/height	Weight not measured	Length/Height not measured	Weight and length/height not measured	Flagged cases (outliers)	Total	children excluded from analysis	of children under 5
Total	98.0	0.0	0.0	1.1	0.8	100.0	2.0	2559
Age (Months)								
<6	97.1	0.0	0.0	0.7	2.1	100.0	2.9	27
6-11	98.6	0.0	0.0	0.3	1.1	100.0	1.4	243
12-23	98.3	0.0	0.0	0.8	0.9	100.0	1.7	53
24-35	98.9	0.1	0.0	0.8	0.2	100.0	1.1	48
36-47	98.1	0.0	0.0	1.9	0.0	100.0	1.9	52
48-59	97.1	0.0	0.0	1.6	1.3	100.0	2.9	50

	Weigh		decimal points, Nigeria, 2016-17 Kano State Height or length				
	Number	Percent	Number	Percent			
Total	2523	100.0	2523	100.0			
Digits							
0	277	11.0	312	12.4			
1	243	9.6	246	9.7			
2	325	12.9	308	12.2			
3	250	9.9	272	10.8			
4	237	9.4	259	10.3			
5	246	9.8	320	12.7			
6	269	10.7	214	8.5			
7	223	8.8	210	8.3			
8	222	8.8	229	9.1			
9	231	9.1	153	6.			

Table DQ.16: OI	bservation of b	irth certificates					
Percent distribution of	of children under 5 b	y presence of birth c	ertificates, and perc	entage of bir	th certificate	es seen, Nigeria, 2016-1	7 Kano State
	Child has bi	rth certificate	Child does not	Don't		Percentage of birth certificates seen by	Number of
	Seen by the interviewer (1)	Not seen by the interviewer (2)	have birth certificate	Know/ Missing	Total	the interviewer (1)/ (1+2) *100	children under age 5
Total	19.2	12.4	68.0	0.3	100.0	60.7	2559
Senatorial District							
Kano Central	30.9	17.7	50.9	0.5	100.0	63.6	962
Kano North	11.6	10.7	77.4	0.3	100.0	52.1	693
Kano South	12.6	8.2	79.1	0.2	100.0	60.6	904
Residence							
Urban	36.1	22.4	41.3	0.2	100.0	61.7	603
Rural	14.0	9.4	76.3	0.4	100.0	59.9	1956
Child's age (Months	5)						
0-5	13.8	11.4	74.9	0.0	100.0	54.8	271
6-11	13.3	9.0	77.7	0.0	100.0	59.6	243
12-23	18.4	14.2	67.1	0.3	100.0	56.3	538
24-35	25.5	11.2	63.0	0.4	100.0	69.5	485
36-47	18.6	13.6	67.0	0.9	100.0	57.8	522
48-59	20.5	12.8	66.6	0.1	100.0	61.6	500

Table DQ.17: Observation of vaccination cards

Percent distribution of children age 0-35 months by presence of a vaccination card, and the percentage of vaccination cards seen by the interviewers, Nigeria, 2016-17 Kano State

	Child has va	ccination card	_		Percentage of vaccination cards seen	
	Seen by the interviewer (1)	Not seen by the interviewer (2)	Don't Know/ Missing	Total	by the interviewer (1)/ (1+2) *100	Number of children age 0-35 months
Total	20.0	10.2	0.5	100.0	66.2	1536
Senatorial District						
Kano Central	26.0	13.0	1.3	100.0	66.6	570
Kano North	16.1	11.8	0.2	100.0	57.6	434
Kano South	16.9	5.9	0.0	100.0	74.2	533
Residence						
Urban	31.9	17.0	0.9	100.0	65.2	351
Rural	16.5	8.2	0.4	100.0	66.9	1185
Child's age (Months)						
0-5	27.7	4.3	0.0	100.0	86.5	271
6-11	27.5	8.3	0.0	100.0	76.8	243
12-23	20.6	9.1	0.4	100.0	69.5	538
24-35	11.4	15.8	1.2	100.0	41.9	485

Table DQ.18: Observation of women's health cards

Percent distribution of women with a live birth in the last 2 years by presence of a health card, and the percentage of health cards seen by the interviewers, Nigeria, 2016-17 Kano State

the interviewers, Nig	ena, 2016-17 K	ano State					
	Woman	Woman has	s health card			Percent of health cards	Number of
	does not have health card	Seen by the interviewer (1)	Not seen by the interviewer (2)	Don't Know /Missing	Total	seen by the interviewer (1)/ (1+2) *100	women with a live birth in the last two years
Total	60.1	14.4	24.9	0.6	100.0	36.6	1087
Senatorial District							
Kano Central	53.9	12.7	32.6	0.8	100.0	28.1	393
Kano North	57.0	18.0	24.1	0.9	100.0	42.8	314
Kano South	69.0	13.0	17.7	0.2	100.0	42.4	380
Residence							
Urban	56.4	12.1	31.0	0.5	100.0	28.1	239
Rural	61.1	15.0	23.2	0.7	100.0	39.3	847
Age (Years)							
15-24	57.8	16.6	25.5	0.2	100.0	39.4	353
25-34	61.7	12.9	24.4	1.0	100.0	34.5	468
35-49	60.2	14.1	25.2	0.4	100.0	35.8	266

Table DQ.19: Observation of bednets and places for handwashing

Percentage of bednets in all households observed by the interviewers, and percent distribution of places for handwashing observed by the interviewers in all interviewed households, Nigeria, 2016-17 Kano State

				Place for hai					
_	Percentage of bednets observed by interviewer	Total number of bednets	Observed	Not in the dwelling, plot or yard	ot observed No permission to see	Other reason	Total	Number of households interviewed	
Total	82.7	4244	43.6	3.1	3.8	1.0	100.0	1867	
Senatorial District									
Kano Central	86.2	1789	57.9	2.7	5.2	0.6	100.0	786	
Kano North	76.1	1152	34.6	3.8	4.2	1.6	100.0	527	
Kano South	83.8	1303	31.8	3.1	1.3	1.2	100.0	554	
Residence									
Urban	83.0	1072	63.2	2.4	7.3	0.2	100.0	500	
Rural	82.6	3173	36.4	3.4	2.5	1.3	100.0	1367	
Wealth index quintile									
Poorest	81.9	844	28.8	3.6	2.7	1.5	100.0	382	
Second	83.3	858	29.8	3.5	3.0	1.4	100.0	376	
Middle	84.7	850	42.7	3.4	1.9	1.5	100.0	385	
Fourth	81.4	888	52.9	3.5	3.4	0.3	100.0	365	
Richest	82.3	805	65.3	1.6	8.0	0.3	100.0	360	

Table DQ.20: Respondent to the under-5 questionnaire

Distribution of children under five by respondent to the under-5 questionnaire, Nigeria, 2016-17 Kano State

			n the household a retaker identified			Number of	
	Mother in the household	Father	Other adult female	Other adult male	Total	children under 5	
Total	96.9	0.2	2.7	0.3	100.0	2555	
Age (Years)							
0	99.5	0.0	0.5	0.0	100.0	520	
1	98.8	0.0	1.0	0.3	100.0	538	
2	96.0	0.3	3.4	0.4	100.0	478	
3	95.6	0.3	3.8	0.3	100.0	521	
4	94.5	0.2	4.9	0.4	100.0	498	

							(Currently	attendin	g						-			
	Not attending			Prin	nary sc	hool G	rade			Seco	ndary s	chool	Grade		Higher than	Non-	Don't Know/		Number of household
	school	Preschool	1	2	3	4	5	6	1	2	3	4	5	6	secondary	formal	Missing	Total	members
Age at beginni	ng of school year																		
5	35.7	25.1	14.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	0.0	100.0	462
6	23.2	12.0	19.8	15.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2	0.0	100.0	543
7	20.9	6.1	14.0	21.6	10.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.9	0.0	100.0	503
8	11.9	2.2	8.2	21.0	25.0	8.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.7	0.0	100.0	460
9	13.7	0.0	3.7	17.4	21.1	14.4	9.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	0.0	100.0	391
10	14.0	0.7	2.7	6.6	11.8	16.5	11.9	7.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	26.9	0.0	100.0	503
11	17.1	0.3	1.6	5.1	8.4	11.8	11.5	12.0	8.3	5.8	0.0	0.0	0.0	0.0	0.0	18.0	0.0	100.0	288
12	13.9	0.0	0.2	2.1	5.2	10.0	10.3	13.4	10.9	12.3	1.7	0.0	0.0	0.0	0.0	20.0	0.0	100.0	428
13	16.1	0.0	0.0	0.0	2.4	5.2	7.3	10.3	11.1	11.2	12.5	1.0	0.4	0.0	0.0	22.4	0.3	100.0	354
14	22.8	0.0	0.0	0.5	1.4	1.7	2.5	6.7	8.6	16.1	12.5	5.2	3.8	0.6	0.0	17.7	0.0	100.0	336
15	27.6	0.0	0.0	0.2	0.7	0.6	1.2	5.1	2.6	9.1	14.0	12.4	5.4	3.6	0.0	17.5	0.0	100.0	333
16	25.2	0.0	0.0	0.5	0.0	0.7	1.1	3.4	2.2	6.2	9.8	17.3	13.1	7.9	0.3	12.3	0.0	100.0	228
17	40.5	0.0	0.0	0.6	0.0	0.6	0.4	0.5	0.5	2.2	4.0	11.5	10.2	16.1	0.8	12.1	0.0	100.0	241
18	55.3	0.0	0.0	0.0	0.0	0.5	0.4	0.0	0.0	1.8	3.5	3.5	5.7	16.3	1.5	11.5	0.0	100.0	240
19	54.4	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.5	0.9	0.9	4.0	4.4	16.4	6.8	10.6	0.0	100.0	180
20	77.6	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.9	1.5	1.4	1.1	2.9	4.3	9.1	0.0	100.0	351
21	68.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.9	1.6	0.0	0.0	9.9	15.0	2.6	0.0	100.0	105
22	68.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.7	2.9	2.3	9.8	7.3	7.0	0.0	100.0	142
23	74.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.2	0.6	4.0	14.3	5.0	0.0	100.0	113
24 ^a	79.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	11.0	8.4	0.0	100.0	98

Table DQ.23: Sex ratio at birth among children ever born and living

Sex ratio (number of males per 100 females) among children ever born (at birth), children living, and deceased children, by age of women, Nigeria, 2016-17 Kano State

	(Children Ever	Born	C	hildren Livin	g	Ch	ildren Decease	d	
	Sons	Daughters	Sex ratio at birth	Sons	Daughters	Sex ratio	Sons	Daughters	Sex ratio	Number of women
Total	4975	4737	1.05	3837	3775	1.02	1138	963	1.18	2500
Age (Yea	ırs)									
15-19	85	77	1.10	65	65	0.99	20	12	1.71	586
20-24	419	403	1.04	345	343	1.01	73	60	1.23	431
25-29	804	815	0.99	627	663	0.95	177	151	1.17	432
30-34	965	922	1.05	760	754	1.01	205	168	1.22	354
35-39	1033	991	1.04	802	795	1.01	231	196	1.18	286
40-44	858	819	1.05	647	634	1.02	212	186	1.14	222
45-49	811	711	1.14	591	520	1.13	220	190	1.16	190

Table DQ.24: Births by periods preceding the survey

Number of births, sex ratio at birth, and period ratio by periods preceding the survey, according to living, deceased, and total children (imputed), as reported in the birth histories, Nigeria, 2016-17 Kano State

	Nu	mber of birth	IS	Perce	ent with com birth date ^a	plete	Se	x ratio at bir	th ^b		Period ratio	;
	Living	Deceased	Total	Living	Deceased	Total	Living	Deceased	Total	Living	Deceased	Total
Total	7613	2099	9712	88.7	70.8	84.8	102.4	120.2	106.0	na	na	na
Years												
0	497	38	535	98.8	86.4	97.9	96.9	93.7	96.7	na	na	na
1	502	54	557	98.8	84.3	97.4	98.7	221.4	106.3	105.9	87.6	103.8
2	452	86	538	96.3	73.7	92.7	114.0	75.7	106.8	92.7	102.3	94.1
3	473	113	586	94.7	78.2	91.5	97.0	121.6	101.3	102.9	106.6	103.6
4	467	127	594	95.0	72.8	90.3	100.9	126.4	105.9	105.9	117.6	108.2
5	409	102	511	89.6	68.8	85.5	100.8	144.7	108.3	89.2	88.8	89.1
6	449	104	553	89.9	66.4	85.5	102.7	138.7	108.7	104.4	94.6	102.4
7	452	118	570	87.2	60.8	81.8	99.5	80.3	95.2	105.6	108.3	106.2
8	407	113	520	89.6	73.9	86.2	102.9	122.4	106.9	110.2	103.9	108.8
9	286	100	386	86.0	66.7	81.0	95.9	167.9	110.6	15.8	16.0	15.8
10+	3219	1144	4363	82.7	70.2	79.4	104.4	119.1	108.0	na	na	na
Five-year	periods											
0-4	2392	417	2809	96.8	77.2	93.9	101.1	117.3	103.4	na	na	na
5-9	2002	538	2540	88.6	67.2	84.1	100.7	124.9	105.3	na	na	na
10-14	1552	409	1961	85.2	73.7	82.8	96.2	124.9	101.6	na	na	na
15-19	875	356	1231	83.5	68.7	79.2	105.6	114.2	108.0	na	na	na
20+	792	379	1171	77.0	67.7	74.0	120.8	117.6	119.8	na	na	na

na: not applicable

^a Both month and year of birth given. The inverse of the percent reported is the percent with incomplete and therefore imputed date of birth

 b (B_m/B_f) x 100, where B_m and B_f are the numbers of male and female births, respectively

° (2 x $B_t/(B_{t-1} + B_{t+1})$) x 100, where B_t is the number of births in year t preceding the survey

Table DQ.25: Reporting of age at death in days

Distribution of reported deaths under one month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0–6 days, by 5-year periods preceding the survey (imputed), Nigeria, 2016-17 Kano State

	Number o	f years preced	ing the survey			Total
	0–4	5–9	10–14	15–19		(0–19)
Age at death (days)						
0	51	23	20	16		11
1	48	25	17	11		10
2	23	13	7	8		5
3	7	16	6	10		3
4	10	5	3	3		2
5	10	8	1	6		:
6	3	5	6	5		
7	3	9	3	2		
8	5	4	0	2		
9	4	8	1	1		
10	3	5	2	4		
11	1	1	1	1		
12	5	1	1	2		
13	0	3	1	3		
14	3	6	2	5		
15	1	2	4	2		
16	1	3	0	0		
17	2	1	0	0		
18	2	0	0	0		
19	2	2	1	1		
20	2	5	5	3		
21	1	1	0	1		
22	1	0	1	2		
23	1	1	0	0		
24	0	0	1	1		
25	1	0	0	2		
26	na	na	na	na	na	
27	0	1	1	0	na	
28	1	0	1	2		
29	0	2	0	0		
30	3	1	3	1		
otal 0–30 days	194	149	88	93		5
Percent early neonatal ^a	78.5	62.4	69.5	62.8		69

Table DQ.26: Reporting of age at death in months

Distribution of reported deaths under two years of age by age at death in months and the percentage of infant deaths reported to occur at age under one month, for the 5-year periods of birth preceding the survey (imputed), Nigeria, 2016-17 Kano State

	Numb	er of years prece	ding the survey		Tota
	0–4	5–9	10–14	15–19	(0-19
Age at death (months)					
0 ^a	194	149	88	93	52
1	18	20	8	13	5
2	15	16	15	11	5
3	6	10	19	9	4
4	13	13	10	8	4
5	6	10	9	8	3
6	7	13	9	12	3
7	12	11	11	4	3
8	11	6	11	5	З
9	6	9	9	9	З
10	8	11	6	7	3
11	2	4	7	4	1
12	11	18	9	6	2
13	3	3	0	1	
14	1	4	4	3	1
15	3	6	6	3	1
16	0	2	2	3	
17	3	4	6	2	1
18	4	4	9	5	2
19	2	2	2	0	
20	4	5	4	4	1
21	0	1	0	1	
22	1	5	3	1	1
23	2	1	1	0	
Fotal 0–11 months	298	272	200	184	95
Percent neonatal ^b	65.1	54.8	44.1	50.4	54
a Includes deaths under one month	n reported in days				
PDeaths under one month, divided		ar			

Appendix E. Nigeria MICS Indicators: Numerators and Denominators

MICS INI	DICATOR ^[M]	Module	Numerator	Denominator	MDG Indicator Reference
MORTAL	ITY				
1.1	Neonatal mortality rate	BH	Probability of dying within the first month of life		
1.2	Infant mortality rate	CM - BH	Probability of dying between birth and the first birthday		MDG 4.2
1.3	Post-neonatal mortality rate	ВН	Difference between infant and neonatal mortality rates		
1.4	Child mortality rate	BH	Probability of dying between the first and the fifth birthdays		
1.5	Under-five mortality rate	CM - BH	Probability of dying between birth and the fifth birthday		MDG 4.1

NUTRITI	ON				
2.1a 2.1b	Underweight prevalence	AN	Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for age of the WHO standard	Total number of children under age 5	MDG 1.8
2.2a 2.2b	Stunting prevalence	AN	 Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) below minus three standard deviations (severe) of the median height for age of the WHO standard 	Total number of children under age 5	
2.3a 2.3b	Wasting prevalence	AN	 Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for height of the WHO standard 	Total number of children under age 5	
2.4	Overweight prevalence	AN	Number of children under age 5 who are above two standard deviations of the median weight for height of the WHO standard	Total number of children under age 5	

Children ever breastfed	MN	Number of women with a live birth in the last 2 years who breastfed their last live-born child at any time	Total number of women with a live birth in the last 2 years
Early initiation of breastfeeding	MN	Number of women with a live birth in the last 2 years who put their last newborn to the breast within one hour of birth	Total number of women with a live birth in the last 2 years
Exclusive breastfeeding under 6 months	BD	Number of infants under 6 months of age who are exclusively breastfed	Total number of infants under 6 months of age
Predominant breastfeeding under 6 months	BD	Number of infants under 6 months of age who received breast milk as the predominant source of nourishment during the previous day	Total number of infants under 6 months of age
Continued breastfeeding at 1 year	BD	Number of children age 12-15 months who received breast milk during the previous day	Total number of children age 12-15 months
Continued breastfeeding at 2 years	BD	Number of children age 20-23 months who received breast milk during the previous day	Total number of children age 20-23 months
Duration of breastfeeding	BD	The age in months when 50 percent of months did not receive breast milk du	
Age-appropriate breastfeeding	BD	Number of children age 0-23 months appropriately fed during the previous day	Total number of children age 0-23 months
Introduction of solid, semi-solid or soft foods	BD	Number of infants age 6-8 months who received solid, semi-solid or soft foods during the previous day	Total number of infants age 6-8 months
Milk feeding frequency for non-breastfed children	BD	Number of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous day	Total number of non- breastfed children age 6-23 months
Minimum meal frequency	BD	Number of children age 6-23 months who received solid, semi-solid and soft foods (plus milk feeds for non- breastfed children) the minimum number of times or more during the previous day	Total number of children age 6-23 months
	breastfed Early initiation of breastfeeding Exclusive breastfeeding under 6 months Predominant breastfeeding under 6 months Continued breastfeeding at 1 year Continued breastfeeding at 2 years Duration of breastfeeding Age-appropriate breastfeeding Introduction of solid, semi-solid or soft foods Milk feeding frequency for non-breastfed children Minimum meal	breastfedMNEarly initiation of breastfeedingMNExclusive breastfeeding under 6 monthsBDPredominant breastfeeding under 6 monthsBDContinued breastfeeding at 1 yearBDContinued breastfeeding at 2 yearsBDDuration of breastfeedingBDAge-appropriate breastfeedingBDIntroduction of solid, semi-solid or soft foodsBDMilk feeding frequency for non-breastfed childrenBDMinimum mealBD	Children ever breastfedMNin the last 2 years who breastfed their last live-born child at any timeEarly initiation of breastfeedingMNNumber of women with a live birth in the last 2 years who put their last newborn to the breast within one hour of birthExclusive breastfeeding under 6 monthsBDNumber of infants under 6 months of age who are exclusively breastfedPredominant breastfeeding under 6 monthsBDNumber of infants under 6 months of age who received breast milk as the predominant source of nourishment during the previous dayContinued breastfeeding at 1 yearBDNumber of children age 12-15 months who received breast milk during the previous dayContinued breastfeeding at 2 yearsBDNumber of children age 20-23 months who received breast milk during the previous dayDuration of breastfeedingBDThe age in months when 50 percent of months did not receive breast milk duAge-appropriate breastfeedingBDNumber of children age 0-23 months appropriately fed during the previous dayIntroduction of solid, semi-solid or soft foodsBDNumber of infants age 6-8 months who received solid, semi-solid or soft foods during the previous dayMilk feeding frequency for non-breastfed childrenBDNumber of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous dayMilk feeding frequency for non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous dayMilk feeding frequency for non-breastfed children age 6-23 months who received a

2.16	Minimum dietary diversity	BD	Number of children age 6–23 months who received foods from 4 or more food groups during the previous day	Total number of children age 6–23 months
2.17a 2.17b	Minimum acceptable diet	BD	 (a) Number of breastfed children age 6–23 months who had at least the minimum dietary diversity and the minimum meal frequency during the previous day (b) Number of non-breastfed children age 6–23 months who received at least 2 milk feedings and had at least the minimum dietary diversity not including milk feeds and the minimum meal frequency during the previous day 	 (a) Number of breastfed children age 6–23 months (b) Number of non- breastfed children age 6–23 months
2.18	Bottle feeding	BD	Number of children age 0-23 months who were fed with a bottle during the previous day	Total number of children age 0-23 months
2.19	lodized salt consumption	SI	Number of households with salt testing 15 parts per million or more of iodide/iodate	Total number of households in which salt was tested or where there was no salt
2.20	Low-birth weight infants	MN	Number of most recent live births in the last 2 years weighing below 2,500 grams at birth	Total number of most recent live births in the last 2 years
2.21	Infants weighed at birth	MN	Number of most recent live births in the last 2 years who were weighed at birth	Total number of most recent live births in the last 2 years

CHILD H	CHILD HEALTH					
3.1	Tuberculosis immunization coverage	IM	Number of children age 12-23 months who received BCG vaccine by their first birthday	Total number of children age 12-23 months		
3.2	Polio immunization coverage	IM	Number of children age 12-23 months who received the third dose of OPV vaccine (OPV3) by their first birthday	Total number of children age 12-23 months		
3.3	Diphtheria, pertussis and tetanus (DPT) immunization coverage	IM	Number of children age 12-23 months who received the third dose of DPT vaccine (DPT3) by their first birthday	Total number of children age 12-23 months		
3.4	Measles immunization coverage	IM	Number of children age 12-23 months who received measles vaccine by their first birthday	Total number of children age 12-23 months	MDG 4.3	
3.5	Hepatitis B immunization coverage	IM	Number of children age 12-23 months who received the third dose of Hepatitis B vaccine (HepB3) by their first birthday	Total number of children age 12-23 months		

3.6	Haemophilusinfluenzae type B (Hib) immunization coverage	IM	Number of children age 12-23 months who received the third dose of Hib vaccine(Hib3) by their first birthday	Total number of children age 12-23 months
3.7	Yellow fever immunization coverage	IM	Number of children age 12-23 months who received yellow fever vaccine by their first birthday	Total number of children age 12-23 months
3.8	Full immunization coverage	IM	Number of children age 12-23 months who received all vaccinations recommended in the national immunization schedule by their first birthday	Total number of children age 12-23 months
3.9	Neonatal tetanus protection	MN	Number of women age 15-49 years with a live birth in the last 2 years who were given at least two doses of tetanus toxoid vaccine within the appropriate interval prior to the most recent birth	Total number of women age 15-49 years with a live birth in the last2 years
3.10	Care-seeking for diarrhoea	CA	Number of children under age 5 with diarrhoea in the last 2 weeks for whon advice or treatment was sought from a health facility or provider	age 5 with
3.11	Diarrhoea treatment with oral rehydration salts (ORS) and zinc	CA	Number of children under age 5 with diarrhoea in the last 2 weeks who received ORS and zinc	Total number of children under age 5 with diarrhoea in the last 2 weeks
3.12	Diarrhoea treatment with oral rehydration therapy (ORT) and continued feeding	CA	Number of children under age 5 with diarrhoea in the last 2 weeks who received ORT (ORS packet, pre-packag ORS fluid, recommended homemade f or increased fluids) and continued feed during the episode of diarrhoea	luid diarrhooa in the
3.13	Care-seeking for children with acute respiratory infection (ARI) symptoms	CA	Number of children under age 5 with A symptoms in the last 2 weeks for whor advice or treatment was sought from a health facility or provider	n age 5 with ABI
3.14	Antibiotic treatment for children with ARI symptoms	CA	Number of children under age 5 with A symptoms in the last 2 weeks who received antibiotics	Total number of children under age 5 with ARI symptoms in the last 2 weeks
3.15	Use of solid fuels for cooking	НС	Number of household members in households that use solid fuels as the primary source of domestic energy to cook	Total number of household members
3.16a 3.16b	Household availability of insecticide-treated nets (ITNs)	TN	Number of households with (a) at least one ITN (b) at least one ITN for every two peo	Total number of households

3.17a 3.17b	Household vector control	TN - IR	 Number of households (a) with at least one ITN or that have been sprayed by IRS in the last 12 months (b) with at least one ITN for every two people or that have been sprayed by IRS in the last 12 months 	Total number of households	
3.18	Children under age 5 who slept under an ITN	TN	Number of children under age 5 who slept under an ITN the previous night	Total number of children under age 5who spent the previous night in the interviewed households	MDG 6.7
3.19	Population that slept under an ITN	TN	Number of household members who slept under an ITN the previous night	Total number of household members who spent the previous night in the interviewed households	
3.20	Care-seeking for fever	CA	Number of children under age 5 with fever in the last 2 weeks for whom advice or treatment was sought from a health facility or provider	Total number of children under age 5 with fever in the last 2 weeks	
3.21	Malaria diagnostics usage	CA	Number of children under age 5 with fever in the last 2 weeks who had a finger or heel stick for malaria testing	Total number of children under age 5 with fever in the last 2 weeks	
3.22	Anti-malarial treatment of children under age 5	CA	Number of children under age 5 with fever in the last 2 weeks who received any antimalarial treatment	Total number of children under age 5 with fever in the last 2 weeks	MDG 6.8
3.23	Treatment with Artemisinin-based Combination Therapy (ACT) among children who received anti- malarial treatment	CA	Number of children under age 5 with fever in the last 2 weeks who received ACT (or other first-line treatment according to national policy)	Total number of children under age 5 with fever in the last 2 weeks who received any anti- malarial drugs	
3.24	Pregnant women who slept under an ITN	TN – CP	Number of pregnant women who slept under an ITN the previous night	Total number of pregnant women	
3.25	Intermittent preventive treatment for malaria during pregnancy	MN	Number of women age 15-49 years who received three or more doses of SP/Fansidar, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	

WATER A	WATER AND SANITATION					
4.1	Use of improved drinking water sources	WS	Number of household members using improved sources of drinking water	Total number of household members	MDG 7.8	
4.2	Water treatment	WS	Number of household members in households using unimproved drinking water who use an appropriate treatment method	Total number of household members in households using unimproved drinking water sources		
4.3	Use of improved sanitation	WS	Number of household members using improved sanitation facilities which are not shared	Total number of household members	MDG 7.9	
4.4	Safe disposal of child's faeces	CA	Number of children age 0-2 years whose last stools were disposed of safely	Total number of children age 0-2 years		
4.5	Place for handwashing	HW	Number of households with a specific place for hand washing where water and soap or other cleansing agent are present	Total number of households		
4.6	Availability of soap or other cleansing agent	НW	Number of households with soap or other cleansing agent	Total number of households		

REPROD	UCTIVE HEALTH				
5.1	Adolescent birth rate	CM - BH	Age-specific fertility rate for women a	ge 15-19 years	MDG 5.4
5.2	Early childbearing	CM - BH	Number of women age 20-24 years who had at least one live birth before age 18	Total number of women age 20-24 years	
5.3	Contraceptive prevalence rate	СР	Number of women age 15-49 years currently married or in union who are using (or whose partner is using) a (modern or traditional) contraceptive method	Total number of women age 15-49 years who are currently married or in union	MDG 5.3
5.4	Unmet need	UN	Number of women age 15-49 years who are currently married or in union who are fecund and want to space their births or limit the number of children they have and who are not currently using contraception	Total number of women age 15-49 years who are currently married or in union	MDG 5.6
5.5a 5.5b	Antenatal care coverage	MN	 Number of women age 15-49 years with a live birth in the last 2 years who were attended during their last pregnancy that led to a live birth (a) at least once by skilled health personnel (b) at least four times by any provider 	Total number of women age 15-49 years with a live birth in the last 2 years	MDG 5.5

5.6	Content of antenatal care	MN	Number of women age 15-49 years with a live birth in the last 2 years who had their blood pressure measured and gave urine and blood samples during the last pregnancy	Total number of women age 15-49 years with a live birth in the last 2 years	
5.7	Skilled attendant at delivery	MN	that led to a live birth Number of women age 15-49 years with a live birth in the last 2 years who were attended by skilled health personnel during their most recent live birth	Total number of women age 15-49 years with a live birth in the last 2 years	MDG 5.2
5.8	Institutional deliveries	MN	Number of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered in a health facility	Total number of women age 15-49 years with a live birth in the last 2 years	
5.9	Caesarean section	MN	Number of women age 15-49 years whose most recent live birth in the last 2 years was delivered by caesarean section	Total number of women age 15-49 years with a live birth in the last 2 years	
5.10	Post-partum stay in health facility	PN	Number of women age 15-49 years who stayed in the health facility for 12 hours or more after the delivery of their most recent live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	
5.11	Post-natal health check for the newborn	PN	Number of last live births in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery	Total number of last live births in the last 2 years	
5.12	Post-natal health check for the mother	PN	Number of women age 15-49 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery of their most recent live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	
5.13	Maternal mortality ratio	MM	Deaths during pregnancy, childbirth, or within two months after delivery or termination of pregnancy, per 100,000 births within the 7-year period preceding the survey		MDG5.1

CHILD D	CHILD DEVELOPMENT				
6.1	Attendance to early childhood education	EC	Number of children age 36-59 months who are attending an early childhood education programme	Total number of children age 36-59 months	
6.2	Support for learning	EC	Number of children age 36-59 months with whom an adult has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months	
6.3	Father's support for learning	EC	Number of children age 36-59 months whose biological father has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months	

6.4	Mother's support for learning	EC	Number of children age 36-59 months whose biological mother has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months
6.5	Availability of children's books	EC	Number of children under age 5 who have three or more children's books	Total number of children under age 5
6.6	Availability of playthings	EC	Number of children under age 5 who play with two or more types of playthings	Total number of children under age 5
6.7	Inadequate care	EC	Number of children under age 5 left alone or in the care of another child younger than 10 years of age for more than one hour at least once in the last week	Total number of children under age 5
6.8	Early child development index	EC	Number of children age 36-59 months who are developmentally on track in at least three of the following four domains: literacy- numeracy, physical, social- emotional, and learning	Total number of children age 36-59 months

LITERAC	Y AND EDUCATION				
7.1	Literacy rate among young women ^[M]	WB	Number of women age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education	Total number of women age 15-24 years	MDG 2.3
7.2	School readiness	ED	Number of children in first grade of primary school who attended pre- school during the previous school year	Total number of children attending the first grade of primary school	
7.3	Net intake rate in primary education	ED	Number of children of school-entry age who enter the first grade of primary school	Total number of children of school- entry age	
7.4	Primary school net attendance ratio (adjusted)	ED	Number of children of primary school age currently attending primary or secondary school	Total number of children of primary school age	MDG 2.1
7.5	Secondary school net attendance ratio (adjusted)	ED	Number of children of secondary school age currently attending secondary school or higher	Total number of children of secondary school age	
7.6	Children reaching last grade of primary	ED	Proportion of children entering the first grade of primary school who eventually reach last grade		MDG 2.2
7.7	Primary completion rate	ED	Number of children attending the last grade of primary school (excluding repeaters)	Total number of children of primary school completion age (age appropriate to final grade of primary school)	

7.8	Transition rate to secondary school	ED	Number of children attending the last grade of primary school during the previous school year who are in the first grade of secondary school during the current school year	Total number of children attending the last grade of primary school during the previous school year	
7.9	Gender parity index (primary school)	ED	Primary school net attendance ratio (adjusted) for girls	Primary school net attendance ratio (adjusted) for boys	MDG 3.1
7.10	Gender parity index (secondary school)	ED	Secondary school net attendance ratio (adjusted) for girls	Secondary school net attendance ratio (adjusted) for boys	MDG 3.1

CHILD P	ROTECTION			
8.1	Birth registration	BR	Number of children under age 5 whose births are reported registered	Total number of children under age 5
8.2	Child labour	CL	Number of children age 5-17 years who are involved in child labour	Total number of children age 5-17 years
8.3	Violent discipline	CD	Number of children age 1-14 years who experienced psychological aggression or physical punishment during the last one month	Total number of children age 1-14 years
8.4	Marriage before age 15 ^[M]	MA	Number of women age 15-49 years who were first married or in union before age 15	Total number of women age 15-49 years
8.5	Marriage before age 18 ^[M]	MA	Number of women age 20-49 years who were first married or in union before age 18	Total number of women age 20-49 years
8.6	Young women age 15- 19 years currently married or in union ^[M]	MA	Number of women age 15-19 years who are married or in union	Total number of women age 15-19 years
8.7	Polygyny ^[M]	MA	Number of women age 15-49 years who are in a polygynous union	Total number of women age 15-49 years who are married or in union
8.8a 8.8b	Spousal age difference	MA	Number of women who are married or in union and whose spouse is 10 or more years older, (a) among women age 15-19 years, (b) among women age 20-24 years	Total number of women who are married or in union (a) age 15-19 years, (b) age 20-24 years
8.9	Approval for female genital mutilation/cutting (FGM/C)	FG	Number of women age 15-49 years who state that FGM/C should be continued	Total number of women age 15-49 years who have heard of FGM/C
8.10	Prevalence of FGM/C among women	FG	Number of women age 15-49 years who report to have undergone any form of FGM/C	Total number of women age 15-49 years
8.11	Prevalence of FGM/C among girls	FG	Number of daughters age 0-14 years who have undergone any form of FGM/C, as reported by mothers age 15-49 years	Total number of daughters age 0-14 years of mothers age 15-49 years

8.12	Attitudes towards domestic violence ^[M]	DV	Number of women who state that a husband is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food	Total number of women age 15-49 years	
8.13	Children's living arrangements	HL	Number of children age 0-17 years living with neither biological parent	Total number of children age 0-17 years	
8.14	Prevalence of children with one or both parents dead	HL	Number of children age 0-17 years with one or both biological parents dead	Total number of children age 0-17 years	
8.15	Children with at least one parent living abroad	HL	Number of children 0-17 years with at least one biological parent living abroad	Total number of children 0-17 years	

HIV/AID	S AND SEXUAL BEHAVIOU	R			
9.1	Knowledge about HIV prevention among young women ^[M]	НА	Number of women age 15-24 years who correctly identify ways of preventing the sexual transmission of HIV, and who reject major misconceptions about HIV transmission	Total number of women age 15-24 years	MDG 6.3
9.2	Knowledge of mother- to-child transmission of HIV ^[M]	HA	Number of women age 15-49 years who correctly identify all three means of mother-to-child transmission of HIV	Total number of women age 15-49 years	
9.3	Accepting attitudes towards people living with HIV ^[M]	HA	Number of women age 15-49 years expressing accepting attitudes on all four questions toward people living with HIV	Total number of women age 15-49 years who have heard of HIV	
9.4	Women who know where to be tested for HIV ^[M]	HA	Number of women age 15-49 years who state knowledge of a place to be tested for HIV	Total number of women age 15-49 years	
9.5	Women who have been tested for HIV and know the results M	HA	Number of women age 15-49 years who have been tested for HIV in the last 12 months and who know their results	Total number of women age 15-49 years	
9.6	Sexually active young women who have been tested for HIV and know the results ^[M]	HA	Number of women age 15-24 years who have had sex in the last 12 months, who have been tested for HIV in the last 12 months and who know their results	Total number of women age 15-24 years who have had sex in the last 12 months	
9.7	HIV counseling during antenatal care	HA	Number of women age 15-49 years who had a live birth in the last 2 years and received antenatal care during the pregnancy of their most recent birth, reporting that they received counseling on HIV during antenatal care	Total number of women age 15-49 years who had a live birth in the last 2 years	

9.8	HIV testing during antenatal care	НА	Number of women age 15-49 years who had a live birth in the last 2 years and received antenatal care during the pregnancy of their most recent birth, reporting that they were offered and accepted an HIV test during antenatal care and received their results	Total number of women age 15-49 years who had a live birth in the last 2 years	
9.9	Young women who have never had sex ^[M]	SB	Number of never married women age 15-24 years who have never had sex	Total number of never married women age 15-24 years	
9.10	Sex before age 15 among young women ^[M]	SB	Number of women age 15-24 years who had sexual intercourse before age 15	Total number of women age 15-24 years	
9.11	Age-mixing among sexual partners	SB	Number of women age 15-24 years who had sex in the last 12 months with a partner who was 10 or more years older	Total number of women age 15-24 years who had sex in the last 12 months	
9.12	Multiple sexual partnerships ^[M]	SB	Number of women age 15-49 years who had sexual intercourse with more than one partner in the last 12 months	Total number of women age 15-49 years	
9.13	Condom use at last sex among people with multiple sexual partnerships ^[M]	SB	Number of women age 15-49 years who report having had more than one sexual partner in the last 12 months who also reported that a condom was used the last time they had sex	Total number of women age 15-49 years who reported having had more than one sexual partner in the last 12 months	
9.14	Sex with non-regular partners ^[M]	SB	Number of sexually active women age 15-24 years who had sex with a non-marital, non-cohabitating partner in the last 12 months	Total number of women age 15-24 years who had sex in the last 12 months	
9.15	Condom use with non- regular partners ^[M]	SB	Number of women age 15-24 years reporting the use of a condom during the last sexual intercourse with a non-marital, non-cohabiting sex partner in the last 12 months	Total number of women age 15-24 years who had sex with a non-marital, non- cohabiting partner in the last 12 months	MDG 6.2
9.16	Ratio of school attendance of orphans to school attendance of non-orphans	HL - ED	Proportion attending school among children age 10-14 years who have lost both parents	Proportion attending school among children age 10-14 years whose parents are alive and who are living with one or both parents	MDG 6.4
9.17	Male circumcision	ММС	Number of men age 15-49 years who report having been circumcised	Total number of men age 15-49 years	

ACCESS 1	ACCESS TO MASS MEDIA AND USE OF INFORMATION/COMMUNICATION TECHNOLOGY				
10.1	Exposure to mass media ^[M]	MT	Number of women age 15-49 years who, at least once a week, read a newspaper or magazine, listen to the radio, and watch television	Total number of women age 15-49 years	
10.2	Use of computers ^[M]	MT	Number of young women age 15-24 years who used a computer during the last 12 months	Total number of women age 15-24 years	

10.3	Use of internet ^[M]	MT	Number of young women age 15-24 who used the internet during the last 12 months	Total number of women age 15-24 years	
------	--------------------------------	----	---	---	--

SUBJECT	SUBJECTIVE WELL-BEING				
11.1	Life satisfaction ^[M]	LS	Number of women age 15-24 years who are very or somewhat satisfied with their life, overall	Total number of women age 15-24 years	
11.2	Happiness ^[M]	LS	Number of women age 15-24 years who are very or somewhat happy	Total number of women age 15-24 years	
11.3	Perception of a better life ^[M]	LS	Number of women age 15-24 years whose life improved during the last one year, and who expect that their life will be better after one year	Total number of women age 15-24 years	

TOBACC	TOBACCO AND ALCOHOL USE				
12.1	Tobacco use ^[M]	ТА	Number of women age 15-49 years who smoked cigarettes, or used smoked or smokeless tobacco products at any time during the last one month	Total number of women age 15-49 years	
12.2	Smoking before age 15 [M]	TA	Number of women age 15-49 years who smoked a whole cigarette before age 15	Total number of women age 15-49 years	
12.3	Use of alcohol ^[M]	ТА	Number of women age 15-49 years who had at least one alcoholic drink at any time during the last one month	Total number of women age 15-49 years	
12.4	Use of alcohol before age 15 ^[M]	TA	Number of women age 15-49 years who had at least one alcoholic drink before age 15	Total number of women age 15-49 years	

Appendix F. Kano Nigeria MICS Questionnaires

Include the survey questionnaires here. If the questionnaires are not in English or in another UN language, you should include the translated version of the local version(s) of the questionnaires. Make sure that the translated versions reflect the latest and most current version of the local versions. Back-translated versions, even if they are translated based on the most recent versions, may sometimes need additional revision or editing.

If the 'Life Satisfaction' module has been included (for women and/or men), a copy of the card with smiling faces should also be inserted next to the individual questionnaire(s).

Please bookmark each questionnaire for easy browsing as indicated in "Final Report Customisation Guidelines, Appendix II".